

TENDER ADVERTISEMENT – TENDER BULLETIN: PA-06.3 (EC)

CATEGORY: Engineering and Construction

Description:	Required at: (Town Name)	Tender No:	Closing date and time:	Tenders obtainable from:	Post or deliver tenders to:
<p>SERVICE DESCRIPTION: SERVICE AND REPAIR 60 KVA THREE PHASE STANDBY GENERATOR AT BULFONTEIN SAPS</p> <p>CIDB Contractor grading designation required: It is estimated that tenderers should have a CIDB contractor grading designation of 1 EB or 1 ME* or higher. * Delete "or select tender value range select class of construction works" where only one class of construction works is applicable.</p> <p>It is estimated that potentially emerging enterprises should have a CIDB contractor grading designation of select tender value range select class of construction works PE or select tender value range select class of construction works PE* or higher. * Delete "or select tender value range select class of construction works PE" where only one class of construction works is applicable.</p> <p>This tender will be evaluated commensurate with the applicable scoring model at the time of evaluation.</p> <p>Tender to be awarded to the highest scoring acceptable tender. Points will be allocated for:</p> <ol style="list-style-type: none"> Price: according to formula in PPPFA: Regulations 2011 – regulations 5(1) or 6(1), which ever will be applicable, and regulation10. Preference: according to B-BBEE Status Level of Contributor as stipulated in PPPFA: Regulation 2011 – regulations 5(2) or 6(2), which ever will be applicable, and regulation10. <p>No site inspection on the N/A at N/A. Prospective tenderers to meet at N/A</p> <p>NOTE: Documents will be sold at a non-refundable deposit of R.00 <u>CASH</u> per set.</p> <p><u>Contact for tender information:</u> <u>Technical information:</u> <u>General enquiries:</u> Lebakile Wolf Thabo matsha Thabo Matsha 051 408 7447 051 408 7447 051 408 7393</p>	Bulfontein	ID: 315962 4	12 June 2024 at 11H00	18 President Brand Bloemfontein 9300	Private Bag X 20605 Bloemfontein 9300