

TENDER NO: ID: 164103/A

KIMBERLEY AND SURROUNDING AREAS: MAINTENANCE, REPAIRS, SERVICING OF HIGH TENSION EQUIPMENT AND LOW VOLTAGE INSTALLATION: 24 MONTHS TERM CONTRACT FOR VARIOUS CLIENTS

- 1 TENDERING PROCEDURES (THIS DOCUMENT)
- 2 RETURNABLE DOCUMENTS
- 3 THE CONTRACT

TENDER DOCUMENT

Year 2023/2025

ISSUED BY:

PREPARED BY: Mr Simiso Mbusi

DEPARTMENT OF PUBLIC WORKS PRIVATE BAG X 5002 OLD MAGISTRATE COURT BUILDING 21-23 MARKET SQUARE,KIMBERLEY 8301

NAME OF	TENDERER:	***************************************
---------	-----------	---



DPWI SCAM ALERT!

The Department of Public Works and Infrastructure (DPWI) would like to once again warn members of the public and service providers about a scam doing rounds using personal details of DPWI staff members to scam the public.

Members of the public and those who are doing business with DPWI are cautioned to be extra vigilant around this time of the lockdown, whereby unscrupulous people use any available opportunity to scam them.

If anyone receives such an invitation purporting to be from any staff member, please verify with DPWI by calling the following officials;

Ms Wendy Khumalo

Telephone number: 053 8385359

Email: Wendy.Khumalo@dpw.gov.za

Ms Gail Aysen
Telephone number – 053 8385221
Email – Gail.Aysen@dpw.gov.za



SERVICE PROVIDER DOCUMENT COMPLETION GUIDE: WHAT TO AVOID AND/OR REMEMBER WHEN COMPLETING THESE TENDER DOCUMENTS.

- 1. **PA 32 INVITATION TO BID** the total bid price calculated on the bill of quantities and/or PA 30.1 MUST be transferred to the PA-32 form and completed at the bottom right corner.
- 2. **DPW 07 FORM OF OFFER AND ACCEPTANCE** the total bid price calculated on the bill of quantities should be carried over from the bill of quantities (BOQ) to DPW-07 in both numerical and in words format. It should be noted that should there be a price difference between numeric value offer and the offer in words, the offer in words shall prevail. (NB. applicable to facilities and construction tenders)
- 3. **PA 11 BIDDERS DISCLOSURE** declare any related company interest (where you have controlling interest) including those reflecting on the **CSD report** under each director/member of your company (*if, tick YES on point 2.3. Furnish the details on 2.3.1*).
- 4. **PA 16 PREFERENCE POINTS CLAIM FORM** should be completed in full, bidders to note that points will be allocated for specific goals as specified in the invitation to quote and invitation to bid.

For example using the table below, should you wish to claim for specific goals and maximise on the preferential points you will need to indicate the specific goal claimed in PA16 page 09 of 11; if claiming under 80/20 then the last column should indicate the number of points claimed i.e. 1. An EME or QSE which is at least 51% owned by black people = 10 (indicate the total points if they are being claimed)

NB Please indicate the points being claimed, should you fail to indicate you will not be allocated the points and please submit the documentary proof to substantiate the claim as indicated in the invitation to quote/tender.

Serial No	Specific Goals	Preference Points allocated out of 20	Documentation to be submitted by bidders to validate their claim for points
1.	An EME or QSE which is at least 51% owned by black people	10	ID Copy SANAS Accredited BBBEE Certificate or sworn affidavit where applicable
	. *		Or CSD Report

Kimberley Regional Office: SCM Effective Date: 2023/02/03



Serial No	Specific Goals	Preference Points allocated out of 20	Documentation to be submitted by bidders to validate their claim for points	
			OrCIPC (company registration)	
2.	Located in a specific Local Municipality or District Municipality or Metro or Province area for work to be done or services to be rendered in that area	2	 Office Municipal Rates Statement Or Permission To Occupy from local chief in case of rural areas (PTO) Or Lease Agreement 	

- 5. **ORIGINAL BBBEE SWORN AFFIDAVIT** Ensure that the sworn affidavit is signed and dated in the presence of the Commissioner of Oaths. The date of the deponent and the commissioner must be the same date. **CIPC sworn affidavit** are preferred but not compulsory
 - Bidders to note that the acceptable format for financial year end is as follows: **DD/MM/YYYY**. If the day, month and year of financial year end are not indicated, the sworn affidavit will be declared invalid and lead to non-allocation of preference point.
- 6. BBBEE CERTIFICATE must be issued by a SANAS accredited agency and all other required certificates must be issued by the relevant accredited agency. Please verify that the your certificate issuing providers are registered on SANAS to ensure your certificates are accredited www.sanas.co.za under accredited organizations
- 7. **PROCUREMENT COMPLIANCE FORMS** all procurement compliance form MUST be fully completed and signed in ink.
- 8. **ERRORS ON THE BOQ** Ensure correct and accurate carry-over of totals throughout the BOQ

Please ensure that you completely fill in the document, where you are not sure kindly contact this office for assistance. Should you fail to submit a fully compliant document you may be rendered *administratively non-responsive* thus <u>disqualified</u> from further evaluation.

Kimberley Regional Office: SCM Effective Date: 2023/02/03

KIMBERLEY AND SURROUNDING AREAS: MAINTENANCE, REPAIRS, SERVICING OF HIGH TENSION EQUIPMENT AND LOW VOLTAGE INSTALLATION: 24 MONTHS TERM CONTRACT FOR VARIOUS CLIENTS

TENDER NUMBER: ID: 164103/ A

CONTENTS OF DOCUMENT

THE TENDER

Must be returned together with the tender/bid submitted

Part 1: Tendering Procedures

- Tender Notice and invitation to tender PA-04 (EC)
- DPW-03 (EC) Tender Data

Part 2: Returnable Schedules/Documents

- 1. PA-09 (EC) List of Returnable Schedules
- 2. Returnable Documents required for Tender Evaluation Purposes:

0	PA-11	Declaration of Interest and Bidder's Past Supply Chain Management Practices
0	PA-15.1	Resolution of Board of Directors
0	PA-15.2	Resolution of Board of Directors to Enter into Consortia or Joint Ventures
0	PA-15.3	Special Resolution of Consortia or Joint Venture
0	PA-16	Preference points Claim Form In Terms Of The Preferential Procurement
0	PA-36	Declaration Certificate For Local Production And Content For Designated Sectors
	TO 4 40	D. 1 - 41 OCD 1 - 4 1 C D. D. Compatible December 1

Declaration Of Designated Groups For Preferential Procurement 0 PA-40

DPW-16 Site Inspection meeting Certificate 0 DPW-09(EC) Particulars of Tenderer's Projects 0

DPW-21(EC) Record of Addenda to Tender Documents 0

DPW-22(EC) Particulars of Electrical Contractor

DPW-23(EC) Schedule for Imported Material and Equipment 0

CONTRACT

Part 1: Agreement and Contract Data

▶ DPW-05 Contract Data (GCC 2010) ▶ DPW-07 Form of Offer and Acceptance

> DPW-10.2(EC) Form of Guarantee - Variable Construction Guarantee

DPW-10.4(EC) Form of Guarantee -Fixed Construction Guarantee

Part 2: Pricing Data

➤ PG-02.1 Pricing instructions ➤ C2.2 Bill of Quantities

Part 3: Scope of Works

- > PG-01.1 (EC) Scope of Works
- Project Specification
- General Information
- > EPWP Implementation Framework
- > Occupational Health & Safety Specification

Part 4: Site Information

- > PG-03.1 (EC) Site Information
- Properties According to the Areas



PA-04 (EC): NOTICE AND INVITATION TO TENDER

THE DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE INVITES TENDERS FOR:

Project title: KIMBERLEY AND SURROUNDING AREAS: MAINTENANCI OF HIGH TENSION EQUIPMENT AND LOW VOLTAGE INST TERM CONTRACT FOR VARIOUS CLIENTS			
Tender no:	ID:164103/A	Reference no:	19/2/4/2/2/2022-2024
Advertising date:	17/03/2023	Closing date: 14/04/2023	
Closing time:	11:00 AM	Validity period:	84 Calendar days

1. REQUIRED CIDB GRADING

It is estimated that tenderers should have a CIDB contractor grading designation of **7 EP** or **7 EP*** or higher.

* Delete "or select tender value range select class of construction works" where only one class of construction works is applicable

It is estimated that potentially emerging enterprises should have a CIDB contractor grading designation of **Not applicable Not applicable PE** or **Not applicable PE*** or higher.

2. RESPONSIVENESS CRITERIA

2.1 Substantive responsiveness criteria

Only tenderers who are responsive to the following substantive responsiveness criteria are eligible to submit tenders. Failure to comply with the criteria stated hereunder <u>shall</u> result in the tender offer being disqualified from further consideration:

1	\boxtimes	Only those tenderers who satisfy the eligibility criteria stated in the Tender Data may submit tenders.
2	\boxtimes	Tender offer must be properly received on the tender closing date and time specified on the invitation, fully completed either electronically (if issued in electronic format), or by writing legibly in non-erasable ink. (All as per Standard Conditions of Tender).
3	\boxtimes	Use of correction fluid is prohibited.
4	\boxtimes	Submission of (DPW-07 EC): Form of Offer and Acceptance.
5		Submission of (PA – 36 and Annexure/s C): Declaration Certificate for Local Production and Content for designated sectors.
6	\boxtimes	Submission of DPW-09 (EC): Particulars of Tenderer's Projects.
7	\boxtimes	Submission of DPW-16 (EC): Site Inspection Meeting Certificate
8		Submission of record of attending compulsory virtual bid clarification / site inspection meeting.
9	\boxtimes	Submission of DPW-21 (EC): Record of Addenda to tender documents
10		The tenderer shall submit his fully priced Bills of Quantities / Lump Sum Document (complete document inclusive of all parts) together with his tender.

^{*} Delete "or select tender value range select class of construction works PE" where only one class of construction works is applicable



Tender no: ID:164103 A

11		The tenderer shall submit his fully priced and completed sectional summary- and final summary pages with the tender.
12	\boxtimes	Submission of (PA-16): Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022
13	\boxtimes	All parts of tender documents submitted must be fully completed in ink and signed where required
14		
15		

2.2 Administrative responsiveness criteria

The Employer reserves the right to request further information regarding the undermentioned criteria. Failing to submit further clarification and/or documentation within seven (7) calendar days from request or as specifically indicated, will disqualify the tender offer from further consideration.

1	\boxtimes	Any correction to be initialled by the person authorised to sign the tender documentation as per PA 15.1 or PA 15.2 resolution of board/s of directors / or PA15.3 Special Resolution of Consortia or JV's.
2	\boxtimes	Submission of applicable (PA-15.1, PA-15.2, PA-15.3): Resolution by the legal entity, or consortium / joint venture, authorising a dedicated person(s) to sign documents on behalf of the firm / consortium / joint venture.
3	\boxtimes	Submission of (PA-09 (EC)): List of Returnable Documents
3	\boxtimes	Submission of (PA-11): Bidder's disclosure.
4	\boxtimes	Submission of (PA 40): Declaration of Designated Groups for Preferential Procurement.
5	\boxtimes	Submission of proof of Registration on National Treasury's Central Supplier Database (CSD).
6	MA	Submission of DPW-15 (EC): Schedule of proposed sub-contractors
O		Submission of DPW-15 (EC). Schedule of proposed sub-contractors
7		The tenderer shall submit his fully priced Bills of Quantities (complete document inclusive of all parts) within 14 days from request.
		The tenderer shall submit his fully priced Bills of Quantities (complete document inclusive of all
7		The tenderer shall submit his fully priced Bills of Quantities (complete document inclusive of all parts) within 14 days from request. Upon request, submission of fingerprints obtainable from local SAPS including any other
7		The tenderer shall submit his fully priced Bills of Quantities (complete document inclusive of all parts) within 14 days from request. Upon request, submission of fingerprints obtainable from local SAPS including any other additional documentation and information required for vetting purposes. Upon request, submission of a fully completed security clearance application form with supporting documentation and information as required. The security clearance form will be

3. Method to be used to calculate points for specific goals

	For procurement transaction with rand value greater than R2 000, 00 and up (Inclusive of all applicable taxes) the specific goals listed below are applicable.	to R	1 Million
	An EME or QSE which is at least 51% owned by black people	10	Points
	An EME or QSE which is at least 51% owned by women	4	Points
	An EME or QSE which is at least 51% owned by people with disabilities	2	Points
	An EME or QSE which is at least 51% owned by youth	2	Points
	Located in a specific Municipality or District Municipality or Metro or Province area for work to be done or services to be rendered in that area	2	Points

Version: 2023/01



	For procurement transaction with rand value greater than R1 Million and up to R50 (Inclusive of all applicable taxes) the specific goals listed below are applicable.	Million
	An EME or QSE or any entity which is at least 51% owned by Historically Disadvantaged Individuals (HDI)	10 Points
	An EME or QSE which is at least 51% owned by women	4 Points
	An EME or QSE which is at least 51% owned by people with disabilities	2 Points
	An EME or QSE which is at least 51% owned by youth	2 Points
	Located in a specific Municipality or District Municipality or Metro or Province area for work to be done or services to be rendered in that area	2 Points
	For procurement transaction with rand value greater than R50 Million (Inclusive of a applicable taxes) the specific goals listed below are applicable.	<u>II</u>
	applicable taxee/ and opposite grade notes are applicable.	
	An EME or QSE or any entity which is at least 51% owned by Historically Disadvantaged Individuals (HDI)	4 Points
	An EME or QSE which is at least 51% owned by women	2 Points
	An EME or QSE which is at least 51% owned by people with disabilities	2 Points
	Located in a specific Municipality or District Municipality or Metro or Province area for work to be done or services to be rendered in that area	2 Points
	☐ An EME or QSE which is at least 51% owned by youth	
	Or	2 Points
	☐ An EME or QSE which is at least 51% owned by people with disabilities	
	(The use of this goal is mandatory however the BSC must select either one of the two ar	d not both)

4. Functionality criteria:

<u>Note:</u> All bids involving the acquisition of engineering and construction works from cidb Grade 4 and above are subjected to functionality.

<u>Note:</u> Functionality will be applied as a prequalification criterion. Such criteria are used to establish minimum requirements where after bids will be evaluated solely on the basis of price and preference.

Functionality criteria:	Weighting factor:
1 directionality officeria.	



1. COMPLETED PROJECTS REFERENCE LETTER FROM THE CLIENT/CONSULTANTS FOR ELECTRICAL HT/MV PROJECTS AND ELECTRICAL INSTALLATION /MAINTENANCE PROJECTS.	
PLEASE PROVIDE SIGNED REFERENCE LETTER(S) OR COMPLETION CERTIFICATE FROM PROJECT MANAGER/CONSULTING ENGINEER/CLIENTS CONFIRMING COMPANY QUALITY OF WORK AND ADHERENCE TO TIMEFRAME. REFERENCE LETTER OR COMPLETION CERTIFICATE MUST INCLUDE THE PROJECT DESCRIPTION, CONTACT DETAILS, START AND COMPLETION DATE. COMPLETED PROJECT IN PREVIOUS TEN (10) YEARS.	35
1.1. 5 and above completed similar projects = 5 points. 1.2. 4 completed similar projects = 4 points. 1.3. 3 completed similar projects = 3 points. 1.4. 2 completed similar projects = 2 points. 1.5. 1 completed similar projects and no information provided = 0 points	
2. STAFFING RESOURCES: NUMBER OF QUALIFIED ARTISAN WHO HAS WIREMANS LICENCE AS INSTALLATION ELECTRICAN (THREE PHASE TESTER) OR MASTERS INSTALLATION ELECTRICIAN.	
2.1. 4 x qualified electrician with wiremans licence = 5 points. 2.2. 3 x qualified electrician with wiremans licence = 4 points. 2.3. 2 x qualified electrician with wiremanslicence = 3 points. 2.4. 1 x qualified electrician with wiremans licence and No information = 0 points.	20
Provide copy of wiremans licence card as a proof from Department of Employment and Labour.	
3. STAFFING RESOURCES: SUPERVISOR WITH YEARS OF EXPERIENCE AS SUPERVISOR WITH WIREMANS LICENCE AS INSTALLATION ELECTRICIAN OR MASTER INSTALLATION ELECTRICIAN AND HIGH VOLTAGE REGULATIONS (ORHVS) 3.1. 5 years experience as electrician with wiremans licence and ORHVS = 5 points. 3.2. 4 years experience as electrician with wiremans licence and ORHVS = 4 points. 3.3. 3 years experience as electrician with wiremans licence and ORHVS = 3 points. 3.4. 2 or less years experience as electrician with wiremans licence and No information provided = 0 points. Provide copy of wiremans licence card and ORHVS from an accredited institution by EWSETA	20
4. FINANCIAL CAPABILITY 4.1. Credit rating of A = 5 points. 4.2. Credit rating of B = 4 points 4.3. Credit rating of C = 3 points. 4.4. Credit rating of D = 2 points. 4.5. Credit rating of E-H and no information provided = 0 points. Provide a copy of valid bank rating from your acredited Banking Institution stating your bank code rating (A,B,C or D) and this copy it must be not older than 3	25
months prior to tender closing date with bank stamp.	



Total	100 Points

(Weights for functionality must add up to 100. Weightings will be multiplied by the scores allocated during the evaluation process to arrive at the total functionality points)

Minimum functionality score to qualify for further evaluation:	50

(Total minimum qualifying score for functionality is 50 Percent, any deviation below or above the 50 Percent, provide motivation below)

5. BID EVALUATION METHOD

This bid will be evaluated according to the preferential procurement model in the PPPFA: (Tick applicable preference point scoring system)

	90/10 Preference points scoring system	☐ Either 80/20 or 90/10 Preference points scoring system
--	--	--

In case where below/above R 50 000 000 is selected, the lowest acceptable tender will be used to determine the applicable preference point system.

6. ELIGIBILITY IN RESPECT OF RISK TO THE EMPLOYER:

Standard risk management assessment criteria in respect of tenders received for routine projects in the engineering and construction works environments:

Tender offers will be evaluated by an Evaluation Committee based on the technical and commercial risk criteria listed hereunder. Each criterion carries the same weight / importance and will be evaluated individually based on reports presented to the Bid Evaluation Committee by the Professional Team appointed on the project. A tender offer will be declared non-responsive and removed from any further evaluation if any one criterion is found to present an unacceptable risk to the Employer.

In order for the evaluation reports to be prepared by the Professional Team, the Tenderer is obliged to provide comprehensive information on form DPW-09 (EC). Failure to complete the said form will cause the tender to be declared non-responsive and removed from any further consideration. The Employer reserves the right to request additional information over and above that which is provided by the Tenderer on said form. The information must be provided by the Tenderer within the stipulated time as determined by the Bid Evaluation Committee, failing which the tender offer will mutatis mutandis be declared non-responsive.

6.1 Technical risks:

Criterion 1: Experience on comparable projects during the past 10 years.

The tendering Service Provider's experience on comparable projects during the past 10 years. The number of current and previous comparable projects performed by the Tenderer as per the evaluation report prepared by the Consultant Team, based on its research and inspection of a representative sample of the Tenderer's current and previous work as reflected on form DPW-09 (EC), as well as, if necessary, of any additional work executed by the Tenderer, not reflected on form DPW-09 (EC). Failing to provide contactable references will result in the tender offer will be mutatis mutandis declared non-responsive.

Aspects to be regarded as "comparable" includes (but may be extended according to circumstances): size of projects (measured against monetary value or other project quantifying parameters), nature of projects (building, engineering, high/low rise, etc.), locality/area of execution (site-specific influences, knowledge of

For Internal & External Use

Version: 2023/01 Effective date: February 2023



local conditions, etc.), complexity of project, projects for similar client department irrespective of end purpose of buildings/facilities created or in progress of being created and time scales of projects (normal, fast track, etc.) and stage of its/their development.

Criterion 2: Contractual commitment and quality of performance on comparable projects during the past 10 years.

Adherence to contractual commitments and quality of performance of comparable current and previous projects performed by the Tenderer during the past 10 years as per the evaluation report prepared by the Consultant Team, based on its research and inspection of a representative sample of the Tenderer's current and previous work as reflected on form DPW-09 (EC), as well as, if necessary, of any additional work executed by the Tenderer, not reflected on form DPW-09 (EC). Failing to provide contactable references will result in the tender offer be mutatis mutandis declared non-responsive.

Aspects to be considered include, but are not limited to the following:

- The level of progress on current projects in relation to the project programme or, if such is not 1. available/applicable, to the contractual construction period in general;
- The degree to which previous projects have been completed within the contractual completion periods 2. and/or extensions thereto, and the extend of penalties imposed;
- Project performance: time management & programming of works, timeous ordering of materials and 3. appointment of subcontractors;
- Financial management: payment to suppliers and cash flow problems; 4.
- Quality of workmanship; extent of reworks and timeous attention to remedial works; 5.
- Personnel resources: suitably qualified and experienced, turnover in site staff and labour force, 6. specifically site manager and foreman;
- Personnel management: extent of labour disputes and ability to resolving labour disputes amicably; 7.
- Sub-contractors: extent of turnover in subcontractors, general liaison and payment problems 8.
- Contract administration: contractual aspects such as complying to laws and regulations, insurances, 9. security, submission of required documentation timeously, reaction to written contract instructions, appointments of subcontractors, etc. as can generally be expected in standard/normal conditions of contract.
- 10. Health & Safety: adherence to regulations and compliance, and number of transgressions & serious incidents.
- 11. Plant & equipment: sufficient resources on site and in time.
- 12. Delays: extent of causing delays, submission of claims timeously, and abuse of or exaggerated delay claims.
- 13. Final account: extent to which the contractor assisted in finalising the final account.

Criterion 3: Suitably qualified and appropriately experienced human resources

Allocation of suitably qualified and appropriately experienced human resources, both in respect of principals and/or other staff (contract manager, site agent, site foreman including other professional, technical and/or administrative) of the tendering Service Provider to the project, as proof that the tendering Service Provider will be able to react/respond appropriately to the Services required herein. The Company Organogram with CV's and certified ID's of all principals and employed workforce as well as proof of Professional Registration will be verified. Current and future workload of the tenderer in relation to capacity and capability will also be considered. The tenderer should demonstrate that he or she possesses the necessary professional and technical qualifications and -competence in relation to the scope of work and work to be undertaken.

Criterion 4: Attendance of compulsory bid clarification meeting, if applicable

If applicable, submission of confirmation of DPW-16.1 (PSB) attendance of compulsory bid clarification meeting or proof of attending the compulsory virtual meeting by a suitably qualified and experienced representative of the tenderer in terms of PA-04 (EC): Notice and Invitation to Tender.

For Internal & External Use



Tender no: ID:164103 / A

6.2 Commercial risks:

The financial viability assessment evaluates the risk over the life of the construction period, as to whether the tenderer will be able to deliver the goods and services which are specified in the contract and / or be able to fulfil guarantees or warranties provided for in the contract in order to complete the project successfully for the amount tendered.

Aspects to be considered include but are not limited to, the respective rates tendered, bank rating, financial capability and capacity whether the tenderer has or has access to sufficient financial resources to deliver the goods or services described in the tender documentation (including fulfilling any guarantees or warranty claims), whether the tenderer is not subject to any current or impending legal action (either formal proceedings or notification of legal action) which could impact on the financial standing of the tenderer or the delivery of the goods or services, financial report from auditors as proof of current liquidity, and company or any parent company or investor guarantee/s and financial statements.

7. CONTRACT PARTICIPATION GOAL TARGETS AND CIDB B.U.I.L.D. PROGRAMME

The contractor shall achieve in the performance of the contract the following Contract Participation Goals (CPGs) as described in PG-01.2 (EC): Scope of Work and PG-02.2 (EC): Pricing Assumptions and in accordance with the feasibility study, which forms part of the specifications in the CPG Section of the Specification of this contract.

(a)	Minimum Targeted Local Manufacturers of Material Contract Participation Goal, in accordance with the cidb Standard for Contract Participation Goals for Targeting Enterprises and Labour through Construction Works Contracts as published in the Government Gazette Notice No. 41237 of 10 November 2017, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract.	Not applicable
(b)	Minimum Targeted Local Building Material Suppliers Contract Participation Goal in accordance with the cidb Standard for Contract Participation Goals for Targeting Enterprises and Labour through Construction Works Contracts as published in the Government Gazette Notice No. 41237 of 10 November 2017, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract.	Not applicable
(c)	Minimum Targeted Local Labour Skills Development Contract Participation Goal in accordance with the cidb Standard for Contract Participation Goals for Targeting Enterprises and Labour through Construction Works Contracts as published in the Government Gazette Notice No. 41237 of 10 November 2017, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract.	Not applicable
(d)	cidb BUILD Programme: Minimum Targeted Enterprise Development Contract Participation Goal in accordance with the cidb Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts, No 36190 Government Gazette, 25 February 2013, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 — Condition of Contract.	Not applicable
(e)	cidb BUILD Programme: Minimum Targeted Contract Skills Development Goal in accordance with the cidb Standard for Developing Skills through Infrastructure Contracts as published in the Government Gazette Notice No. 43495 of 3 July 2020, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract.	Not applicable



Tender no: ID:164103

(f)	DPWI National Youth Service training and development programme (NYS) – Condition of Contract.	Not applicable
(g)	Labour Intensive Works – Condition of Contract.	Not applicable
(h)		Select
(i)		Select

8. COLLECT	ΓΙΟΝ OF	TENDER	DOCUMENTS
------------	---------	--------	-----------

\boxtimes	Alternatively; Bid documents may be collected during working hours at the following address Old
	Magistrate Court Building, 21-23 Market Square, Kimberley. A non-refundable bid deposit of
	R 700 is payable (cash only) on collection of the bid documents.

9. SITE INSPECTION MEETING

A pre-tender site inspection meeting will **be** held in respect of this tender. Attendance of said pre-tender site inspection meeting is compulsory

The particulars for said pre-tender site inspection meeting or virtual bid clarification / site inspection meeting. are:

Venue:	Old Magistrate Court Building 21-23 Market Square Kimberley 8301		
Virtual meeting link:	("N/A")		
Date:	28/03/2023	Starting time:	11:30 AM

10. ENQUIRIES

Enquiries related to tender documents may be addressed to:

DPWI Project Manager:	Simiso Mbusi	Telephone no:	053 838 5228
Cellular phone no:	066 219 5819	Fax no:	
E-mail:	simiso.mbusi@dpw.gov.za		



Tender no: ID:164103 / A

11. DEPOSIT / RETURN OF TENDER DOCUMENTS

Telegraphic, telephonic, telex, facsimile, electronic and / or late tenders will not be accepted.

Requirements for sealing, addressing, delivery, opening and assessment of tenders are stated in the Tender

All tenders must be completed in non-erasable ink and submitted on the official forms - (forms not to be retyped).

Tender documents may be posted to:		Deposited in the tender box at:
The Director-General Department of Public Works and Infrastructure Private Bag X 5002 Kimberley 8301	OR	Old Magistrate Court 21-23 Market Square insert street name insert room no
Attention: Procurement section: Room N32		

12. COMPILED BY:

Simiso Mbusi	mbiles	14/03/2023
Name of Project Manager	Signature	Date

For Internal & External Use

Version: 2023/01



DPW-03 (EC): TENDER DATA

Project title:	KIMBERLEY AND SURROUNDING AREAS: MAINTENANCE, REPAIRS, SERVICING OF HIGH TENSION EQUIPMENT AND LOW VOLTAGE INSTALLATION: 24 MONTHS TERM CONTRACT FOR VARIOUS CLIENTS
Reference no:	19/2/4/2/2022-2024

Tender / Quotation no:	ID:164103/PA	Closing date:	14/04/2023
Closing time:	11:00 AM	Validity period:	12 Weeks (84 Calender days)

Clause number:	
	The conditions of tender are the Standard Conditions of Tender as contained in Annex C of the CIDB Standard for Uniformity in Construction Procurement as per Government Notice No. 423 published in Government Gazette No. 42622 of 8 August 2019 and as amended from time to time. (see www.cidb.org.za).
	The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the Standard Conditions of Tender.
	Each item of data given below is cross-referenced to the clause marked "C" in the above mentioned Standard Conditions of Tender.
C.1.1	The employer is the Government of the Republic of South Africa in its Department of Public Works and Infrastructure.
C.1.2	For this contract the three volume approach is adopted.
	This procurement document has been formatted and compiled under the headings as contained in the CIDB's "Standard for Uniformity in Construction Procurement."
	The three volume procurement document issued by the employer comprises the following:
	Volume 1: Tendering procedures T1.1 - Notice and invitation to tender (PA-04 EC) T1.2 - Tender data (DPW-03 EC)
	Volume 2: Returnable documents T2.1 - List of returnable documents (PA-09 EC) C1.1 - Form of offer and acceptance (DPW-07 EC) C1.2 - Contract Data T2.2 - Returnable schedules
	Volume 3: Contract Part C1: Agreement and contract data C1.2 - Contract data (Part 1: Data provided by employer) (DPW-04 EC or DPW-05 EC) C1.3 - Form of guarantee (DPW-10.1 EC / DPW-10.3EC or DPW-10.2 EC/DPW-10.4 EC)
	Part C2: Pricing data C2.1 - Pricing Assumptions (PG-02.2 EC or PG-02.1EC) C2.2 - Bills of Quantities / Lump sum document (if not a returnable document)
	Part C3: Scope of work C3 - Scope of work (PG-01.2 EC or PG-01.1EC)
	Part C4: Site information C4 - Site information (PG-03.2 EC or PG03.1EC)



Tender no: ID:164103/A

C.1.4	The Employer's	s agent is:	
	Name:	National Department of Public Works and Infrastructure	
	Capacity:	Departmental Project Manager	
	Address:	Old Magistrate Court Buidling 21-23 Market Square Kimberley 8301	
	Tel:	053 838 5228	
	Fax:	N/A	=
	E-mail:	Simiso.Mbusi@dpw.gov.za	

C.2.1 C.3.11

A. **ELIGIBILITY IN RESPECT OF CIDB REGISTRATION**:

The following tenderers who are registered with the CIDB, or are *capable of being so registered prior to the evaluation of submissions, are eligible to have their tenders evaluated (* tenderers who are capable of being so registered, or who have applied for registration but have not yet received confirmation of such registration, must provide, with this tender, acceptable documentary proof thereof):

- a) contractors who have a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25 (7A) of the Construction Industry Development Regulations, for a 7 EP or Not applicable Not applicable** class of construction work; and
- contractors registered as potentially emerging enterprises with the CIDB who are registered in one contractor grading designation lower than that required in terms of a) above: Not applicable

Joint ventures are eligible to submit tenders provided that:

- 1. every member of the joint venture is registered with the CIDB;
- the lead partner has a contractor grading designation in the 7 EP or Not applicable Not applicable
 ** class of construction work; and
- 3. the combined contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25 (7A) of the Construction Industry Development Regulations for a 7 EP or Not applicable Not applicable** class of construction work
- ** Delete "or select tender value range select class of construction works" where only one class of construction works is applicable

A contract will be entered into with a tenderer who has in his employ management and supervisory staff satisfying the requirements of the scope of work for labour intensive competencies for supervisory and management staff: **Applicable**



Tender no: ID:164103 / A

	A lenderer having stipulated minimum B-BBEE status leve	el of contributor:
	☐ Level 1 or ☐ Level 2 or ☐ Level 3	A
	☐ An EME or ☐ A QSE or ☐ An EME or QSE	
	AATE THE SUNOTIONAL ITY WEIGHTING APPLICABLE TO THE	DID.
	ATE THE FUNCTIONALITY WEIGHTING APPLICABLE TO THIS	
	 All bids involving the acquisition of engineering and const le 4 and above are subjected to functionality. 	ruction works inc
used	<u>:</u> Functionality will only be applied as a prequalification criter to establish minimum requirements where after bids will be a s of price and preference.	ion. Such criteri evaluated solely
Functio	onality Criteria	Weighting Fac
PLEASI COMPL MANAG COMPA TIMEFF CERTIF CONTA COMPL 1.1. 5 a 1.2. 4 c 1.3. 3 c 1.4. 2 c 1.5. 1 c points	E PROVIDE SIGNED REFERENCE LETTER(S) OR LETION CERTIFICATE FROM PROJECT GER/CONSULTING ENGINEER/CLIENTS CONFIRMING ANY QUALITY OF WORK AND ADHERENCE TO RAME. REFERENCE LETTER OR COMPLETION FICATE MUST INCLUDE THE PROJECT DESCRIPTION, LOT DETAILS, START AND COMPLETION DATE. LETED PROJECT IN PREVIOUS TEN (10) YEARS. Indiabove completed similar projects = 5 points. Indiabove completed similar projects = 4 points. Indiabove completed similar projects = 3 points. Indiabove similar projects = 2 points. Indiabove similar projects and no information provided = 0	35
WHO H ELECTI INSTAL 2.1. 4 x 2.2. 3 x 2.3. 2 x	FING RESOURCES: NUMBER OF QUALIFIED ARTISAN AS WIREMANS LICENCE AS INSTALLATION RICAN (THREE PHASE TESTER) OR MASTERS LATION ELECTRICIAN. qualified electrician with wiremans licence = 5 points. qualified electrician with wiremans licence = 4 points. qualified electrician with wiremanslicence = 3 points. qualified electrician with wiremans licence and No tion = 0 points.	20



Veightings will be multiplied by the scores allocated during the evaluation process ints)	to arrive at the total ful
Total	100 Points
date with bank stamp.	
Provide a copy of valid bank rating from your acredited Banking Institution stating your bank code rating (A,B,C or D) and this copy it must be not older than 3 months prior to tender closing	
4.5. Credit rating of E-H and no information provided — o points.	
4.4. Credit rating of D = 2 points. 4.5. Credit rating of E-H and no information provided = 0 points.	
4.3. Credit rating of C = 3 points.	25
4.1. Credit rating of A = 5 points. 4.2. Credit rating of B = 4 points	
4. FINANCIAL CAPABÍLITY	
Provide copy of wiremans licence card and ORHVS from an accredited institution by EWSETA	
= 0 points.	
licence and No information provided	
ORHVS = 3 points. 3.4. 2 or less years experience as electrician with wiremans	
3.3. 3 years experience as electrician with wiremans licence and	20
3.2. 4 years experience as electrician with wiremans licence and ORHVS = 4 points.	
3.1. 5 years experience as electrician with wiremans licence and ORHVS = 5 points.	
AS INSTALLATION ELECTRICIAN OR MASTER INSTALLATION ELECTRICIAN AND HIGH VOLTAGE REGULATIONS (ORHVS)	
EXPERIENCE AS SUPERVISOR WITH WIREMANS LICENCE	



Tender no: ID:164103 A

D. ELIGIBILITY IN RESPECT OF RISK TO EMPLOYER:

Standard risk management assessment criteria in respect of tenders received for routine projects in the engineering and construction works environments:

Tender offers will be evaluated by an Evaluation Committee based on the technical and commercial risk criteria listed hereunder. Each criterion carries the same weight / importance and will be evaluated individually based on reports presented to the Bid Evaluation Committee by the Professional Team appointed on the project. A tender offer will be declared non-responsive and removed from any further evaluation if any one criterion is found to present an unacceptable risk to the Employer.

In order for the evaluation reports to be prepared by the Professional Team, the Tenderer is obliged to provide comprehensive information on form DPW-09 (EC). Failure to complete the said form will cause the tender to be declared non-responsive and removed from any further consideration. The Employer reserves the right to request additional information over and above that which is provided by the Tenderer on said form. The information must be provided by the Tenderer within the stipulated time as determined by the Bid Evaluation Committee, failing which the tender offer will *mutatis mutandis* be declared non-responsive.

D.1 Technical risks:

Criterion 1: Experience on comparable projects during the past 10 years.

The tendering Service Provider's experience on comparable projects during the past 10 years. The number of current and previous comparable projects performed by the Tenderer as per the evaluation report prepared by the Consultant Team, based on its research and inspection of a representative sample of the Tenderer's current and previous work as reflected on form DPW-09 (EC), as well as, if necessary, of any additional work executed by the Tenderer, not reflected on form DPW-09 (EC). Failing to provide contactable references will result in the tender offer will be *mutatis mutandis* declared non-responsive.

Aspects to be regarded as "comparable" includes (but may be extended according to circumstances): size of projects (measured against monetary value or other project quantifying parameters), nature of projects (building, engineering, high/low rise, etc.), locality/area of execution (site-specific influences, knowledge of local conditions, etc.), complexity of project, projects for similar client department irrespective of end purpose of buildings/facilities created or in progress of being created and time scales of projects (normal, fast track, etc.) and stage of its/their development.

Criterion 2: Contractual commitment and quality of performance on comparable projects during the past 10 years.

Adherence to contractual commitments and quality of performance of comparable current and previous projects performed by the Tenderer on comparable projects during the past 5 years as per the evaluation report prepared by the Consultant Team, based on its research and inspection of a representative sample of the Tenderer's current and previous work as reflected on form DPW-09 (EC), as well as, if necessary, of any additional work executed by the Tenderer, not reflected on form DPW-09 (EC). Failing to provide contactable references will result in the tender offer be *mutatis mutandis* declared non-responsive.

Aspects to be considered include, but are not limited to the following:

- 1. The level of progress on current projects in relation to the project programme or, if such is not available/applicable, to the contractual construction period in general;
- The degree to which previous projects have been completed within the contractual completion periods and/or extensions thereto, and the extend of penalties imposed;

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tenderer" or "Tenderer".

Page 5 of 8
For Internal & External Use

Effective date: 29 August 2022

Version: 2022/02



Tender no: ID:164103

- Project performance: time management & programming of works, timeous ordering of materials and appointment of subcontractors;
- 4. Financial management: payment to suppliers and cash flow problems;
- 5. Quality of workmanship; extent of reworks and timeous attention to remedial works;
- Personnel resources: suitably qualified and experienced, turnover in site staff and labour force, specifically site manager and foreman;
- Personnel management: extent of labour disputes and ability to resolving labour disputes amicably:
- Sub-contractors: extent of turnover in subcontractors, general liaison and payment problems experienced;
- Contract administration: contractual aspects such as complying to laws and regulations, insurances, security, submission of required documentation timeously, reaction to written contract instructions, appointments of subcontractors, etc. as can generally be expected in standard/normal conditions of contract.
- Health & Safety: adherence to regulations and compliance, and number of transgressions & serious incidents.
- 11. Plant & equipment: sufficient resources on site and in time.
- 12. Delays: extent of causing delays, submission of claims timeously, and abuse of or exaggerated delay claims.
- 13. Final account: extent to which the contractor assisted in finalising the final account.

Criterion 3: Suitably qualified and appropriately experienced human resources

Allocation of suitably qualified and appropriately experienced human resources, both in respect of principals and/or other staff (contract manager, site agent, site foreman including other professional, technical and/or administrative) of the tendering Service Provider to the project, as proof that the tendering Service Provider will be able to react/respond appropriately to the Services required herein. The Company Organogram with CV's and certified ID's of all principals and employed workforce as well as proof of Professional Registration will be verified. Current and future workload of the tenderer in relation to capacity and capability will also be considered. The tenderer should demonstrate that he or she possesses the necessary professional and technical qualifications and -competence in relation to the scope of work and work to be undertaken.

Criterion 4: Attendance of compulsory bid clarification meeting, if applicable

If applicable, submission of confirmation of DPW-16.1 (PSB) attendance of compulsory bid clarification meeting or proof of attending the compulsory virtual meeting by a suitably qualified and experienced representative of the tenderer in terms of PA-04 (EC): Notice and Invitation to Tender.

D.2 Commercial risks:

The financial viability assessment evaluates the risk over the life of the construction period, as to whether the tenderer will be able to deliver the goods and services which are specified in the contract and / or be able to fulfil guarantees or warranties provided for in the contract in order to complete the project successfully for the amount tendered.

Aspects to be considered include but are not limited to, the respective rates tendered, bank rating, financial capability and capacity whether the tenderer has or has access to sufficient financial resources to deliver the goods or services described in the tender documentation (including fulfilling any guarantees or warranty claims), whether the tenderer is not subject to any current or impending legal action (either formal proceedings or notification of legal action) which could impact on the financial standing of the tenderer or the delivery of the goods or services, financial report from auditors as proof of current liquidity, and company or any parent company or investor guarantee/s and financial statements.

C.2.7 For particulars regarding a pre-tender site inspection meeting, see Notice and Invitation to Tender T1.1

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tenderer".

Page 6 of 8
For Internal & External Use

Effective date: 29 August 2022

Version: 2022/02



Tender no: ID:164103 / A

C.2.12	If a tenderer wishes to submit an alternative tender offer, the only criteria permitted for such alternative tender offer is that it demonstrably satisfies the Employer's standards and requirements. A tenderer may submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted. Provided that the tenderer's main tender offer is according to specification and would under normal circumstances be recommended for acceptance, his alternative tender offer may also be considered for the purpose of the award of the contract.
	Calculations, drawings and all other pertinent technical information and characteristics as well as modified or proposed Pricing Data must be submitted with the alternative tender offer to enable the Employer to evaluate the efficacy of the alternative and its principal elements, to take a view on the degree to which the alternative complies with the Employer's standards and requirements and to evaluate the acceptability of the pricing proposals. Calculations must be set out in a clear and logical sequence and must clearly reflect all design assumptions. Pricing Data must reflect all assumptions in the development of the pricing proposal.
	Acceptance of an alternative tender offer will mean acceptance in principle of the offer. It will be an obligation of the contract for the tenderer, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the Employer's standards and requirements.
	The modified Pricing Data must include an amount equal to 5% of the amount tendered for the alternative offer to cover the Employer's costs of confirming the acceptability of the detailed design before it is constructed.
	Alternative tender offer permitted: Yes ☐ No ⊠
C.2.13.2	The list of Returnable Documents identifies which of the documents a tenderer must complete when submitting a tender offer. The tenderer must submit his tender offer by completing the Returnable Documents, signing the "Offer" section in the "Form of Offer and Acceptance" and delivering the Returnable Documents back to the Department.
C.2.13.5	The Employer's address for delivery of tender offers and identification details to be shown on each tender offer package are as per Notice and Invitation to Tender T1.1.
C.2.13.6 C.3.5	A two-envelope procedure will not be followed.
C.2.15	The closing time for submission of tender offers is as per Notice and Invitation to Tender T1.1.
C.2.16	The tender offer validity period is as per Notice and Invitation to Tender T1.1.
C2.16.3	Omit the wording of the last sentence for those projects which are subject to CPAP
C.2.18	The tenderer will be required to submit his fully priced Bills of Quantities / Lump Sum Document (complete document inclusive of all parts): Together with his tender;
	or The tenderer shall submit his fully priced and completed sectional summary- and final summary pages with the tender and thereafter submit the fully completed Bills of Quantities within fourteen (14) calendar days of the date requested to do so prior to the award of the contract.
C.2.19	Access shall be provided for inspections, tests and analysis as may be required by the Employer.
C.3.4.1 C.3.4.2	The location for opening of the tender offers, immediately after the closing time thereof shall be at: Old Magistrate Court Building,21-23 Market Square, Kimberley
C.3.8	The words "responsive tender" and "acceptable tender" shall be construed to have the same meaning.
2.0.0	The month to the state of the s



Tender no: ID:164103 / A

C.3.9.3	Omit the wording and replace with the following: "Notify the tenderer of all errors, omissions and/or rate imbalances that are identified in the tender offer and request the tenderer to, within a stipulated time, accept the total of prices as corrected in accordance with C.3.9.4."
C.3.9.4	Omit the wording of the first sentence and replace with the following: "In cases where tender offers contain errors, omissions and/or rate imbalances, these are to be corrected as follows:"
C.3.9.4	Add sub paragraph c) to C.3.9.4, as follows: "c) If the tenderer does not accept the corrected tender offer, or cannot reach consensus with the Employer on a corrected tender offer, the tender is to be classified as not acceptable/non responsive and removed from further contention."
C.3.11.1	The procedure for the evaluation of responsive tenders is Method 2: Financial Offer and Preference.
C.3.13	Add the following to sub paragraph a), as follows: The tenderer or any of its directors is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act, 2004 (Act No. 12 of 2004) as a person prohibited from doing business with the public sector;
C.3.17	Provide to the successful tenderer one copy of the signed contract document.

PA-09 (EC): List of Returnable Documents

2. ADDITIONAL RETURNABLE DOCUMENTS REQUIRED FOR TENDER EVALUATION PURPOSES

Note: Failure to submit the applicable documents will result in the Tenderer having to submit same upon request within a stipulated time and if not complied with, will result in the tender offer being disqualified from further consideration. [See also C.2.18 of the Standard Conditions of Tender]

Tender document name	Number of pages issued	Returnable document
Any <u>additional</u> information required to complete a risk assessment (if applicable)	-	Yes
Any correction to be initialled by the person authorised to sign the tender documentation as per PA 15.1 or PA 15.2 resolution of board/s of directors / or PA15.3 Special Resolution of Consortia or JV's.	1 Page	Yes
Submission of applicable (PA-15.1, PA-15.2, PA-15.3): Resolution by the legal entity, or consortium / joint venture, authorising a dedicated person(s) to sign documents on behalf of the firm / consortium / joint venture.	1 Page	Yes

3. RETURNABLE DOCUMENTS THAT WILL BE INCORPORATED INTO THE CONTRACT

Note: Failure to submit the applicable documents will result in the Tenderer having to submit same upon request within a stipulated time and if not complied with, will result in the tender offer being disqualified from further consideration. [See also C.2.18 of the Standard Conditions of Tender]

Tender document name	Number of pages issued	Returnable document
Schedule of proposed sub-contractors (DPW-15 EC) (if applicable)	1 Page	Yes
Particulars of Electrical Contractor (DPW-22 EC) (if applicable)	1 Page	Yes
Mechanical / Electrical / Security Work material and equipment schedules (if applicable)	Pages	Yes
Schedule for Imported Materials and Equipment (DPW-23 EC) (if applicable)	1 Page	Yes

4. OTHER DOCUMENTS THAT WILL BE INCORPORATED INTO THE CONTRACT

(Insert a tick in the "Returnable document" column to indicate which documents must be returned with the tender)

<u>Note</u>: Failure to submit the applicable documents will result in the tender offer being disqualified from further consideration.

Tender document name	Number of pages issued	Returnable document
Priced Bills of Quantities / Lump Sum Document (complete document inclusive of all parts)	32 Pages	⊠Yes □No
Fully priced and completed sectional summary- and final summary pages with the tender.	1 Pages	⊠Yes □No

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

Page 2 of 3
For Internal & External Use

Effective date 20 July 2022

Version: 2022/01



Tender / Quotation no: ID:164103

Tender document name	Number of pages issued	Returnable document
insert document name	Pages	□Yes □No
insert document name	Pages	□Yes □No
insert document name	Pages	□Yes □No

5. ADDITIONAL INFORMATION THAT MAY BE REQUIRED FOR TENDER EVALUATION PURPOSES

Legal Status of Tendering Entity:		Documentation to be submitted with the tender, or which
If the Tendering Entity is:		may be required during the tender evaluation:
	A close corporation, incorporated prior to 1 May 2011 under the Close Corporations Act, 1984 (Act 69 of 1984, as amended)	Copies of the Founding Statement – CK1
b.	A profit company duly registered as a private company. [including a profit company that meets the criteria for a private company, whose Memorandum of Incorporation states that the company is a personal liability company in terms of Section 8(2)(c) of the Companies Act, 2008 (Act 71 of 2008, as amended)].	Copies of: i. Certificate of Incorporation – CM1; ii. Shareholding Certificates of all Shareholders of the company, plus a signed statement of the company's Auditor, certifying each Shareholder's ownership / shareholding percentage relative to the total; and/or iii. Memorandum of Incorporation in the case of a personal liability company.
C.	A profit company duly registered as a private company in which any, or all, shares are held by one or more other close corporation(s) or company(ies) duly registered as profit or non-profit company(ies).	Copies of documents referred to in a. and/or b. above in respect of all such close corporation(s) and/or company(ies).
d.	A profit company duly registered as a public company.	Copy of Certificate of Incorporation – CM1, and a signed statement of the company's Secretary or Auditor confirming that the company is a public company.
e.	A non-profit company, incorporated in terms of Section 10 and Schedule 1 of the Companies Act, 2008 (Act 71 of 2008, as amended).	Copies of: I the Founding Statement – CK1; and ii the Memorandum of Incorporation setting out the object of the company, indicating the public benefit, cultural or social activity, or communal or group interest.
f.	A natural person, sole proprietor or a Partnership	Copy(ies) of the Identity Document(s) of: i. such natural person/ sole proprietor, or each of the Partners to the Partnership.
g.	A Trust	Deed of Trust duly indicating names of the Trustee(s) and Beneficiary (ies) as well as the purpose of the Trust and the mandate of the Trustees.

igned by the Tenderer		
Name of representative	Signature	Date



PA-09 (EC): LIST OF RETURNABLE DOCUMENTS

Project title:	SERVICING OF HIGH	ROUNDING AREAS: MAII TENSION EQUIPMENT ITHS TERM CONTRACT FO	AND LOW VOLTAGE
Tender / Quotation no:	ID:164103 /A	Reference no:	19/2/4/2/2/2022-2024
Receipt Number:			

1. RETURNABLE DOCUMENTS REQUIRED FOR TENDER EVALUATION PURPOSES

<u>Note</u>: Failure to submit the applicable documents will result in the tender offer being disqualified from further consideration.

4 Pages 3 Pages 1 Page 2 Pages 3 Pages 5 Pages 2 Pages - 2 Pages 1 Page	Yes
1 Page 2 Pages 3 Pages 5 Pages 2 Pages - 2 Pages 1 Page	Yes Yes Yes Yes Yes Yes Yes Yes Yes
2 Pages 3 Pages 5 Pages 2 Pages - 2 Pages 1 Page	Yes Yes Yes Yes Yes Yes Yes Yes
3 Pages 5 Pages 2 Pages - 2 Pages 1 Page	Yes Yes Yes Yes Yes Yes Yes
5 Pages 2 Pages - 2 Pages 1 Page	Yes Yes Yes Yes Yes
2 Pages - 2 Pages 1 Page	Yes Yes Yes Yes
2 Pages	Yes Yes Yes
2 Pages	Yes Yes
1 Page	Yes
1 Page	
	Yes
1 Page	Yes
1 Page	Yes
0	No
1 Page	Yes
	1 Page

^{*} In compliance with the requirements of the cidb SFU Annexure G



PA-11: BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

Is the bidder, or any of its directors / trustees / shareholders / members / partners or 2.1 any person having a controlling interest (1) in the enterprise, employed by the state?

YES / NO

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

P.
N.

⁽¹⁾ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

For External Use

Effective date 5 July 2022



2.2

	who is employed by the procuring institution?	YES / NO
2.2.1		
	······································	
2.3	Does the bidder or any of its directors / trustees / shareholders / member or any person having a controlling interest in the enterprise have any interest of the related enterprise whether or not they are bidding for this contract?	
2.3.1	If so, furnish particulars:	
3 D	ECLARATION	
	I, the undersigned, (name)in submitting the accompanying bid, do hereby make the following states certify to be true and complete in every respect:	

Do you, or any person connected with the bidder, have a relationship with any person

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

Page 2 of 3
For External Use

Effective date 5 July 2022

Version: 2022/03

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.



3.7 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date
Position	Name of bidder



PA-15.1: RESOLUTION OF BOARD OF DIRECTORS

RESOLUTION of a meeting of the Board of *Directors / Members / Partners of:

 (Le	gally d	correct full name and registration number, if applica	able, of the Enterprise)	
	-			
on			(date)	
RE		VED that:		
1.	The	e Enterprise submits a Bid / Tender to the	Department of Public Works in re	espect of the following project:
	:			
	(Pro	ject description as per Bid / Tender Document)		
	Bid	/ Tender Number:	(Bid / Tender Nu	umber as per Bid / Tender Document)
2.	*Mr	/Mrs/Ms:		
	in *	his/her Capacity as:		(Position in the Enterprise)
	and	l who will sign as follows:		
	corr	and is hereby, authorised to sign the respondence in connection with and relay and all documentation, resulting from ove.	iting to the Bid / Tender, as well	as to sign any Contract, and
		Name	Capacity	Signature
	1			
	2			
	3			
	4			
	5			
	6			
	7			
	8			
	9			
	10			
	11			
	12			
	13			
	14			
	15			
	16			



PA-15.1: Resolution of Board of Directors

17	
18	
19	
20	

The bidding enterprise hereby absolves the Department of Public Works from any liability whatsoever that may arise as a result of this

document being signed. Note: **ENTERPRISE STAMP** * Delete which is not applicable. NB: This resolution must, where possible, be signed by all the Directors / Members / Partners of the Bidding Enterprise. In the event that paragraph 2 cannot be complied with, the resolution must be signed by Directors / Members / Partners holding a majority of the shares / ownership of the Bidding Enterprise (attach proof of shareholding / ownership hereto). Directors / Members / Partners of the Bidding Enterprise may alternatively appoint a person to sign this document on behalf of the Bidding Enterprise, which person must be so authorized by way of a duly completed power of attorney, signed by the Directors / Members / Partners holding a majority of the shares / ownership of the Bidding Enterprise (proof of shareholding / ownership and power of attorney are to be attached hereto). Should the number of Directors / Members / Partners exceed the space available above, additional names and signatures must be supplied on a separate page.



PA-15.2: RESOLUTION OF BOARD OF DIRECTORS TO ENTER INTO **CONSORTIA OR JOINT VENTURES**

RESOLUTION of a meeting of the Board of *Directors / Members / Partners of: (Legally correct full name and registration number, if applicable, of the Enterprise) Held at _____(place) **RESOLVED** that: 1. The Enterprise submits a Bid /Tender, in consortium/Joint Venture with the following Enterprises: (List all the legally correct full names and registration numbers, if applicable, of the Enterprises forming the Consortium/Joint Venture) to the Department of Public Works in respect of the following project: (Project description as per Bid /Tender Document) Bid / Tender Number: (Bid / Tender Number as per Bid / Tender Document) *Mr/Mrs/Ms: in *his/her Capacity as: __ (Position in the Enterprise) and who will sign as follows: ___ be, and is hereby, authorised to sign a consortium/joint venture agreement with the parties listed under item 1 above, and any and all other documents and/or correspondence in connection with and relating to the consortium/joint venture, in respect of the project described under item 1 above. 3. The Enterprise accepts joint and several liability with the parties listed under item 1 above for the due fulfilment of the obligations of the joint venture deriving from, and in any way connected with, the Contract to be entered into with the Department in respect of the project described under item 1 above. 4. The Enterprise chooses as its domicilium citandi et executandi for all purposes arising from this joint venture agreement and the Contract with the Department in respect of the project under item 1 above: Physical address:



PA-15.2: Resolution of Board of Directors to enter into Consortia or Joint Ventures

Postal Address:			
-	_ (code)		
Telephone number: _			
Fax number:			

	Name	Capacity	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			

The bidding enterprise hereby absolves the Department of Public Works from any liability whatsoever that may arise as a result of this document being signed

Note:

- * Delete which is not applicable.
- NB: This resolution must, where possible, be signed by all the Directors / Members / Partners of the Bidding Enterprise.
- In the event that paragraph 2 cannot be complied with, the resolution must be signed by Directors / Members / Partners holding a majority of the shares / ownership of the Bidding Enterprise (attach proof of shareholding / ownership hereto).
- Directors / Members / Partners of the Bidding Enterprise may alternatively appoint a person to sign this document on behalf of the Bidding Enterprise, which person must be so authorized by way of a duly completed power of attorney, signed by the Directors / Members / Partners holding a majority of the shares / ownership of the Bidding Enterprise (proof of shareholding / ownership and power of attorney are to be attached hereto).
- Should the number of Directors / Members / Partners exceed the space available above, additional names and signatures must be supplied on a separate page.

ENTERPRISE STAMP



PA-15.3: SPECIAL RESOLUTION OF CONSORTIA OR JOINT **VENTURES**

RESOLUTION of a meeting of the duly authorised representatives of the following legal entities who have entered into a consortium/joint venture to jointly bid for the project mentioned below: (legally correct full names and registration numbers, if applicable, of the Enterprises forming a Consortium/Joint Venture)

2.		
10		
3.		
-		
4.		
5		
6.		
_		
7		
-		
8.		
9		
Held	J at	(place)
on _		(date)

RESOLVED that:

RESOLVED that:

Α.	The above-mentioned Enterprises submit a Bid in Consortium/Joint Venture to the Department of Works in respect of the following project:	
	(Project description as per Bid /Tender Document)	
	Rid / Tender Number:	(Rid / Tender Number as ner Rid /Tender Document



PA-15.3: Special Resolution of Consortia or Joint Ventures

В.	*Mr/Mrs/Ms:		
	in *his/her Capacity	as:(Position in the Enterprise)	
	and who will sign as	follows:	
	connection with and	uthorised to sign the Bid, and any and all other documents and/or correspondence in relating to the Bid, as well as to sign any Contract, and any and all documentation, vard of the Bid to the Enterprises in Consortium/Joint Venture mentioned above.	
C.		stituting the Consortium/Joint Venture, notwithstanding its composition, shall conduct ne name and style of:	
D.	the obligations of the	ne Consortium/Joint Venture accept joint and several liability for the due fulfilment of Consortium/Joint Venture deriving from, and in any way connected with, the Contract Department in respect of the project described under item A above.	
E.	Any of the Enterprises to the Consortium/Joint Venture intending to terminate the consortium/joint venture agreement, for whatever reason, shall give the Department 30 days written notice of such intention. Notwithstanding such decision to terminate, the Enterprises shall remain jointly and severally liable to the Department for the due fulfilment of the obligations of the Consortium/Joint Venture as mentioned under item D above.		
F.	No Enterprise to the Consortium/Joint Venture shall, without the prior written consent of the other Enterprises to the Consortium/Joint Venture and of the Department, cede any of its rights or assign are of its obligations under the consortium/joint venture agreement in relation to the Contract with the Department referred to herein.		
G. The Enterprises choose as the domicilium citandi et executandi of the Consortium/Joint Verpurposes arising from the consortium/joint venture agreement and the Contract with the Derespect of the project under item A above:		m the consortium/joint venture agreement and the Contract with the Department in	
	Physical address:		
	2		
		(Postal code)	
	Postal Address:		
	9	(Postal code)	
	Telephone number:		



PA-15.3: Special Resolution of Consortia or Joint Ventures

	Name	Capacity	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			

The bidding enterprise hereby absolves the Department of Public Works & Infrastructure from any liability whatsoever that may arise as a result of this document being signed.

Note:

- * Delete which is not applicable.
- 2. **NB:** This resolution must be signed by <u>all</u> the Duly Authorised Representatives of the Legal Entities to the consortium/joint venture submitting this tender, as named in item 2 of Resolution PA-15.2.
- Should the number of the Duly Authorised Representatives of the Legal Entities joining forces in this tender exceed the space available above, additional names, capacity and signatures must be supplied on a separate page.
- Resolution PA-15.2, duly completed and signed, from the separate Enterprises who participate in this consortium/joint venture, must be attached to this Special Resolution (PA-15.3).



PA-16: PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 Preference Points System to be applied

(tick whichever is applicable).

The applicable preference point system for this tender is the 80/20 preference point system
The applicable preference point system for this tender is the 90/10 preference point system
☐ Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.

- 1.3 Points for this tender shall be awarded for:
- 1.3.1 Price; and
- 1.3.2 Specific Goals

1.4 The maximum points for this tender are allocated as follows:

	80/20
PRICE	80
SPECIFIC GOALS	20
Total points for Price and Specific Goals	100

- 1.5 Breakdown Allocation of Specific Goals Points
- 1.5.1 For Procurement transactions with rand value greater than R2 000.00 and up to R1 Million (Inclusive of all applicable taxes), the specific goals as listed in table 1 below are applicable.

All Acquisitions

Table 1

Serial No	Specific Goals	Preference Points allocated out of 20	Documentation to be submitted by bidders to validate their claim for points
1.	An EME or QSE which is at least 51% owned by black people	10	• ID Copy
			• Or
			SANAS Accredited BBBEE Certificate or sworn affidavit where applicable
			• Or
			CSD Report
			• Or
			CIPC (company registration)
2.	Located in a specific Local Municipality or District Municipality	2	ID Copy (Mandatory)
	or Metro or Province area for work to be done or services to be rendered in that area		• Office Municipal Rates Statement
	in that area		• Or
			 Permission To Occupy from local chief in case of rural areas (PTO)
			• Or
			Lease Agreement
3.	An EME or QSE which is at least 51%	4	• ID Copy
	owned by women		• Or
			CSD Report
			• Or
			• CIPC (company registration)

Serial No	Specific Goals	Preference Points allocated out of 20	Documentation to be submitted by bidders to validate their claim for points
4.	An EME or QSE which is at least 51% owned by people with disability	2	 ID Copy (Mandatory) Or Medical Certificate Or South African Social Security Agency (SASSA) registration Or National Council for Persons with Physical Disability in South Africa registration (NCPPDSA) Or CSD Report Or CIPC (company registration)
5.	An EME or QSE which is at least 51% owned by youth .	2	 ID Copy Or CSD Report Or CIPC (company registration)

1.5.2 For procurement transactions with rand value greater than R1 Million and up to R50 Million (Inclusive of all applicable taxes) the specific goals as listed in table 2 below are applicable:

All Acquisitions

Table 2

Serial No	Specific Goals	Preference Points allocated out of 20	Documentation to be submitted by bidders to validate their claim for points
1.	An EME or QSE or any entity which is at least 51% owned by Historically Disadvantaged Individuals (HDI)	10	 ID Copy Or SANAS Accredited BBBEE Certificate or sworn affidavit where applicable Or CSD Report Or CIPC (company registration)
2.	Located in a specific Local Municipality or District Municipality or Metro or Province area for work to be done or services to be rendered in that area	2	 ID Copy (Mandatory) Or Office Municipal Rates Statement Or Permission To Occupy from local chief in case of rural areas (PTO) Or Lease Agreement
3.	An EME or QSE or any entity which is at least 51% owned by women	4	 ID Copy Or CSD Report Or CIPC (company registration)
4.	An EME or QSE or any entity which is at least 51% owned by people with disability	2	ID Copy (Mandatory)OrMedical CertificateOr

Serial No	Specific Goals	Preference Points allocated out of 20	Documentation to be submitted by bidders to validate their claim for points
			 South African Social Security Agency (SASSA) registration Or National Council for Persons with Physical Disability in South Africa registration (NCPPDSA) Or CSD Report Or CIPC (company registration)
5.	An EME or QSE or any entity which is at least 51% owned by youth .	2	 ID Copy Or CSD Report Or CIPC (company registration)

1.5.3 For procurement transactions with rand value greater than R50 Million (Inclusive of all applicable taxes) the specific goals as listed in table 3 below are applicable

All Acquisitions

Table 3

Serial No	Specific Goals	Preference Points allocated out of 10	Documentation to be submitted by bidders to validate their claim for points
1.	An EME or QSE or any entity which is at least 51% owned by Historically Disadvantaged Individuals (HDI)	4	 ID Copy Or SANAS Accredited BBBEE Certificate or sworn affidavit where applicable Or

Serial No	Specific Goals	Preference Points allocated out of 10	Documentation to be submitted by bidders to validate their claim for points
			CSD Report
			• Or
			• CIPC (company registration)
2.	Located in a specific Local Municipality or District Municipality	2	ID Copy (Mandatory)
	or Metro or Province area for work to be done or services to be rendered		• Or
	in that area		• Office Municipal Rates Statement
			• Or
			 Permission To Occupy from local chief in case of rural areas (PTO)
			• Or
			Lease Agreement
3.	An EME or QSE or any entity which is at least 51% owned by women	2	• ID Copy
	_		• Or
			CSD Report
			• Or
			• CIPC (company registration)
4.	An EME or QSE or any entity which is at least 51% owned by people with	2	ID Copy (Mandatory)
	disability		• Or
			Medical Certificate
			• Or
			• South African Social Security Agency (SASSA) registration
			• Or
	OR		 National Council for Persons with Physical Disability in South Africa registration (NCPPDSA)

Serial No	Specific Goals	Preference Points allocated out of 10	Documentation to be submitted by bidders to validate their claim for points
	An EME or QSE or any entity which is at least 51% owned by youth .		 ID Copy Or CSD Report Or CIPC (company registration)

- 1.6 Failure on the part of the tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals, if the service provider/ tenderer did not submit proof or documentation required to claim for specific goals will be interpreted to mean that preference points for specific goals are not claimed.
- 1.7 The organ of state reserves the right to require of a service provider/tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1. THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$Ps = 80 \left(1 - \frac{Pt - Pmin}{Pmin}\right)$$
 or $Ps = 90 \left(1 - \frac{Pt - Pmin}{Pmin}\right)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$80/20$$
 or $90/10$ $Ps = 80\left(1 + \frac{Pt - Pmax}{Pmax}\right)$ or $Ps = 90\left(1 + \frac{Pt - Pmax}{Pmax}\right)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1,2 and 3 above as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
- (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

preference point system.				
The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
1. An EME or QSE or any entity which is at least 51% owned by Historically Disadvantaged Individuals (HDI)		10		
2. Located in a specific Local Municipality or District Municipality or Metro or Province area for work to be done or services to be rendered in that area		2		
3. An EME or QSE or any entity which is at least 51% owned by women		4		
4. An EME or QSE or any entity which is at least 51% owned by people with disability		2		

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
5. An EME or QSE or any entity which is at least 51% owned by youth .*		2		

<u>Note: *in respect of the 90/10 point system a selection of either disability or youth may be made with an allocation of 2 points for either of them.</u>

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3.	Name of company/firm	
4.4.	Company registration number:	
4.5.	TYPE OF COMPANY/ FIRM	
	 □ Partnership/Joint Venture / Consortium □ One-person business/sole propriety □ Close corporation □ Public Company □ Personal Liability Company □ (Pty) Limited □ Non-Profit Company □ State Owned Company [TICK APPLICABLE BOX] 	

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any

of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –

- (a) disqualify the person from the tendering process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation:
- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	
	55



PA- 40: DECLARATION OF DESIGNATED GROUPS FOR PREFERENTIAL PROCUREMENT

Tender no: 164103 / A

□ EME¹ □ QSE² □ Non EME/QSE (tick applicable box)	DENTITY NUMBER, CITIZENSHIP AND DESIGNATED GROUPS.
lame of Tenderer	1. LIST ALL PROPRIETORS, MEMBERS OR SHAREHOLDERS BY NAME, IDENTITY NUMBER, CITIS

		S OI LANGE IN COLOR	- 1	ASIME, IDENTITY INCIMIDENT, OFFICE AND DESIGNATED GROOFS.	, OI IELIONIE 7	NO DESIGNALE	J GROUPS.	
Name and Surname #	Identity/ Passport number and Citizenship##	Percentage owned	Black	Indicate if youth	Indicate if woman	Indicate if person with disability	Indicate if living in Rural (R) / Under Developed Area (UD) / Township (T) / Urban (U).	Indicate if military veteran
1.		%	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		☐ Yes ☐ No
2.		%	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	□R □ UD □T □ U	□ Yes □ No
3.		%	☐ Yes ☐ No	□ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No		□ Yes □ No
4.		%	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		☐ Yes ☐ No
5.		%	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		□ Yes □ No
6.		%	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	□R □ UD □T □ U	☐ Yes ☐ No
7.		%	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		☐ Yes ☐ No
89		%	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	□ R □ UD □ T □ U	□ Yes □ No
9.		%	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	□ R □ UD □ T □ U	☐ Yes ☐ No
10.		%	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	□R □ UD □T □ U	□ Yes □ No
11.		%	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	□ R □ UD □ T □ U	☐ Yes ☐ No
12.		%	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		□ Yes □ No

Where Owners are themselves a Company, Close Corporation, Partnership etc, identify the ownership of the Holding Company, together with Registration number State date of South African citizenship obtained (not applicable to persons bom in South Africa)

¹ EME: Exempted Micro Enterprise ² QSE: Qualifying Small Business Enterprise



PA- 40: DECLARATION OF DESIGNATED GROUPS FOR PREFERENTIAL PROCUREMENT

Tender no: | 6tt (03/A)

2. DECLARATION:

The undersigned, who warrants that he/she is duly authorized to do so on behalf of the Tenderer, hereby confirms that:

The information and particulars contained in this Affidavit are true and correct in all respects;

Procurement Regulations, 2022, National Small Business Act 102 of 1996 as amended and all documents pertaining to this Tender were studied and understood The Broad based Black Economic Empowerment Act, 2003 (Act 53 of 2003), Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000), the Preferential and that the above form was completed according to the definitions and information contained in said documents;

The Tenderer understands that any intentional misrepresentation or fraudulent information provided herein shall disqualify the Tenderer's offer herein, as well as any other tender offer(s) of the Tenderer simultaneously being evaluated, or will entitle the Employer to cancel any Contract resulting from the Tenderer's offer

The Tenderer accepts that the Employer may exercise any other remedy it may have in law and in the Contract, including a claim for damages for having to accept

Any further documentary proof required by the Employer regarding the information provided herein, will be submitted to the Employer within the time period as may a less favourable tender as a result of any such disqualification due to misrepresentation or fraudulent information provided herein; be set by the latter;

Signed by the Tenderer


2

Date
Signature
Name of representative



DPW-16 (EC): SITE INSPECTION MEETING CERTIFICATE

Project title:	SERVICING OF HIG	CURROUNDING AREAS: M H TENSION EQUIPMENT A MONTHS TERM CONTRA	
Tender no:	ID:164103 /P	Reference no:	19/2/4/2/2/2022-2024
Closing date:	14/04/2023		
This is to certify that I,			representing
			in the company of
		vis	ited the site on: 28/03/2023 at
certify that I am satisfied with	the description of the	e work and explanations give	and the cost thereof. I further en at the site inspection implied, in the execution of this
Name of Tenderer		Signature	Date
Simiso Mbusi			28/03/2023
Name of DPW Represent	ative	Signature	Date



DPW-09 (EC): PARTICULARS OF TENDERER'S PROJECTS

Project title:	KIMBERLEY VOLTAGE IN	KIMBERLEY AND SURROUNDING AREAS: MAINTENANCE, REPAIRS, SERVICING C VOLTAGE INSTALLATION: 24 MONTHS TERM CONTRACT FOR VARIOUS CLIENTS	IG AREAS: MAINTENANCE, REPAIRS, SERVICING OF HIGH TENSION EQUIPMENT AND LOW ONTHS TERM CONTRACT FOR VARIOUS CLIENTS	H TENSION EQUIPMENT AND LOW
Tender / quotation no:		ID:164103 /P	Closing date:	14/04/2023
Advertising date:		17/03/2023	Validity period:	84 days

1. PARTICULARS OF THE TENDERER'S CURRENT AND PREVIOUS COMMITMENTS

1.1. Current projects

Pro	Projects currently engaged in	Name of Employer or Representative of Employer	Contact tel. no.	Contract sum	Contractual commence-ment date	Contractual completion date	Current percentage progress
~							
2							
က							
4							
5							
9							
7							
∞							



1.2. Completed projects

Pro (fiv	Projects completed in the previous 5 (five) years	Name of Employer or Representative of Employer	Contact tel. no.	Contract sum	Contractual commence-ment date	Contractual completion date	Date of Certificate of Practical Completion	
~								
2								
က								T
4								
5								_
9								
7								
8								
0								
								1

Date

Signature

Name of Tenderer



DPW-21 (EC): RECORD OF ADDENDA TO TENDER DOCUMENTS

Proje	ect title:	SERVICII	VG OF	HIGH	TENSION	EQUIPME	NT	INTENANCE, AND LOW PR VARIOUS (VOLTAGE
Tend	er no:	ID:164103	A/A		Reference	no:		19/2/4/2/2/20	22-2024
Inf	We confirm that the rastructure before the account in this tende	submission	of this t	tender off	er, amending	g the tender	r doc	uments, have	Works and been taken
	Date				Titl	e or Detail	s		
1.									
2.									
3.									
4.									
5.									
6.									
7.									
8.									
9.									
10.									
11.									
12.									
13.									
	Name of Tendere	r		Si	gnature			Date	
	We confirm that no rastructure before the								rks and
	Name of Tendere	r		Si	gnature			Date	

Effective date: 20 September 2021

Version: 1.2

DPW-21 (EC): Record of addenda to tender



DPW-22 (EC): PARTICULARS OF ELECTRICAL CONTRACTOR

Project title:	SERVICING OF HIGH	ROUNDING AREAS: MA TENSION EQUIPMENT THS TERM CONTRACT FO	AND LOW VOLTAGE
Tender no:	ID:164103 / A	Reference no:	19/2/4/2/2/2022-2024
Name of Electrical Contra	actor:		
Address:			
Electrical Contractor regi Department of Labour	stration number at the		
2000			
Name of Tenderer	Signa	ature	Date



DPW-23 (EC): SCHEDULE FOR IMPORTED MATERIALS AND EQUIPMENT

Project title:	KIMBERLEY AND SURI SERVICING OF HIGH INSTALLATION: 24 MONT	TENSION EQUIPMENT	AND LOW VOLTAGE
Tender no:	ID:164103 /A	Reference no:	19/2/4/2/2/2022-2024

This schedule should be completed by the tenderer. (Attach additional pages if more space is required)

Item	Material / Equipment	Rand (R) (Excluding VAT)
1		R
2.		R
3.		R
4.		R
5.		R
6.		R

The Contractor shall list imported items, materials and/or equipment which shall be excluded from the Contract Price Adjustment Provisions (if applicable) and shall be adjusted in terms of currency fluctuations only. Copies of the supplier's quotations for the items, materials or equipment (provided that such costs shall not be higher than the relevant contract rate as listed above) should be lodged with the Principal Agent / Engineer of the Department of Public Works and Infrastructure within 60 (sixty) days from the date of acceptance of the tender. No adjustment of the local VAT amount, nor the contractor's profit, discount, mark-up, handling costs, etc. shall be allowed.

These net amounts will be adjusted as follows:

FORMULA:

The net amount to be added to or deducted from the contract sum:

$$A = V (\underline{Z} - 1)$$

A = the amount (R) of adjustment

V = the net amount (supplier's quotation) (R) of the imported item

Y = exchange rate at the closing date of tender submission

Z = exchange rate on the date of payment.

Name of Tenderer	Signature	Date

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

Page 1 of 1
For Internal Use

Effective date: 20 September 2021

Version: 1.3



DPW-05: (EC) CONTRACT DATA - (GCC (2010) 2nd EDITION: 2010)

Project title:	SERVICING OF	SURROUNDING AREAS HIGH TENSION EQUIPM MONTHS TERM CONTRAC	MENT AND LOW	VOLTAGE
Tender no:	ID:164103 / 🛱	Reference no:	19/2/4/2/2/2022	2-2024

PART 1: DATA PROVIDED BY THE EMPLOYER
CONDITIONS OF CONTRACT
The General Conditions of Contract for Construction Works, Second Edition, 2010, published by the South African Institution of Civil Engineering, Private Bag X200, Halfway House, 1685, is applicable to this Contract and is obtainable from www.saice.org.za

CONTRACT SPECIFIC DATA

	g contract specific data, referring to the General Conditions of Contract for Construction Works, Second Edition, plicable to this Contract:
CLAUSES	COMPULSORY DATA
1.1.1.8	Amend Clause 1.1.1.8 to include the word "rights" to read as follows:
	"Contract Data" means the specific data which, together with these General Conditions of Contract, collectively describe the rights, risks, liabilities and obligations of the contracting parties and the procedures for the administration of the Contract.
1,1,1.13	Amend Clause 1.1.1.13 as follows, clarify when the defects liability period starts:
	"Defects Liability Period" means the period stated in the Contract Data, commencing on the date indicated on the Certificate of Completion or Certificates of Completion in the event of more than one Certificate of Completion is issued for different parts of the Works, during which the Contractor has both the right and the obligation to make good defects in the materials, Plant and workmanship covered by the Contract.
	Defects liability period is: 12 months.
1.1.1.14	The time for achieving Practical Completion of the whole of the works is: 24 Months measured from the Commencement Date. The time thus stated includes special non-working days and the year-end break.
5.14.7	or, if Practical Completion in portions is required,
	The times for achieving Practical Completion for the portions as set out in the Scope of Works are <i>mutatis</i> mutandi:
	For portion 1 within insert description as may be applicable
	For portion 2 within insert description as may be applicable
	For portion 3 within insert description as may be applicable
	For portion 4 within <i>insert description as may be applicable</i>
	(followed by further portions as required)
	The time for achieving Practical Completion of the whole of the Works is: 24 Months , measured from the Commencement Date. The time thus stated includes special non-working days and the year-end break.

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer". Page 1 of 12 For Internal & External Use Effective date 20 September 2021 Version: 2.2



1.1.1.15	The name of the Employer is:
	The Government of the Republic of South Africa in its Department of Public Works and Infrastructure.
1.1.1.16	The name of the Engineer is:
	Insert the legal name of the Engineer
1.1.1.26	The Pricing Strategy is a: Re-measurement Contract.
1.1.1.31	Not applicable to this Contract.
1.1.1.35	Insert the definition of "Value of Works" as Clause 1.1.1.35:
	"Value of Works" means the value of the Works certified by the Engineer as having been satisfactorily executed and shall include the value of the works done, the value of the materials and/or plant and Contract Price Adjustments.
1.2.1.2	Employer's address:
	Physical Address: 21-23 Market Square insert town insert code
	Postal Address: insert postal address Kimberley 8301
	Facsimile: 053 838 5290
	Telephone: 053 838 5246
	Engineer's address:
	Physical Address: insert physical address insert town insert code
	Postal Address: insert postal address insert town insert postal code
	Facsimile: insert fax no
	Telephone: insert tel no
1.3.4	Not applicable to this Contract.



	Replace Clause 1.3.5 with the following provisions:
(6	
	a) The Employer will become the owner of the information, documents, advice, recommendation and reports collected, furnished and/or compiled by the Contractor during the course of, and for the purposes of executing this Contract, all of which will be handed over to the Employer on request, but in any event on the termination and/or cancellation of this Contract for whatever reason. The Contractor relinquishes its retention or any other rights thereon to which it may be entitled.
(1	The copyright of all documents, recommendations and reports compiled by the Contractor during the course of and for the purposes of finalizing the Works will vest in the Employer, and may not be reproduced or distributed or made available to any person outside the Employer's service, or to any institution in any way, without the prior written consent of the Employer. The Employer shall have the right to use such material for any other purpose without the approval of information or payment to the Contractor.
(0	The copyright of all electronic aids, software programmes etc. prepared or developed in terms of the Contract shall vest in the Employer, who shall have the right to use such material for any other purpose without the approval of, information or payment to the Contractor.
(6	In case of the Contractor providing documents, electronic aids, software programs or like material to the Employer, the development of which has not been at the expense of the Employer, copyright shall not vest in the Employer. The Contractor shall be required to indicate to which documents, electronic aids, software programs or like material this provision applies.
(€	The Contractor hereby indemnifies the Employer against any action, claim, damages or legal cost that may be instituted against the Employer on the grounds of an alleged infringement of any copyright, patents or any other intellectual property right in connection with the Works outlined in this Contract.
(f	All information, documents, recommendations, programs and reports collected or compiled must be regarded as confidential and may not be communicated or made available to any person outside the Employer's service and may not be published either during the currency of this Contract or after termination thereof without the prior written consent of the Employer.
3.1.3 1	. The Engineer's authority to act and/or to execute functions or duties or to issue instructions are expressly excluded in respect of the following:
	(a) Appointment of nominated Sub-contractors – clause 4.4.3;
	(b) Granting of an extension of time and/or ruling on claims associated with claims for extension of time – clauses 5.12.3, 10.1.5;
	(c) Acceleration of the rate of progress and determination of the cost for payment of such acceleration – clause 5.12.4;
	(d) Rulings on claims and disputes – clauses 10.1.5, 10.2.3 and 10.3.3;
	(e) Suspension of the Works – clause 5.11.1;
	(f) Final Payment Certificate – clause 6.10.9;
	(g) Issuing of <i>mora</i> notices to the Contractor – clauses 9.1.1, 9.1.2.1 and 9.2.1;
	(h) Cancellation of the contract between the Employer and Contractor – clauses 9.1.1, 9.1.2.1 and 9.2.1.



Tender no:	ID:164103 / F-
	2. In order to be legally binding and have legal bearing and consequence, any ruling in respect of the above matters (a) to (h) must be on an official document, signed and issued by the Employer to the Contractor.
	3. The Contractor must submit claims, demands, notices, notifications, updated particulars and reports in writing, as well as any other supporting documentation pertaining thereto, in respect of any of the above listed matters (a) to (h), to the Engineer within the time periods and in the format(s) as determined in the relevant clauses of the Conditions of Contract. Failing to deliver such to the Engineer timeous and in the correct format will invalidate any claim and the consequences of such failure will mutatis mutandis be as stated in clause 10.1.4.
	4. Clauses 6.10.9 and 10.1.5 shall be amended as follows to indicate the limitation on the Engineer's authority in respect thereof:
	Clause 6.10.9 – Amend to read as follows:
	Within 14 days of the date of final approval as stated in the Final Approval Certificate, the Contractor shall deliver to the Engineer a final statement claiming final settlement of all moneys due to him (save in respect of matters in dispute, in terms of Clauses 10.3 to 10.11, and not yet resolved). The Employer shall within 14 days issue to the Contractor a Final Payment Certificate the amount of which shall be paid to the Contractor within 28 days of the date of such certificate, after which no further payments shall be due to the Contractor (save in respect of matters in dispute, in terms of Clauses 10.3 to 10.11 and not yet resolved).
	Clause 10.1.5 – Amend to read as follows:
	Unless otherwise provided in the Contract, the Employer shall, within 28 days after the Contractor has delivered his claim in terms of Clause 10.1.1 as read with Clause 10.1.2, deliver to the Contractor his written and adequately reasoned ruling on the claim (referring specifically to this Clause). The amount thereof, if any, allowed by the Employer shall be included to the credit of the Contractor in the next payment certificate.
	5. Insert the following under 3.1.3: Provided that, notwithstanding any provisions to the contrary in the Contract, the Employer shall have the right to reverse and, should it deem it necessary, to amend any certificate, instruction, decision or valuation of the Engineer and to issue a new one, and such certificate instruction, decisions or valuations shall for the purposes of the Contract be deemed to be issued by the Engineer, provided that the Contractor shall be remunerated in the normal manner for work executed in good faith in terms of an instruction issued by the Engineer and which has subsequently been rescinded.
3.2.2.1	Amend Clause 3.2.2.1 to insert the word "Plant" to read as follows:
	Observe the execution of the Works, examine and test material, Plant and workmanship, and receive from the Contractor such information as he shall reasonably require.
3.2.3.2	Amend Clause 3.2.3.2 to insert the word "Plant" to reads as follows:
	Notwithstanding any authority assigned to him in terms of Clauses 3.2.2 and 3.2.4, failure by the Engineer's Representative to disapprove of any work, workmanship, Plant or materials shall not prejudice the power of the Engineer thereafter to disapprove thereof and exercise any of his powers in terms of the Contract in respect of thereof.
4.8.2.1	Amend Clause 4.8.2.1 to include the word "person", as follows:
	Makes available to the Employer, or to any such contractor, person or authority, any roads or ways for the maintenance of which the Contractor is responsible, or



	•	
4.8.2.2	Amend Clause 4.8.2.2 to include "Employer" and "contractors", as follows:	
	Provides any other facility or service of whatsoever nature to the Employer or to any of the said contractors, persons or authorities,	
5.3.1	The documentation required before commencement with Works execution are:	
	Health and Safety Plan (Refer to Clause 4.3) Initial programme (Refer to Clause 5.6) Security (Refer to Clause 6.2) Insurance (Refer to Clause 8.6) insert other requirements insert other requirements insert other requirements	
5.3.2	The time to submit the documentation required before commencement with Works execution is: 21 days.	
5.4.2	The access to, and possession of, the Site referred to in Clause 5.4.1 shall be enter "exclusive" or "not exlcusive" to the Contractor. In the event of access to, and possession of, the Site is not exclusive to the Contractor, the following limitations apply:	
	Insert an exposition of limitation.	
5.8.1	The non-working days are: Saturdays and Sundays	
	The special non-working days are:	
	(1) Public Holidays;	
	(2) The year-end break commencing on 16 December until the Sunday preceding the first working Monday of January of the succeeding year.	
5.9.1	Amend Clause 5.9.1 as follows:	
	On the Commencement Date, the Engineer shall deliver to the Contractor three (3) copies, at no cost to the Contractor, of the drawings and any instructions required for the commencement of the Works. The cost of any additional copies of such drawings and/or instructions, as may be required by the Contractor, will be for the account of the Contractor.	
5.13.1	The penalty for failing to complete the Works is: RInsert penalty amount per day	
	or, if completion in portions is required,	
	The penalty for failing to complete portion 1 of the Works is: Rinsert penalty amount per day.	
	The penalty for failing to complete portion 2 of the Works is: RInsert penalty amount per day.	
	The penalty for failing to complete portion 3 of the Works is: RInsert penalty amount per day.	
	The penalty for failing to complete portion 4 of the Works is: RInsert penalty amount per day.	
	Followed by further portions as required.	
	The penalty for failing to complete the whole of the works is: Rinsert penalty amount per day.	



5.14.1	Amend the second paragraph of Clause 5.14.1 as follows:	
	When the Works are about to reach the said stage, the Contractor shall, in writing, request a Certificate of Practical Completion and the Engineer shall, within 14 days after receiving such request, issue to the Contractor a written list setting out the work to be completed to justify Practical Completion. Should the Engineer not issue such a list within the 14 days, the Contractor shall notify the Employer accordingly. Should the Employer not issue such a list within 7 days of receipt of such notice, Practical Completion shall be deemed to have been achieved on the 14th day after the contractor requested the Certificate of Practical Completion.	
5.16.1	Amend Clause 5.16.1 to delete the proviso in the third paragraph of this clause.	
5.16.2	Amend Clause 5.16.2 as follows:	
	No certificate other than the Final Approval Certificate referred to in Clause 5.16.1 shall be deemed to constitute approval of the Works or shall be taken as an admission of the due performance of the Contract or any part thereof, nor of the accuracy of any claim made by the Contractor, nor shall any other certificate exclude or prejudice any of the powers of the Engineer and/or the Employer.	
5.16.3	The latent defect period for all works is: 5 years.	
6.2.1	The type of security for the due performance of the Contract, as selected by the Contractor in the Contract Data, must be delivered to the Employer.	
6.2.3	Amend Clause 6.2.3 as follows:	
	If the Contractor has selected a performance guarantee as security, he shall ensure that it remains valid and enforceable as required in terms of the Contract.	
6.5.1.2.3	The percentage allowance to cover overhead charges is:	
	33%, except on material cost where the percentage allowance is 10%.	
6.8.2	Contract Price Adjustment (CPA) will be applicable: No.	
	If CPA is indicated as 'Yes" above the value of payment certificates is to be adjusted by a Contract Price Adjustment Factor:	
	The value of the certificates issued shall be adjusted in accordance with the Contract Price Adjustment Schedule with the following values:	
	The value of "x" is 0.15.	
	The values of the coefficients are: a = 0.25. (Labour) b = 0.3 (Contractor's equipment) c = 0.3 (Material) d = 0.15 (Fuel)	
	The values of the coefficients for "Repair and Maintenance Project" (RAMP) contracts are: a = 0.35 (Labour) b = 0.20 (Contractor's equipment) c = 0.35 (Material) d = 0.10 (Fuel)	



	•
6.8.2	The urban area nearest the Site is <i>Kimberley, Old Magistrate Court</i> . (Select urban area from Statistical News Release, P0141, Table 7.1.) The applicable industry for the Producer Price Index for materials is <i>insert name of industry</i> . (Select the applicable industry from Statistical News Release, P01421, Table 11.) The area for the Producer Price Index for fuel is <i>insert name of area</i> . (Select the area from Statistical News Release, P01421, Table 12.) The base month is <i>insert month</i> 2022. (The month prior to the closing of the tender.)
6.8.3	Price adjustments for variations in the costs of special materials are not allowed.
6.10.1.5	The percentage advance on materials not yet built into the Permanent Works is: 85 %.
6.10.3	The limit of retention money is dependent on the security to be provided by the Contractor in terms of Clause 6.2.1.
6.10.5	Replace Clause 6.10.5 with the following:
	In respect of contracts up to R2 million and in respect of contracts above R2 million where the Contractor elects a security by means of a 10% retention, 50% of the retention shall be released to the Contractor when the Engineer issues the Certificate of Completion in terms of clause 5.14.4. The remaining 50% of the retention shall be released in accordance with the provisions of the conditions of contract and will become due and payable when the Contractor becomes entitled, in terms of Clause 5.16.1, to receive the Final Approval Certificate. In respect of contracts above R2 million, where the Contractor elects a security by means of a cash deposit or fixed guarantee of 5% of the Contract Sum (excl. VAT) and a 5% retention of the Value of the Works (excl. VAT), the cash deposit or fixed guarantee, whichever is applicable, shall be refunded to the Contractor or return to the guarantor, respectively, when the Engineer issues the Certificate of Completion in terms of Clause 5.14.4. The 5% retention of the Value of the Works (excl. VAT) shall become due and payable when the Contractor becomes entitled, in terms of Clause 5.16.1, to receive the Final Approval Certificate. In respect of contracts above R2 million, where the Contractor elects a security by means of a cash deposit or a variable guarantee of 10% of the Contract Sum (excl. VAT), the cash deposit or the variable guarantee, whichever is applicable, will be reduced to 5% of the Value of the Works (excl. VAT) when the Engineer issues the Certificate of Completion in terms of Clause 5.14.4. The balance of the cash deposit shall become due and payable or the variable guarantee shall expire when the Contractor becomes entitled in terms of Clause and payable or the variable guarantee shall expire when the Contractor becomes entitled in terms of Clause
	5.16.1 to receive the Final Approval Certificate.
7.9.1	Insert the following at the end of Clause 7.9.1: Provided that, should the Contractor on demand not pay the amount of such costs to the Employer, such amount may be determined and deducted by the Employer from any amount due to or that may become due to the Contractor under this or any other previous or subsequent contract between the Contractor and the Employer.
8.2.2.1	Insert the following as a second paragraph to Clause 8.2.2.1: The Contractor shall at all times proceed immediately to remove or dispose of any debris arising from damage to or destruction of the Works and to rebuild, restore, replace and/or repair the Works, failing which the Employer may cause same to be done and recover the reasonable costs associated therewith from the Contractor.



8.4.3	Insert a new Clause 8.4.3 as follows:
	The Contractor shall on receiving a written instruction from the Engineer immediately proceed at his own cost to remove or dispose of any debris and to rebuild, restore, replace and/or repair such property and to execute the Works.
8.6.1.1.1	Amend Clause 8.6.1.1.1 to read as follows: Contract Sum plus 10%.
8.6.1.1.2	The value of Plant and materials supplied by the Employer to be included in the insurance sum is: Nil
8.6.1.1.3	The amount to cover professional fees for repairing damage and loss to be included in the insurance sum is: NiI
8.6.1.3	Amend Clause 8.6.1.3 to delete reference to limit of indemnity, to read as follows:
	Liability insurance that covers the Contractor against liability for the death of, or injury to any person, or loss of, or damage to any property (other than property while it is insured in terms of Clause 8.6.1.1) arising from or in the course of the fulfillment of the Contract, from the Commencement Date to the date of the end of the Defects Liability Period, if there is one, or otherwise to the issue of the Certificate of Completion.
8.6.1.5	Public liability insurance to be effect by the Contractor to a minimum value of: R5 million or
	R insert amount in figures (and in words)
	With a deductible not exceeding 5% of each and every claim.
	2. Support insurance is to be effected by the Contractor to a minimum value of:
	R insert amount in figures (and in words)
	With a deductible not exceeding 5% of each and every claim.
8.6.5	Amend Clause 8.6.5 as follows:
	Save as otherwise provided in the Contract Data, the insurances referred to in Clause 8.6.1 shall be effected with an insurance company registered in the Republic of South Africa. The Contractor shall submit the insurance policy to the Employer for approval, if so requested.
8.6.7	Amend Clause 8.6.7 as follows:
	If the Contractor fails to effect and keep in force any of the insurances referred to in Clause 8.6.1, the Employer may cancel the Contract in terms of Clause 9.2.
8.6.8	Insert a new Clause 8.6.8 in provide for high risk insurance for projects executed on areas classified as "High Risk Areas".
	HIGH RISK INSURANCE
	In the event of the project being executed in a geological area classified as a "High Risk Area", that is an area which is subject to highly unstable subsurface conditions that might result in catastrophic ground movement evident by sinkhole or doline formation the following will apply:



8.6.8	(1)	Damage to the Works The Contractor shall, from the date of Commencement of the Works until the date of the Certificate of Completion, bear the full risk of and hereby indemnifies and holds harmless the Employer against any damage to and/or destruction of the Works consequent upon a catastrophic ground movement as mentioned above. The Contractor shall take such precautions and security measures and other steps for the protection of the Works as he may deem necessary.
		When so instructed to do so by the Engineer, the Contractor shall proceed immediately to remove and/or dispose of any debris arising from damage to or destruction of the Works and to rebuild, restore, replace and/or repair the Works, at the Contractor's own costs.
	(2)	Injury to Persons or Loss of or damage to Properties
		The Contractor shall be liable for and hereby indemnifies and holds harmless the Employer against any liability, loss, claim or proceeding arising during the Contract Period whether arising in common law or by Statute, consequent upon personal injuries to or the death of any person whomsoever resulting from, arising out of or caused by a catastrophic ground movement as mentioned above.
		The Contractor shall be liable for and hereby indemnifies the Employer against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable, or immovable or personal property or property contiguous to the Site, whether belonging to or under the control of the Employer or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the Contract Period.
	(3)	It is the responsibility of the Contractor to ensure that he has adequate insurance to cover his risk and liability as mentioned in Clauses 8.6.8(1) and 8.6.8 (2) above. Without limiting his obligations in terms of the Contract, the Contractor shall, within 21 days of the Commencement Date and before Commencement of the Works, submit to the Employer proof of such insurance policy, if requested to do so.
	(4)	The Employer shall be entitled to recover any and all losses and/or damages of whatever nature suffered or incurred consequent upon the Contractor's default of his obligations as set out in Clauses 8.6.8 (1), 8.6.8 (2) and 8.6.8 (3). Provided that, should the Contractor on demand not pay the amount of such costs to the Employer, such amount may be determined and deducted by the Employer from any amount due to or that may become due to the Contractor under this or any other existing or subsequent contract between the Contractor and the Employer.
9.1.4	Ameno	d Clause 9.1.4 as follows:
	not du is term cost of	circumstances referred to in Clauses 9.1.1, 9.1.2 or 9.1.3 (provided that the circumstances in 9.1.3 is e to the fault of the Contractor, his employees, contractors or agents), and whether or not the Contract ninated under the provisions of this Clause, the Contractor shall be entitled to payment of any increased for incidental to the execution of the Works which is specifically attributable to, or consequent upon the estances defined in Clauses 9.1.1, 9.1.2 or 9.1.3;
9.1.5	Amend	d Clause 9.1.5 as follows:
	is not of by the made	Contract is terminated on any account in terms of this Clause (provided that the circumstances in 9.1.3 due to the fault of the Contractor, his employees, contractors or agents), the Contractor shall be paid Employer (insofar as such amounts or items have not already been covered by payments on account to the Contractor) for all measured work executed prior to the date of termination, the amount (without on), payable in terms of the Contract and, in addition:
9.1.6	This C	lause is not applicable to this Contract.



9.2.1.3.8	Insert a new Clause 9.2.1.3.8 as follows:	
	Has failed to effect and keep in force any of the insurances referred to in Clause 8.6.1,	
9.2.4	Insert a new Clause 9.2.4 as follows, to provide for unilateral termination by the Employer:	
	The Employer shall be entitled at any time to unilaterally terminate or cancel this Contract or any part thereof. Save for the following, the Contractor shall not be entitled to claim any other amounts whatsoever in respect of such termination or cancellation of this Contract. The Employer shall be obliged to pay the Contractor as damages and/or loss of profit the lesser of:	
	9.2.4.1 An amount not exceeding 10% of the Contract Sum;	
	9.2.4.2 10% of the value of incomplete work; or	
	9.2.4.3 The Contractor's actual damage or loss as determined by the Employer after receipt of evidence substantiating any such damage or loss.	
9.3.2.2	Amend Clause 9.3.2.2 as follows to delete the proviso on lien:	
	The ownership of Plant and unused materials brought onto the Site by the Contractor, and for which the Employer has not made any payment, shall revest to the Contractor and he shall, with all reasonable dispatch, remove from the Site such Plant, materials and all Construction Equipment and Temporary Works.	
9.3.3	Insert the following at the end of Clause 9.3.3	
	After cancellation of the Contract by the Contractor, the Contractor, when requested by the Employer to do so, shall not be entitled to refuse to withdraw from the Works on the grounds of any lien or a right of retention or on the grounds of any other right whatsoever.	
10.1.3.1	Amend Clause 10.1.3.1 as follows to insert the word "Plant":	
	All facts and circumstances relating to the claims shall be investigated as and when they occur or arise. Fo this purpose, the Contractor shall deliver to the Engineer, records in a form approved by the Engineer, of all the facts and circumstances which the Contractor considers relevant and wishes to rely upon in support of his claims, including details of all Construction Equipment, labour, Plant and materials relevant to each claim Such records shall be submitted promptly after the occurrence of the event giving rise to the claim.	
10.1.6	Insert a new Clause 10.1.6 as follows:	
	If the Employer fails to give his ruling within the period referred to in Clause 10.1.5 he shall be deemed to have given a ruling dismissing the claim.	
10.2.1	Amend Clause 10.2.1 as follows:	
	In respect of any matter arising out of or in connection with the Contract, which is not required to be dealt with in terms of Clause 10.1 or which does not require the decision or ruling of the Employer, the Contractor or the Employer shall have the right to deliver a written dissatisfaction claim to the Engineer. This written claim shall be supported by particulars and substantiated.	
10.2.2	Amend Clause 10.2.2 as follows:	
	If, in respect of any matter arising out of or in connection with the Contract, which is not required to be dealt with in terms of Clause 10.1 or which does not require the decision or ruling of the Employer, the Contractor or the Employer fails to submit a claim within 28 days after the cause of dissatisfaction, he shall have no further right to raise any dissatisfaction on such matter.	



Tender no: *ID:164103* ∤ ⊖

10.3.2	Amend Clause 10.3.2 as follows to replace "adjudication" with "court": If either party shall have given notice in compliance with Clause 10.3.1, the dispute shall be referred to court proceedings in terms of Clause 10.8, unless amicable settlement is contemplated.
	proceedings in terms of Clause 10.0, unless anicable settlement is contemplated.
10.3.3	Replace "Engineer" with "Employer".
10.4.2	Amend Clause 10.4.2 as follows to provide for submission to court:
	If the other party rejects the invitation to amicable settlement in writing or does not respond in writing to the invitation with 14 days, or amicable settlement is unsuccessful, either party may submit the dispute to court.
10.4.4	Amend Clause 10.4.4 to delete reference to "adjudication" and "arbitration" to read as follows:
	Save for reference to any portion of any settlement or decision which has been agreed to be final and binding on the parties, no reference shall be made by or on behalf or either party in any subsequent court proceedings, to any outcome of an amicable settlement, or to the fact that any particular evidence was given, or to any submission, statement or admission made in the course of the amicable settlement.
10.5 10.6 & 10.7	The entire provisions of these Clauses are not applicable to this Contract.
10.10.3	Amend Clause 10.10.3 as follows to reword and remove reference to "arbitrator":
	The court shall have full power to open up, review and revise any ruling, decision, order, instruction, certificate or valuation of the Engineer and Employer and neither party shall be limited in such proceedings before such court to the evidence or arguments put before the Engineer or Employer for the purpose of obtaining his ruling.



	PART 2: DATA PROVIDED BY THE BIDDER						
1.1.1.9	The name of the Bidder is:						
1.2.1.2	The address of the Bidder is:						
	Postal address:						
	Postal Code:						
	Tel: Fax:						
	TAX / VAT Registration No:						
	Physical address:						
				· · · · · · · · · · · · · · · · · · ·			
	Poots	ol Codo:					
	Posta	ai Code: _					
	E-mail address:						
6.2.1	The security to be provided by the Contractor shall be one of the following:						
	(a) Cash deposit of 10 % of the Contact Sum (excl. VAT)	☐ YES	or	□ NO			
	(b) Variable performance guarantee of 10 % of the Contract Sum (excl. VAT)	☐ YES	or	□ NO			
	(c) Retention of 10 % of the value of the Works (excl. VAT)	☐ YES	or	□NO			
	(d) Cash deposit of 5 % of the Contract Sum (excl. VAT) plus retention of 5 % of the value of the Works (excl. VAT)	☐ YES	or	□ NO			
	(e) Performance guarantee of 5 % of the Contract Sum (excl. VAT) plus retention of 5 % of the value of the Works (excl. VAT)	☐ YES	or	□ NO			
	NB: Guarantees submitted must be issued by either an insurance of the Insurance Act [Long-Term Insurance Act, 1998 (Act 52 of 19 1998 (Act 53 of 1998)] or by a bank duly registered in terms of the Bathe pro-forma referred to above. No alterations or amendments of the accepted.	98) or Shor anks Act, 19	t-Term 90 (Ac	Insurance Act, t 94 of 1990) on			



Project title:		KIMBERLEY AND SURROUNDING AREAS: MAINTENANCE, REPAIRS, SERVICING OF HIGH TENSION EQUIPMENT AND LOW VOLTAGE INSTALLATION: 24 MONTHS TERM CONTRACT FOR VARIOUS CLIENTS				
Tender / Quotatio	n no:	ID:164103 /A		Reference no:	19/2/4/2/2/2022-2024	
OFFER						
rocurement of: MAINTENANCE, RE	PAIRS,		ENSIOI		o enter into a contract for the W VOLTAGE INSTALLATION:	
		e offer signature block, has able schedules, and by su			d in the tender data and addenda the conditions of tender.	
acceptance, the Ten- ncluding compliance	derer o with al	ffers to perform all of the	obliga accord	tions and liabilities of the ing to their true intent ar	s part of this form of offer and e Contractor under the contract nd meaning for an amount to be	
		SIVE OF ALL APPLICABLE ance fund contributions and sk			les value- added tax, pay as you earn,	
Rand (in words):						

Rand in figures:	R					
The amount in words take	es preced	ence over the amount in figures. otiated and agreed price will be c	The awa	ard of the tender may be subjected for acceptance as a firm and	cted to further price negotiation with	
his offer may be accept of the copy of the	cepted this do erer be	by the Employer by signing ocument to the Tenderer be comes the party named a	g the a efore the	acceptance part of this for the end of the period of v Contractor in the conditi	orm of offer and acceptance and alidity stated in the tender data, ons of contract identified in the	
HIS OFFER IS MAD Company or Close C		THE FOLLOWING LEGAL on:	ENTI	TY: (cross out block which Natural Person or Partne	ch is not applicable) rship:	
,						
And: Whose Registra		mber is:		Whose Identity Number(s	s) is/are:	
	ition Nui	mber is:	OR	Whose Identity Number(s	s) is/are:	

For Internal & External Use

^{*}Any reference to words "Bid" or "Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

**Any reference to the words "payment reduction" herein shall be construed to have the same meaning as the word "retention"

Page 1 of 4



Tender / Quotation no: ID:164103

		AND WHO IS (if app	licable):		
Trading u	under the name and style of:				
		AND WHO IS):		
Represer	nted herein, and who is duly authorised to	o do so, by:	Note:		
Mr/Mrs/M	Mr/Mrs/Ms:		A Resolution / Power of Attorney, signed by all the Directors / Members / Partners of the Legal Entity must		
	r capacity as:		accompany this Offer, authorising the Represent make this offer.		
SIGNED F	OR THE TENDERER:	T-			
	Name of representative	Si	gnature	Date	
VITNESS	FD RY:				
THE CO.					
	Name of witness	Si	gnature	Date	
he official he official	is in respect of: (Please indicate with documents			(N.B.: Separate Offer and Acceptance forms are to be completed for the main and for each alternative offer)	
SECURITY	OFFERED:				
ex (ex	e Tenderer accepts that in respect of concluding VAT) will be applicable and will be respect of contracts above R1 million, the cash deposit of 10 % of the Contracts	be deducted by the E Tenderer offers to p	mployer in terms of the approvide security as indicated	olicable conditions of contract	
(2)		10 % of the Contract	Sum (excluding VAT)	Yes □ No □	
(3)					
(4)	cash deposit of 5% of the Contract of the value certified in the paymen	Sum (excluding VAT nt certificate (excludin) and a payment reduction g VAT)	of 5% Yes No	
(5)	fixed construction guarantee of 5% of the reduction of 5% of the value certification.			nt Yes □ No □	

NB. Guarantees submitted must be issued by either an insurance company duly registered in terms of the Insurance Act [Long-Term Insurance Act, 1998 (Act 52 of 1998) or Short-Term Insurance Act, 1998 (Act 35 of 1998)] or by a bank duly registered in terms of the Banks Act, 1990 (Act 94 of 1990) on the pro-forma referred to above. No alterations or amendments of the wording of the pro-forma will be accepted.

^{*}Any reference to words "Bid" or "Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words

[&]quot;Tender" or "Tenderer".

**Any reference to the words "payment reduction" herein shall be construed to have the same meaning as the word "retention"
For Internal & External Use



Tender / Quotation no: ID:164103

•		
The Tenderer elects as its <i>domicilium citandi</i> enotices may be served, as (physical address):	et executandi in the Republic of South Af	rica, where any and all legal
Other Contact Details of the Tenderer are:		
Telephone No	Cellular Phone No	
Fax No		
Postal address		
Banker	Branch	
Registration No of Tenderer at Department of L	abour	
CIDB Registration Number:		
ACCEPTANCE		
By signing this part of this form of offer and according consideration thereof, the Employer shall pay contract identified in the contract data. Accept Employer and the Tenderer upon the terms and subject of this agreement.	the Contractor the amount due in accorditance of the Tenderer's offer shall form	dance with the conditions of an agreement between the
The terms of the contract are contained in: Part C1 Agreement and contract data, (which i Part C2 Pricing data Part C3 Scope of work Part C4 Site information and drawings and doc the above listed Parts.		corporated by reference into
Deviations from and amendments to the docum tender schedules as well as any changes to the process of offer and acceptance, are containe agreement. No amendments to or deviations from	terms of the offer agreed by the Tenderer and in the schedule of deviations attached	and the Employer during this to and forming part of this
The Tenderer shall within two weeks after reco deviations (if any), contact the Employer's agen of any securities, bonds, guarantees, proof of i conditions of contract identified in the contract of terms shall constitute a repudiation of this agree	at (whose details are given in the contract of insurance and any other documentation to data. Failure to fulfil any of these obligatio	data) to arrange the delivery be provided in terms of the
Notwithstanding anything contained herein, this one fully completed original copy of this docum (now contractor) within five (5) working days of why he/she cannot accept the contents of this athe parties.	ent, including the schedule of deviations the date of such receipt notifies the employer	(if any). Unless the tenderer oyer in writing of any reason
For the Employer:		
Name of signatory	Signature	Date

Version 2022/01

^{*}Any reference to words "Bid" or "Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

^{**}Any reference to the words "payment reduction" herein shall be construed to have the same meaning as the word "retention" For Internal & External Use



Tender / Quotation no: ID:164103 / A

Name of Organisation:	Department of F	Public Works and Infrastructure	
Address of Organisation:	Old Magistrate Court		
WITNESSED BY:			
Name of witne	ess	Signature	Date
Schedule of Deviations			
1.1.1. Subject:			
Detail:			
1.1.2. Subject:			
Detail:			
1.1.3. Subject:			
Detail:			
1.1.4. Subject:			
Detail:			
Detail.			
1.1.5. Subject:			
Detail:			
1.1.6. Subject:			
Detail:			

By the duly authorised representatives signing this agreement, the Employer and the Tenderer agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the tender data and addenda thereto as listed in the tender schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the Tenderer and the Employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the Tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

^{*}Any reference to words "Bid" or "Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

^{**}Any reference to the words "payment reduction" herein shall be construed to have the same meaning as the word "retention"

For Internal & External Use



DPW-10.2 (EC): VARIABLE CONSTRUCTION GUARANTEE (GCC (2010) 2nd EDITION: 2010)

Director-General
Department of Public Works and Infrastructure
Government of the Republic of South Africa

FOR ATTENTION

Simiso Mbusi Private Bag 5002 Kimberley 8301

Sir,

3.

(a)

VARIABLE CONSTRUCTION GUARANTEE FOR THE EXECUTION OF A CONTRACT IN TERMS OF GCC (2010) 2nd EDITION 2010

1.	With	With reference to the contract between				
	,	(hereinafter referred				
	Wor for <i>VOI</i> refe	the "contractor") and the Government of the Republic of South Africa in its Department of Public ks and Infrastructure (hereinafter referred to as the "employer"), Contract/Tender No: ID:164103, the MAINTENANCE, REPAIRS, SERVICING OF HIGH TENSION EQUIPMENT AND LOW TAGE INSTALLATION: 24 MONTHS TERM CONTRACT FOR VARIOUS CLIENTS (hereinafter red to as the "contract") for the sum of R				
	I/W	/e,				
	in m	y/our capacity as and hereby				
	to a	esenting (hereinafter referred s the "guarantor") advise that the guarantor holds at the employer's disposal the sum of, (in word) being 10% of the tract sum (excluding VAT), for the due fulfilment of the contract.				
2.	I/W	e advise that the guarantor's liability in terms of this guarantee shall be as follows:				
	(a)	From and including the date on which this guarantee is issued and up to and including the day before the date on which the last certificate of completion of works is issued, the guarantor will be liable in terms of this guarantee to the maximum amount of 10% of the contract sum (excluding VAT);				
	(b)	The guarantor 's liability shall reduce to 5 % of the value of the works (excluding VAT) as determined at the date of the last certificate of completion of works, subject to such amount not exceeding 10% of the contract sum (excluding VAT);				
	(c)	This guarantee shall expire on the date of the last final approval certificate.				

The guarantor hereby renounces the benefits of the exceptions non numeratae pecunia; non causa

debiti; excussionis et divisionis; and de duobus vel pluribus reis debendi which could be pleaded against the enforcement of this guarantee, with the meaning and effect whereof I/we declare myself/ourselves to be conversant, and undertake to pay the **employer** the amount guaranteed on receipt of a written demand from the **employer** to do so, stating that (in the **employer**'s opinion and sole discretion):

the contractor has failed or neglected to comply with the terms and/or conditions of the contract;

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tenderr" or "Tenderer" Page 1 of 3
For Internal & External Use Effective date: 20 September 2021 Version: 2.1



DPW-10.2 (EC): Variable Construction Guarantee - GCC GCC (2010) 2nd Edition 2010

Tender no: (Insert Tender Number)

- (b) the **contractor**'s estate is sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa.
- 4. Subject to the above, but without in any way detracting from the **employer**'s rights to adopt any of the procedures provided for in the **contract**, the said demand can be made by the **employer** at any stage prior to the expiry of this guarantee.
- 5. The amount paid by the **guarantor** in terms of this guarantee may be retained by the **employer** on condition that upon issue of the last **final approval certificate**, the **employer** shall account to the **guarantor** showing how this amount has been expended and refund any balance due to the **guarantor**.
- 6. The **employer** shall have the absolute right to arrange his affairs with the **contractor** in any manner which the **employer** deems fit and the **guarantor** shall not have the right to claim his release on account of any conduct alleged to be prejudicial to the **guarantor**. Without derogating from the aforegoing, any compromise, extension of the construction period, indulgence, release or variation of the **contractor**'s obligation shall not affect the validity of this guarantee.
- 7. The **guarantor** reserves the right to withdraw from this guarantee at any time by depositing the guaranteed amount with the **employer**, whereupon the **guarantor**'s liability ceases.
- 8. This guarantee is neither negotiable nor transferable, and
 - (a) must be surrendered to the **guarantor** at the time when the **employer** accounts to the **guarantor** in terms of clause 5 above, or
 - (b) shall lapse in accordance with clause 2 (c) above.
- 9. This guarantee shall not be interpreted as extending the **guarantor**'s liability to anything more than payment of the amount guaranteed.

SIGI	NED AT	ON THIS	DAY OF	20
AS \	VITNESS			
1.				
2.				
		By and on b		
		(insert the r	name and physical add	ress of the guarantor)
		NAME:		
		CAPACITY:		
		(duly autho Annexure A	rised thereto by resolu	tion attached marked
		DATE:		 =:
A.	No alterations and/or additions of the	he wording of this for	m will be accepted.	
B.	The physical address of the guaran domicilium citandi et executandi, fo			rded as the guarantor's
C.	This GUARANTEE must be returned	d to:		
A	oforonoo to words "Pid" or Riddor" horoin and	Nor in any other documen	tation shall be construed to be	we the same meaning as the







DPW-10.4 (EC): FIXED CONSTRUCTION GUARANTEE GCC (2010) 2nd EDITION: 2010

Director-General
Department of Public Works and Infrastructure
Government of the Republic of South Africa

With reference to the contract between _____

FOR ATTENTION

Simiso Mbusi Private Bag 5002 Kimberley 8301

Sir.

1.

FIXED CONSTRUCTION GUARANTEE FOR THE EXECUTION OF A CONTRACT IN TERMS OF GCC 2ND EDITION 2010

of PID:11 LOV (here	eferred to as the "contractor") and the Government of the Republic of Sour Public Works and Infrastructure (hereinafter referred to as the "employ 0:164103, for the MAINTENANCE, REPAIRS, SERVICING OF HIGH TENDER OW VOLTAGE INSTALLATION: 24 MONTHS TERM CONTRACT For the referred to as the "contract"), for the sum of cords:	yer"), Contract/Tender No INSION EQUIPMENT AND FOR VARIOUS CLIENTS R, (ir
I/W	/We,	
in m	my/our capacity as	and hereby
"gua (in v con" The debit the (che guarantor") advise that the guarantor holds at the employer's disposal the words: contract sum (excluding VAT), for the due fulfillment of the contract. The guarantor hereby renounces the benefits of the exceptions non number ebiti; excussionis et divisionis; and de duobus vel pluribus reis debendi which the enforcement of this guarantee, with the meaning and effect whereof I/we be conversant, and undertake to pay the employer the amount guaranteemand from the employer to do so, stating that (in the employer's opinion)	eratae pecunia; non causa ch could be pleaded agains e declare myself/ourselves eed on receipt of a writter
(a)		
(b)	or the contractor's estate is sequestrated; liquidated or surrendered in te in force within the Republic of South Africa.	erms of the insolvency laws
prod	ubject to the above, but without in any way detracting from the employer 's rocedures provided for in the contract , the said demand can be made by trior to the expiry of this guarantee.	s rights to adopt any of the the employer at any stage
cond	he amount paid by the guarantor in terms of this guarantee may be retained in the last final approval certificate , the employment the last final approval certificate , the employment the last final approval certificate , the employment that the last final approval certificate , the employment that the last final approval certificate , the employment that the last the last final approval certificate is a second control of the last final approval certificate.	ployer shall account to the

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tendere" or "Tenderer".

Page 1 of 2
For Internal & External Use

Effective date 20 September 2021

Version: 2.1



BUILD OF SOUTH AFFIRM Construction Guarantee - GCC

DPW-10.4 (EC):

GCC (2010) 2nd Edition 2010

Fixed

Tender No: ID:164103 (A

- 5. The employer shall have the absolute right to arrange his affairs with the contractor in any manner which the employer deems fit and the guarantor shall not have the right to claim his release on account of any conduct alleged to be prejudicial to the guarantor. Without derogating from the aforegoing, any compromise, extension of the construction period, indulgence, release or variation of the contractor's obligation shall not affect the validity of this guarantee.
- The guarantor reserves the right to withdraw from this guarantee at any time by depositing the 6. guaranteed amount with the employer, whereupon the guarantor's liability ceases.
- 7. This guarantee is neither negotiable nor transferable, and
 - must be surrendered to the guarantor at the time when the employer accounts to the guarantor (a) in terms of clause 4 above, or
 - shall lapse on the date of the last certificate of completion of works. (b)
- This guarantee shall not be interpreted as extending the guarantor's liability to anything more than the 8. payment of the amount guaranteed.

3NE	ED AT	ON THIS	DAY OF	20
W	TNESS			
	·			
	·			
	By and on behalf of	7		 :
		y <u>-</u> -		
		(insert the name	and physical address	of the guarantor
		NAME:		
		CAPACITY: (duly authorised Annexure A)	I thereto by resolution	n attached marke
		DATE:		
	No alterations and/or additions of the w	ording of this form w	vill be accepted.	
	The physical address of the guarantor n domicilium citandi et executandi, for all			d as the guarantor'
	This GUARANTEE must be returned to:	<u></u>		

For Internal & External Use



Tender No: ID:164103

PG-02.1 (EC) PRICING ASSUMPTIONS - GCC (2010) 2nd Edition 2010

Project title:	SERVICING OF HIGH	RROUNDING AREAS: MA TENSION EQUIPMENT ITHS TERM CONTRACT FO	AND LOW VOLTAGE
Tender / Quotation no:	ID:164103 /A	Reference no:	19/2/4/2/2/2022-2024

C2.1 Pricing Assumptions

C2.1.1 GENERAL

The Bill of Quantities forms part of the Contract Documents and must be read and priced in conjunction with all the other documents comprising the Contract Documents, which include the Conditions of Tender, Conditions of Contract, the Specifications (including the Project Specification) and the Drawings.

C2.1.2 DESCRIPTION OF ITEMS IN THE SCHEDULE

The Bill of Quantities has been drawn up generally in accordance with Civil Engineering Quantities 1990 issued by the SA Institution of Civil Engineers.

The short descriptions of the items in the Bill of Quantities are for identification purposes only and the measurement and payment clause of the Standardized Specifications and the Particular Specifications, read together with the relevant clauses of the Project Specification and directives on the drawings, set out what ancillary or associated work and activities are included in the rates for the operations specified.

C2.1.3 QUANTITIES REFLECTED IN THE SCHEDULE

The quantities given in the Bill of Quantities are estimates only, and subject to remeasuring during the execution of the work. The Contractor shall obtain the Engineer's detailed instructions for all work before ordering any materials or executing work or making arrangements for it.

The Works as finally completed in accordance with the Contract shall be measured and paid for as specified in the Bill of Quantities and in accordance with the General and Special Conditions of Contract, the Specifications and Project Specifications and the Drawings. Unless otherwise stated, items are measured net in accordance with the Drawings, and no allowance has been made for waste.

The validity of the contract will in no way be affected by differences between the quantities in the Bill of Quantities and the quantities finally certified for payment.

C2.1.4 PROVISIONAL SUMS

Where Provisional sums or Prime Cost sums are provided for items in the Bill of Quantities, payment for the work done under such items will be made in accordance with Clause 45 of the General Conditions of Contract 2004. The Employer reserves the right, during the execution of the works, to adjust the stated amounts upwards or downwards according to the work actually done under the item, or the item may be omitted altogether, without affecting the validity of the Contract.

The Tenderer shall not under any circumstances whatsoever delete or amend any of the sums inserted in the "Amount" column of the Bill of Quantities and in the Summary of the Bill of Quantities unless ordered or authorized in writing by the Employer before closure of tenders. Unauthorized changes made by the Tenderer to provisional items in the Bill of Quantities, or to the provisional percentages and sums in the Summary of the Bill of Quantities will lead to the disqualification of the Tenderer.

C2.1.5 PRICING OF THE BILL OF QUANTITIES

The **bills of quantities** / **lump sum document** forms part of and must be read and priced in conjunction with all the other documents forming part of the **contract documents**, the Standard Conditions of Tender, Conditions of Contract, Specifications, Drawings and all other relevant documentation.

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

Page 1 of 9
For Internal & External Use

Effective date 5 July 2022

Version: 2022/04



Tender No: ID:164103 / A
PG-02.1 (EC) Pricing Assumptions – GCC
GCC (2010) 2nd Edition 2010

The prices and rates to be inserted by the Tenderer in the Bill of Quantities shall be the full inclusive prices to be paid by the Employer for the work described under the several items, and shall include full compensation for all cost and expenses that may be required in and for the completion and maintenance during the defects liability period of all the work described and as shown on the drawings as well as all overheads, profits, incidentals and the cost of all general risks, liabilities and obligations set forth or implied in the documents on which the Tender is based.

Each item shall be priced and extended to the "Total' column by the Tenderer, with the exception of the items for which only rates are required, or items which already have Prime Cost or Provisional Sums affixed thereto. If the Contractor omits to price any items in the Bill of Quantities, then these items will be considered to have a nil rate or price.

The Tenderer is required to check the Bills of Quantities and the numbers of the pages and should any be found to be missing or in duplicate, or should any of the typing be indistinct, or any doubt of obscurity arise as to the meaning of any description or particulars of any item, or if this Tender Enquiry contains any obvious errors, then the Tenderer must immediately inform the Principal Agent and have them rectified or explained in writing as the case may be. No liability whatsoever will be admitted by reason of the Contractor having failed to comply with the foregoing instruction.

No alterations, erasures, omissions or additions is to be made in the text and/or conditions of these Bills of Quantities. Should any such alterations, amendments, note/s or addition be made, the same will not be recognized, but reading of these Bills of Quantities as originally prepared by the Quantity Surveyor will be adhered to.

The contractor is cautioned that the use of any quantities appearing in these Bills of Quantities for the purpose of ordering material, it is done at own risk and no liability whatsoever will be admitted by the Employer or Quantity Surveyor for the correctness of such Quantities. Unless otherwise stated, items are measured net in accordance with the drawings, and no allowance is made for waste.

The prices and rates to be inserted by the Tenderer in the Bills of Quantities shall be the full inclusive prices to be paid by the Employer for the work described. Such prices and rates shall cover all costs and expenses that may be required in and for the execution of the work described, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the documents on which the tender is based, as well as overhead charges and profit. Market related prices shall be inserted as these will be used as a basis for assessment of payment for additional work that may have to be carried out. The Employer reserves the right to balance the Bill rates where deemed necessary within the Tendered Amount.

A price or rate is to be entered against each item in the Bills of Quantities, whether the quantities are stated or not. An item against which no rate is/are entered, or if anything other than a rate or a nil rate (for example, a zero, a dash or the word "included" or abbreviations thereof) is entered against an item, it will also be regarded as a nil rate having been entered against that item, i.e. that there is no charge for that item. The Tenderer may be requested to clarify nil rates, or items regarded as having nil rates; and the Employer may also perform a risk analysis with regard to the reasonableness of such rates.

Should the full intent and meaning of any description not be clear, the bidder shall, before submission of his tender, call for a written directive from the principal agent, failing which it shall be assumed that the contractor has allowed in his pricing for materials and workmanship in terms of National Best Practice.

All items for which terminology such as "inclusive" or "not applicable" have been added by the Tenderer will be regarded as having a nil rate which shall be valid irrespective of any change in quantities during the execution of the Contract.

The Tenderer shall fill in rates for all items where the words "rate only' appear in the "Total" column. "Rate Only" items have been included where:

- (a) variations of specified components in the make-up of a pay item may be expected; and
- (b) no work under the item is foreseen at tender stage but the possibility that such work may be required is not excluded.

Tender No: ID:164103 $\int A$ PG-02.1 (EC) Pricing Assumptions – GCC GCC (2010) 2nd Edition 2010

For 'Rate Only" items no quantities are given in the "Quantity" column but the quoted rate shall apply in the event of work under this item being required. The Tenderer shall however note that in terms of the Tender Data the Tenderer may be asked to reconsider any such rates which the Employer may regard as unbalanced.

Descriptions in the Bills of Quantities are abbreviated and comply generally with those in the "PW 371" and the principles contained in the latest version of the SANS 1200 in South Africa. It is the intention that the abbreviated descriptions be fully described when read with the applicable measuring system and the relevant preambles and/or specifications. However, should the full intent and meaning of any description not be clear, the bidder shall, before submission of his tender, call for a written directive from the principal agent, failing which it shall be assumed that the contractor has allowed in his pricing for materials and workmanship in terms of National Best Practice.

The price quoted against each item of this Bills of Quantities shall cover the full inclusive cost of the complete work to which it refers, as described in the Conditions of Contract and Specifications and as shown on the Drawings and shall allow for labour, material, transporting, loading, storage, supervision, commissioning, wastage, as well as the builders profit and attendance.

The Tenderer must ensure that he fully completes all columns of the Bill of Quantities including the Final Summary. The fully priced bill of quantities must be submitted with the tender or The Final Summary and the Section Summary pages MUST be returned with the tender document as indicated the PA-03 Notice and Invitation to Tender / PA-04 Notice and Invitation for quotation.

The tenderers are to ensure that they have read and understood the project specifications included in C3: Scope of Work. All the information provided in the Scope of Works form part of the work and must be included in the rates.

"The Contractor shall be deemed to have inspected and examined the Site and its surroundings and information available in connection therewith and to have satisfied himself before submitting his tender (as far as is practicable) as to:

- (a) the form and nature of the Site and its surroundings, including subsurface conditions,
- (b) the hydrological and climatic conditions,
- (c) the extent and nature of work and materials necessary for the execution and completion of the Works.
- (d) the means of access to the Site and the accommodation he may require

and, in general, shall be deemed to have obtained all information (as far as is practicable) as to risks, contingencies and all other circumstances which may influence or affect his Tender"

C2.1.6 VALUE ADDED TAX

The **contract sum** must include for Value Added Tax (VAT). All rates, provisional sums, etc. in the **bills of quantities / lump sum document** shall be in Rands and cents and shall include all levies and taxes (other than VAT). VAT will be added in the summary of the Bill of Quantities. The rates must however be net (exclusive of VAT) with VAT calculated and added to the total value thereof in the Final Summary. All rates and amounts quoted in the Bill of Quantities

C2.1.7 CORRECTION OF ENTRIES

Incorrect entries shall not be erased or obliterated with correction fluid but must be crossed out neatly. The correct figures must be entered above or adjacent to the deleted entry, and the alteration must be initialled by the Tenderer.

C2.1.8 ARITHMETICAL ERRORS

Tender No: ID:164103 /A PG-02.1 (EC) Pricing Assumptions - GCC GCC (2010) 2nd Edition 2010

Arithmetical errors found in the Bill of Quantities as a result of faulty multiplication of addition, will be corrected by the Engineer at the tender evaluation stage, as set out in the Tender Data.

C2.1.9 CONTRACT DOCUMENTS

The Tenderers are advised to examine the bills of quantities, drawings and specifications including all other contract documents and make themselves thoroughly acquainted with the nature and requirements of the work, as no claim for extra payment in this regard will be entertained. Should any parts of the drawings not be clearly intelligible to the Tender, he must, before submitting his tender, obtain clarification from the Principal Agent.

C2.1.10 UNITS OF MEASUREMENT

The units of measurement described in the Bill of Quantities are metric units for which the standard international abbreviations are used. Non-standard abbreviations which may appear in the Bill of Quantities are as follows:

No. = Number % Percent Lump sum Sum = Prime cost sum PCsum Prov sum Provisional sum

m³.km = Cubic metre - kilometre

Km-pas kilometre - pass m².pass square metre - pass

C2.1.11 TRADE NAMES

Tenderers attention is drawn to the fact that wherever trade names or references to any catalogue have been made in these Bills of Quantities, it is purely to establish a standard for the required material. If use is made of any other equally approved material in lieu of the prescribed trade name or catalogue, the necessary price adjustments will be made.

C2.1.12 CONTRACT DOCUMENTS

The Tenderers are advised to examine the bills of quantities, drawings and specifications including all other contract documents and make themselves thoroughly acquainted with the nature and requirements of the work, as no claim for extra payment in this regard will be entertained. Should any parts of the drawings not be clearly intelligible to the Tender, he must, before submitting his tender, obtain clarification from the Principal Agent.

C2.1.13 PAYMENTS

Interim valuations and payments will be prepared on a monthly basis, all in terms of the conditions of contract.

The contractor is to note that no payment will be made for materials stored off site and in the case of materials being stored on site, payment will only be made for such materials on condition that they have not been delivered to the site prematurely, a tax invoice and proof of payment (ownership) is submitted by the Contractor.

C2.1.14 ACCOMMODATION ON SITE

It is imperative to note that no living quarters for construction workers on site will not be permitted for the full duration of the contract unless otherwise stated in the contract data or permission be granted by the Employer.

For Internal & External Use

Tender No: ID:164103 A
PG-02.1 (EC) Pricing Assumptions – GCC
GCC (2010) 2nd Edition 2010

C2.1.15 LOCAL MATERIAL UTILISATION REPORT (LOCAL CONTENT)

Bidders to note that materials procured for the works should be from South African manufactures and suppliers. Imported materials shall only be considered under exceptional circumstances, based on compelling technical justifications, and subject to the approval by the NDPWI.

The contractor shall achieve in the performance of this contract the prescribed local content deliverables as listed in PA36 and annexures C thereto in the respective designated sectors as published by Department Trade Industry and Competition (DTIC). The Service Provider shall submit an accumulative monthly report to the Employer's representative indicating the percentage targets achieved which must be reconciled upon completion of the project and to form part of the final account.

The contractor shall be responsible for record keeping, documenting and submission of monthly local material utilization report with supporting documentation to the Employer's representative within 7 working days of the beginning of the successive month, in terms of DTI&C designated industry/sector/sub-sector schedule as per the PA36 and Annexures C attached to the tender document. The final percentage achievement to be reconciled upon completion of the project and form part of the final account.

C2.1.16 CONTRACT PARTICIPATION GOALS

The contractor shall achieve in the performance of this contract the following Contract Participation Goals (CPGs) as indicated below:

Provision for pricing of compliance with the achieving the CPGs is made in the Contract Participation Goal Section of the Bills of Quantities and it is explicitly pointed out that all requirements in respect of the aforementioned are deemed to be priced thereunder and no additional claims in this regard shall be entertained

Monthly progressive reports to be submitted to the Employer's representative indicating the percentage targets achieved which must be reconciled upon completion of the project and to form part of the final account.

C2.1.16.1 Minimum 30% Sub-contracting Contract Participation Goal

MINIMUM 30% MANDATORY SUBCONTRACTING TO SMMES: IMPLEMENTATION OF PREFERENCIAL PROCUREMENT RGULATIONS 2017

30% Mandatory subcontracting is NOT APPLICABLE to this project.

Provision is made within the Contract Participation Goal section in the Bill of Quantities for thirty percent (30%) subcontracting to SMMEs in the execution of this project as described in PG-01.1 (EC) SCOPE OF WORKS C3.5.1. The contractor shall price his Profit and Attendance, all inclusive of associated costs to the contractor for implementation. Allowance must be made for submitting reports to the Employer's Representative on a monthly basis in terms of monthly and accumulative targets achieved with audited supporting documentation.

C2.1.16.2 MINIMUM TARGETED LOCAL BUILDING MATERIAL MANUFACTURERS CONTRACT PARTICIPATION GOAL

The Minimum Targeted Local Building Material Manufacturers CPG is NOT APPLICABLE to this project.

Provision is made within the Contract Participation Goal section in the Bill of Quantities for the Minimum Targeted Local Building Material Manufacturers CPG in the execution of this project as described in PG-01.1 (EC) SCOPE OF WORKS C3.5.2. The contractor shall price his Profit and Attendance, all inclusive of associated costs to the contractor for implementation. Allowance must be



Tender No: ID:164103 / A
PG-02.1 (EC) Pricing Assumptions – GCC
GCC (2010) 2nd Edition 2010

made for submitting reports to the Employer's Representative on a monthly basis in terms of monthly and accumulative targets achieved with audited supporting documentation.

C2.1.16.3 MINIMUM TARGETED LOCAL BUILDING MATERIAL SUPPLIERS CONTRACT PARTICIPATION GOAL

The Minimum Targeted Local Building Material Suppliers CPG is NOT APPLICABLE to this project.

Provision is made within the Contract Participation Goal section in the Bill of Quantities for the Minimum Targeted Local Building Material Suppliers CPG in the execution of this project as described in PG-01.1 (EC) SCOPE OF WORKS C3.5.3. The contractor shall price his Profit and Attendance, all inclusive of associated costs to the contractor for implementation. Allowance must be made for submitting reports to the Employer's Representative on a monthly basis in terms of monthly and accumulative targets achieved with audited supporting documentation.

C2.1.16.4 MINIMUM TARGETED LOCAL LABOUR SKILLS DEVELOPMENT CONTRACT PARTICIPATION GOAL

The Minimum Targeted Local Labour Skills Development CPG is NOT APPLICABLE to this project.

Provision is made within the Contract Participation Goal section in the Bill of Quantities for the Minimum Targeted Local Labour Skills Development CPG in the execution of this project as described in PG-01.1 (EC) SCOPE OF WORKS C3.5.4. The contractor shall price his Profit and Attendance, all inclusive of associated costs to the contractor for implementation. Allowance must be made for submitting reports to the Employer's Representative on a monthly basis in terms of monthly and accumulative targets achieved with audited supporting documentation.

C2.1.16.5 CIDB BUILD PROGRAMME: MINIMUM TARGETED ENTERPRISE DEVELOPMENT: CONTRACT PARTICIPATION GOALS (CPG)

The Minimum Targeted Enterprise Development CPG is NOT APPLICABLE to this project.

A provisional amount has been allowed for within the Contract Participation Goal section in the Bill of Quantities for the Minimum Targeted Enterprise Development CPG in the execution of this project as described in PG-01.1 (EC) SCOPE OF WORKS C3.5.5. The provisional amount allowed is for the appointment of training coordinator, mentor, training service providers and training of the beneficiary enterprises.

The contractor shall price his Profit and Attendance, all inclusive of associated costs to the contractor for implementation. Allowance must be made for submitting reports to the Employer's Representative on a monthly basis in terms of monthly and accumulative targets achieved with audited supporting documentation.

The contractor shall complete a separate bill of quantities upon the award of the project and identification of the respective beneficiaries and the appointment of the training coordinator, mentor, training service providers of which the cost will be offset against the provisional amount allowed in the Bills of Quantities.

C2.1.16.6 CIDB BUILD PROGRAMME: MINIMUM TARGETED TARGETED CONTRACT SKILLS DEVELOPMENT GOALS (CSDG)

The Minimum Targeted Contract Skills Development CPG is NOT APPLICABLE to this project.

A provisional amount has been allowed for within the Contract Participation Goal section in the Bill of Quantities for the Minimum Targeted Skills Development CPG in the execution of this project as described in PG-01.1 (EC) SCOPE OF WORKS C3.5.6. The provisional amount allowed is for:

- stipends payable to the beneficiaries
- appointment of training coordinator
- appointment of mentor (where applicable)
- appointment of training service providers
- other additional costs as per table 3 of the Standard

The contractor shall price his Profit and Attendance (all inclusive of associated costs to the contractor for implementation and reporting), based on the provisional amount in the Contract Participation Goal section in the Bill of Quantities. The contractor shall complete a separate bill of quantities upon the award of the project and identification of the respective beneficiaries. The CPG value to be achieved will be based on the actual contract amount which will be offset against the provisional amount allowed for within the Contract Participation Goal section in the Bill of Quantities.

Allowance must be made for submitting reports to the Employer's Representative on a monthly basis in terms of monthly and accumulative targets achieved with audited supporting documentation.

Payment

The contractor shall upon the appointment of beneficiaries, provide a breakdown of all the associated costs. The contractor shall provide a payment schedule as to how the CPG costs will be claimed against for inclusion in the monthly payment certificates.

(a) Payment to the contractor to accommodate Part/Full Occupational qualification and Trade qualifications:

Should the contractor select Part/Full Occupational qualification and Trade qualifications learners, then the employer shall make provision for payment to the contractor as indicated in Table 3 of the Standard.

The contract skills participation goal, expressed in Rand, shall not be less than the contract amount multiplied by a percentage (%) factor given in Table 2 in the Standard for the applicable class of construction works. Should the contractor select Part/Full Occupational qualification and Trade qualifications learners, then the employer shall make provision for payment to the contractor as indicated in Table 3 of the Standard.

No provision for an additional payment item for the payment of the supervisor and/or mentors for the provision of training as provided for in the Contract Participation Goal section in the Bill of Quantities for the training of part/full time occupational learners and/or trade qualification learners. The associated cost is deemed to be included in general supervision on site.

The contractor shall complete a separate bill of quantities upon award, indicating the type and number of beneficiaries as well as the associated Notional Cost of Training to be provided, on which payment will be based.

Tender No: ID:164103 / A PG-02.1 (EC) Pricing Assumptions - GCC GCC (2010) 2nd Edition 2010

(b) Payment to the contractor to accommodate Work Integrated Learners and Candidates for professional registration;

Should the contractor select Work Integrated Learners and/or Candidates for professional registration, then the employer shall make provision for payment to the contractor as indicated in Table 3 of the Standard.

Provisional amounts have been included in the Contract Participation Goal section in the Bill of Quantities for the training of Work Integrated Learners and Candidates for professional registration. The contractor shall price his Profit and Attendance (all inclusive of associated costs to the contractor for implementation and reporting), based on the provisional amount in the Contract Participation Goal section in the Bill of Quantities.

The contractor shall complete a separate bill of quantities upon award, indicating the type and number of beneficiaries as well as the associated Notional Cost of Training to be provided, on which payment will be based.

The CPG value to be achieved will be based on the contract amount as defined by the Standard, which will be offset against the provisional amount allowed for within the Contract Participation Goal section in the Bill of Quantities.

The contractor shall apportion the cost of accommodating work integrated learners (P1 and P2 learners) and candidates for professional registration by using Table 3 in the Standard and this cost will be used to determine the Rand value and will be used in determining the contract participation goal in the Bills of Quantities.

Table 3: Notional Cost of Training; Headcount

Source: cidh Standard for Skills Develorme

Type of Training	Provision for stipends	Provisions	Provisions for	Total c	osts
Opportunity	(Unemployed learners only)	for mentorship	additional costs*	Unemployed learners	Employed learners
Method 1	· · · · · · · · · · · · · · · · · · ·				
Occupational qualification	R7 000	R0	R9 000	R16 000	R9 000
Method 2					
TVET College graduates	R14 000	R0	R9 000	R23 000	N/A
Apprenticeship	R14 000	R0	R12 000	R26 000	R12 000
Method 3					
P1 and P2 learners	R24 000	R20 000	R4 500	R48 500	N/A
Method 4					
Candidates with a 3 year diploma	R37 000	R20 000	R4 500	R61 500	R20 000
Candidates with 4 year qualification	R47 000	R20 000	R4 500	R71 500	R20 000

Note: the required CPG will be recalculated based on the awarded tender amount and "Contract amount" once the beneficiaries have been appointed and actual costs are known. The notional cost of providing training opportunities will increase by CPI on an annual basis based on April CPI. Should the rates increase after bid award or during construction the rates will be adjusted as a remeasuarble item.

Example: Training Target Calculation for a R65,7m GB contract

Contract amount Contract duration R65 700 000 12 Months 0.50%

CSDG Minimum CSDG target

0,50% x R65 700 000 = R328 500 (Minimum requirement)

Table 4: Notional cost recalculation upon appointment of beneficiaries

Skills Types	Number of learners	Notional Cost / Learner / Quarter	Notional cost/learner/year	Total Notional Cost over 12 months Contract
--------------	--------------------	--	----------------------------	---

For Internal & External Use

Tender No: ID:164103 A
PG-02.1 (EC) Pricing Assumptions - GCC
GCC (2010) 2nd Edition 2010

Method 2: Workplace learning opportunities, with unemployed TVET graduates	1	R23 000	R92 000	R92 000
Method 3: Candidacy for an unemployed learner with a 3-year gualification	1	R61 500	R246 000	R246 000
Total	2			R338 000

C2.1.16.7 NATIONAL YOUTH SERVICE TRAINING AND DEVELOPMENT PROGRAMME

The National Youth Service Training and Development Programme is *NOT APPLICABLE* to this project.

The programme shall be implemented in terms of the Implementation of the National Youth Service Programme under the Expanded Public Works (EPWP) and shall be priced in the CPG section of the Bills of Quantities.

Provision has been made within the Contract Participation Goal section in the Bill of Quantities for the National Youth Service Training and Development Programme CPG in the execution of this project as described in PG-01.1 (EC) SCOPE OF WORKS C3.5.7. The contractor to price all elements of this section and allowance must be made for submitting monthly reports in the prescribed manner as per examples of reports bound in the specification document.

C2.1.16.8 LABOUR-INTENSIVE WORKS

Labour Intensive Works is NOT APPLICABLE to this project

Where labour intensive work is specified in the Bill of Qualities and indicated by "LI" the contractor must price for and include in rates. Contractors are expected to use their initiative to identify additional activities that can be done labour-intensively to comply with the set minimum labour intensity target. Allowance must be made for submitting monthly reports illustrating the value of the works executed under Labour Intensive Works.

C2.2 Submission of Accrual Reports

The Contractor shall submit accrual reports to the client representative at the end of March and September each year for the duration of the Service Contract period from the date of appointment up to and including project closeout. This is to ensure that PMTE complies with the accounting framework GRAP, which requires that PMTE disclose all its accruals as at the end of each reporting date. Allowance must be made for submitting reports to the Employer's Representative on a monthly basis in terms of monthly and accumulative targets achieved with audited supporting documentation.

TOTAL- PRICE SUMMARY BILL - LV&HT - KIMBERLEY AND SURROUNDING AREAS

ITEM	DESCRIPTION	TOTAL AMOUNT
Bill No. 1	Section A: Low Voltage	
Bill No. 2	Section B: High Tension (Medium Voltage)	
	SUB-TOTAL	
l	ADD VAT @15%	
	TOTAL - TO BE CARRIED TO THE FORM OF OFFER	

Electrical Maintenance Summary Page

SECTION A - PRICE SUMMARY BILL - LOW VOLTAGE - KIMBERLEY AND SURROUNDING AREAS

ITEM	DESCRIPTION	TOTAL AMOUNT
Bill No. 1	Preliminary & General	
Bill No. 2	LV Switchgears and Distribution Boards	
Bill No. 3	Mains Cabling & Cable Sleeves	
Bill No. 4	General Lighting	
Bill No. 5	Luminaires	
Bill No. 6	Small Power	
Bill No. 7	Earthing and Lightning Protection	
Bill No. 8	Area/Perimeter Lighting	
Bill No. 9	Day Work and Non-Schedule Items	
	SUB-TOTAL - TO BE CARRIED TO THE TOTAL SUMMARY	

Electrical Maintenance Summary Page

Department of Public Works and Infrastructure - Kimberley Regional Office Section A - Kimberley and Surrounding Areas: Maintenance and Repairs of Low Voltage Tender No: ID 164103 f

턴
ö
0
Z
_
=
—

				YEAR ONE	7		YEAR TWO	0	
ITEM	DESCRIPTION	TINO	QΤΥ	RATE	AMOUNT A	ΔŢ	RATE	AMOUNT B	TOTAL AMOUNT A+B
	BILL NO. 1: PRELIMINARY AND GENERAL Conditions of Contract: Compliance with all contractual requirements and obligations in terms of GCC 2010, 2nd edition.								
1.1	FIXED CHARGES								
1.1.1		Sum				00			
1.1.3		Sum	н н			ਜਜ			
1.1.5	Provision for Health & Safety Ait occupational Health & Safety Act Rubbish and Wast Management Plan	Sum				0 1			
1.1.7 1.1.8 1.1.9		Sum	н			0			
1.2	CONTRACTUAL REQUIREMENTS								
1.2.1		Sum Sum Sum	ппп			0 0 0			
1.2.4		Sum	-			0			
1.2.8									
1.3	TIME-RELATED ITEMS								
1.3.1	Contractual Requirements Insurance: Special Risk(SASRIA) Insurance: Occupational Compensation(COID) Programme of Works Progress of the Works	Months Months Months Months	12 12 12			12 1 12 12			
1.3.2	Operation and Maintanance of Site Establishment Admin facilities: Instructions books/Records, communication and etc Signage	Months	12			12			
			TOTALC	TOTAL CARRIED FORWARD TO THE NEXT PAGE	THE NEXT PAGE				

		TOTAL	BROUG	TOTAL BROUGHT FORWARD FROM THE PREVIOUS PAGE	PREVIOUS PAGE		
1.3.3	Supervision for the Duration of Contract Access Control & Identity of staff	Months	12			12	
1.3.4	OHS: Compliance with the Act inclunding additional 1.3.4 requirements (Covid-19) Safety Officer: Appoint including OHS reports First Aid Kit: Supply & Maintain Covid-19 Requirements	Sum Sum Months	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1 12	
1.3.5.1 1.3.5.1 1.3.5.2 1.3.5.3 1.3.5.4 1.3.5.5	1.3.5 EPWP Programme The provision of remuneration is based on official labour rate(R21,63/hr) as the amount agreed by NMW from the Minister of Labour. The tender shall include full compensation for all costs associated with the employment of four(4) workers, and complying with the conditions of EPWP and of contract. The cost for the training shall be excluded from this item. This is based on 24 months period, but employment is based on 24 months period, but employment is based on vear one and year two. Electrical students are recommended for this opportunity for training purposes and skills transfer. Allowance of R3600.00/mnth per student is calculated based on R21.69*8hrs*21days. 1.3.5.1 Allowance of R14 400 for 4 student per/month 1.3.5.2 Profit and Attendance to the above item 1.3.5.3 Footwear-Safety Shoe 1.3.5.4 Reflective Jacket as per SANS 1866 - Orange	Months % each each	51 % 4 4 4			21 % 4 4 4	
1.3.6 1.3.6 1.3.7 1.3.8 1.3.8	1.3.6 Supply basic electridan tool box 1.3.6 (Please Specify)	Sum	1 4			1 0	
		TOTAL	BILLING	TOTAL BILL NO.1 CARRIED OVER TO SUMMARY OF BILLS	1MARY OF BILLS		

BILL NO:2

Unit QTY RATE AMOUNTA QTY RATE Consider the consideration of the cons					YEAR ONE	WZ.		YEAR TWO	0,	TOTAL AMOUNT
with level current and level current 30mA Unit 50 Unit 150 Unit 150 Unit 150 Unit 100 Unit 100 Unit 100 Unit 100 Unit 100	ITEM	$\overline{}$	TINO	ATY.	RATE	AMOUNT A	ďΣ	RATE	AMOUNT B	A+B
fault level current fault 150 11 150 12 130 14 150		BILL NO.2: LV SWITCHGEARS AND DISTRIBUTION BOARD								
fault level current Unit 150 unit 100 unit 100 unit 100 Unit 100 Unit 100		Supply, maintain, repair and commission complete switchgears and distribution boards where necessary, including all busbars and din-rails as specified to relevant sections below with their standard specification. PLEASE NOTE: Labour/install rate is measured somewhere								
fault level current Unit 150 unit 150 unit 100 unit 50 unit 50 Unit 100		LV SWITCHGREARS								
Unit 150 unit 150 unit 100 unit 100 Unit 100	2.1									
unit 100 unit 150 unit 100 unit 50 unit 50 Unit 100	1.1	Single Pole MCB (2Amps to 32Amps) Supply		150			100			
unit 150 unit 100 unit 100 unit 50 unit 50 Unit 100	.1.2	Single Pole MCB (40Amps to 125Amps) Supply		100			20			
unit 100 unit 50 unit 50 Unit 100	1.3	Double Pole MCB (2Amps to 32Amps) Supply		150			100			
unit 50 unit 50 Unit 100	1.4	Double Pole MCB (40Amps to 125Amps) Supply		100			20			
ipping current 30m.A Unit 100	1.5	Triple Pole MCB (6Amps to 40Amps) Supply		100			20			
ipping current 30mA Unit 100	.1.6	Triple Pole MCB (50Amps to 125Amps) Supply	unit	20			50			
Unit 100	2.2									
TOTAL CADRIED FORMAND TO THE BACK	.2.1	Double Pole Unit (2SAmps to 63Amps) Supply Install		100			20			
I DI AL CARRIED FORWARD TO THE NEXT PAGE			TOTA	18	RIED FORWARD TO TH	HE NEXT PAGE				

Section A - Low Voltage

	01	OTAL BRO	OUGH	TOTAL BROUGHT FORWARD FROM THE PREVIOUS PAGE	IE PREVIOUS PAGE				
ITEM	ITEM DESCRIPTION	UNIT QTY	F	RATE	AMOUNT	ΣĽ	RATE	AMOUNT B	TOTAL AMOUNT
2.2.2	Triple Pole Unit +Neutral (63Amps) Supply	unit	30			15			
2.3	Molded-Case Circult Breakers (MCCB)/Switch Disconnector As per SANS/IEC 60947-3, with a fault level current 2 to 25KA.	·							
2.3.1	Triple Pole Unit (63 Amps to 160 Amps) Supply	nuit	15			15			ē
2.3.2	Triple Pole Unit (200 Amps to 1600 Amps) Supply	unit	10			10			
2.4.1	Miscellaneous Accessories for Switching Including Contactors, Relays, Timers and etc. Provisional amount Profit and Attendance on above	%	-			+ %			
	DISTRIBUTION BOARDS DB's will differ with dimension on domestic and commercial type.								
2.5	Domestic Distribution Boards								
2.5.1	Flush Adjastable Distribution Boards - All Colours Metal pre-fitted for din or samite complete with metal chassis and tray. Supply	nnit	10			ľV			
2.5.2	Surface Mounted Distribution Boards - All colours Metal pre-fitted for din or samite Supply	unit	Ŋ			Ŋ			
2.6	Commercial Distribution Boards								
2.6.1	Flush Architrave Distribution Boards with Door - All colours Complete with metal push handle,metal hinges. Pre-fitted for samite or din Supply	unit	Ŋ			rv.			
2.6.2	Surface Cabinet Distribution Board with Door - All colours Metal pre-fitted for samite or din Supply	nuit	īv			25			
2.6.3	Kiosks (Metal or Fibreglass) Supply	nniţ	10			m			
2.7	Distribution Board - Painting and Lockers Allowance for painting with similar colour and Lockers Profit and attendance on above	Sum %	н			н %			
	ц	OTAL BIL	L NO.	TOTAL BILL NO.2 CARRIED OVER TO SUMMARY OF BILLS	UMMARY OF BILLS				

Section A - Low Voltage

BILL NO.3

				YEAR ONE			YEAR TWO		TOTAL AMOUNT
ITEM	DESCRIPTION	UNIT	ΔŢŢ	RATE	AMOUNTA	QTV	RATE	AMOUNT B	A+B
m	BILL NO.3: MAINS CABLING AND CABLE SLEEVES								
3.1	CABLE SLEEVES								
	Solid or flexible PVC cable sleeves chased or surfaced onto brickwork or laid in the open trench or under concrete floor including couplings, backfilling and compacting NOTE: Sleeves for future use to be sealed at both ends Rote for labour is measured somewhere								
3.1.1	3.1.1 110mm diameter (kabelflex sleeve) Supply	٤	400			200			
3.1.2	3.1.2 45 degrees slow bends for 110mm dia.sleeve Supply	each	200			100			
3.1.3	3.1.3 Somm diameter (kabelflex sleeve) Supply	٤	200			300			
3.1.4	3.1.4 45 degrees slow bends for 50mm dia.sleeve Supply	each	200			100			
3.1.5	3.1.5 32mm diameter (kabelflex sleeve) Supply	٤	200			200			
3.1.6	3.1.6 45 degrees slow bends for 32mm dia.sleeve Supply	each	300			300			
			101	TOTAL CARRIED FORWARD TO THE NEXT PAGE	TO THE NEXT PAGE]]			

			OTAL BR	COUGHT FORWARD FR	TOTAL BROUGHT FORWARD FROM THE PREVIOUS PAGE	3.5			
ITEM	ITEM DESCRIPTION	UNIT	ďΤ	RATE	A AMOUNT A	ΔTΛ	RATE	AMOUNT B	TOTAL AMOUNT
	BROUGHT FORWARD								
3.1.7	Cleaning and maintaining including paint of LV room service trench with cross bracing for LV Panel, chequor plate covers and the whole interior of Iv room. Allowance amount per facility	Sum	20			20			
3.1.8	3.1.8 Brawn into conduit or sleeve 1,6mm galvanised draw wire Supply	٤	1500			1000			
3.1.9	3.1.9 P9000 in roof space for light, power cables and power conductors complete with cover strips Supply	E	400			400			
3.1.10	3.1.10 P220 wire basket in roof space for power cables complete with cover strips Supply	٤	400			400			
3.1.11	3.1.11 150mm wide medium duty cable tray including hangers and fixing Supply	٤	300			300			
3.2	LOW VOLTAGE CABLES Supply cable where needs to be serviced through cable sleeve in trench or on cable trays and sleeves								
			TOT	TOTAL CARRIED FORWARD TO THE NEXT PAGE	TO THE NEXT PAGE				

			TOTAL BR	TOTAL BROUGHT FORWARD FROM THE PREVIOUS PAGE	OM THE PREVIOUS PAG	بر			
ITEM	ITEM DESCRIPTION	TIND	QTY	RATE	AMOUNTA	QTV	RATE	AMOUNT B	TOTAL AMOUNT
3.2.1	3.2.1 120mm² x 4 core ECC Supply	٤	100			20			
3.2.5	3.2.2 Termination for 120mm² x 4 core cable Supply	each	20			2			
3.2.3	3.2.3 70mm² x 4 core ECC Supply	٤	100			20			
3.2.4	3.2.4 Termination for 70mm² x 4 core cable Supply	each	20			r.			
3.2.5	3.2.5 S0mm² x 4 core ECC Supply	Ε	150			100			
3.2.6	3.2.6 Termination for 50mm² x 4 core cable Supply	each	70			10			
3.2.7	3.2.7 35mm² x 4 core ECC Supply	٤	250			150			
3.2.8	3.2.8 Termination for 35mm² x 4 core cable Supply	each	70			10			
3.2.9	3.2.9 25mm² x 4 core ECC Supply	٤	250			150			
3.2.10	3.2.10 Termination for 25mm² x 4 core cable Supply	each	70			10			
			TOT	TOTAL CARRIED FORWARD TO THE NEXT PAGE	TO THE NEXT PAGE				

			TOTAL BR	TOTAL BROUGHT FORWARD FROM THE PREVIOUS PAGE	OM THE PREVIOUS PAG	پر			
ITEM	ITEM DESCRIPTION	UNIT	ΔŢ	RATE	AMOUNT A	QTY	RATE	AMOUNT B	TOTAL AMOUNT
3.2.11	3.2.11 16mm² x 4 core ECC Supply	٤	300			200			
3.2.12	3.2.12 Termination for 16mm² x 4 core cable Supply	each	20			10			
3.2.13	3.2.13 16mm² x 3 core ECC Supply	٤	300			200			
3.2.14	3.2.14 Termination for 16mm² x 3 core cable Supply	each	20			10			
3.2.15	3.2.15 10mm² x 3 core ECC Supply	Ε	350			250			
3.2.16	3.2.16 Termination for 10mm² x 3 core cable Supply	each	20			10			
3.2.17	3.2.17 6mm² x 3 core ECC Supply	٤	200			300			
	Cable Tape Laid in an open trench and 150mm above a cable 150mm wide 800 gauge cable marker tape.	٤	1000			200			
3.5	Trenching (LABOUR INTENSIVE) Excavation of cable trench 600mm deep, 400mm wide including backfilling and compacting (see Specification for classification of materials) in earth only when required Soft rock EXTRA OVER earth Hard rock	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	600 200 100			300 100 50			
			TOTAL BI	TOTAL BILL NO.3 CARRIED OVER TO SUMMARY OF BILLS	R TO SUMMARY OF BIL	S			

		_	
	٦	۰	
	í	۰	١
	5	š	1
	i	£	
	ı,		ı
			į
	ä	ū	

				PINO GARA			Cite de Ja		
				TEAN OINE			TEAK I WO		Tell Coase 18 TOT
ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNTA	QTY	RATE	AMOUNT B	TOTAL AMOUNT A+B
4.1	BILL NO.4: GENERAL LIGHTING								
7	The supply of PVC conduit. Install is measured elsewhere Prices to include cutting, draw boxes, fixing miaterials tees, bends, saddles, etc.								
1	Solinii da colidale	٤	1500			1000			
4.1.2	4.1.2 32mm dia conduit Supply	Ε	200			200			
0	Galvanised metal conduit chased into brickwork, cast in concrete or fixed on trusses in ceiling void including cutting, bending, reaming, setting, joining, draw boxes and fixing material (average).								
4.1.5	Supply	٤	1000			1000			
4.1.4	4.1.4 32mm dia conduit Supply	٤	200			200			
4.2.1	4.2. SWITCHES 4.2.1 16/20A single lever, one way flush mounted rocker or similar type switch (White in colour) Supply	each	200			300			
4.2.2	4.2.2 16/20A single lever, two way flush mounted rocker or similar type switch (White in colour) Supply	each	250			150			
		H	OTAL CA	TOTAL CARRIED FORWARD TO THE NEXT PAGE	HE NEXT PAGE				

		TOTAL	BROUG	TOTAL BROUGHT FORWARD FROM THE PREVIOUS PAGE	E PREVIOUS PAGE				
TEM	ITEM DESCRIPTION	TIND	Ę	RATE	A TWOUNT A	QTV	RATE	AMOUNTB	TOTAL AMOUNT
4.2.3	BROUGHT FORWARD 4.2.3 16/20A two lever, one way flush mounted rocker or similar type switch (White in colour) Supply	each	250			250			
4.2.4	4.2.4 16/20A three lever, one way flush mounted rocker or similar type switch with classic range coverplates (White in colour) Supply	each	200			100			
4.2.5	4.2.5 16/20A four lever, one way flush mounted rocker or similar type switch with classic range coverplates (white in colour)	each	100			100			
4.2.6	4.2.6 16/20A single lever, one way surface mounted weatherproof switch Supply	each	100			100			
4.2.7	4.2.7 Photo Cell- Day/night Switch Type ZS 20A National photo electric cell Supply	each	200			100			
4.2.8	4.2.8 Dimmer switch - 1000w (one lever, two way) diamond range coverplates(White in colour) Supply	each	20			20			
			OTAL C	TOTAL CARRIED FORWARD TO THE NEXT PAGE	IE NEXT PAGE				

		TOTAL	BROUG	TOTAL BROUGHT FORWARD FROM THE PREVIOUS PAGE	E PREVIOUS PAGE				
ITEN	ITEM DESCRIPTION	UNIT	QTY	RATE	AMOUNT A	QTY	RATE	AMOUNT B	TOTAL AMOUNT
4.3	4.3 CONDUCTORS								
	The supply of PVC insulated single core stranded copper conductors drawn into conduits. Installation is measured elsewhere.								
4.3.1	4.3.1 1. 5mm² PVC black and red								
	Supply	E	4000			2000			
4.3.2	4.3.2 2. 5mm² PVC green / yellow earth wire								
	Supply	E	2000			1000			
4.3.3	4.3.3 1. 5mm² flat/round twin and earth wire								
	Supply	E	3000			1500			
Ц		TOTA	L BILL N	TOTAL BILL NO.4 CARRIED OVER TO SUMMARY OF BILLS	JMMARY OF BILLS				
									- Constitution of the Cons

L				YEAR ONE			YEAR TWO		TOTAL AMOUNT
ITEM	DESCRIPTION	TINO	QTV	RATE	AMOUNTA	άTV	RATE	AMOUNT B	A+B
	BILL NO. 5: LUMINAIRES								
5.1	Maintain all luminaires that are surface mounted or recessed on a ceiling, or on brickwork including lamps and fixing material. NOTE: See contract document for detailed technical specifications								
	Radiant recessed fluorescent 3x36W light fitting with efficient diffuser								
5.1.1	5.1.1 Supply	each	100			20			
5.1.2	Open channel fluorescent 18 to 36W Light fitting 5.1.2 Supply	each	200			200			
	20W LED or PL9 bulkhead light fitting in an average ambient temperature environment								
5.1.3	up to 3500, very four and rendore product. life-up to 36000 hours, IP66 5.1.3 Supply	each	300			300			
5.1.4	Waterproof and corrosion resistant flourescent Light 5.1.4 Supply	Pach	051			S			
						3			
			TOTALC	TOTAL CARRIED FORWARD TO THE NEXT PAGE	THE NEXT PAGE				

Electrical Maintenance

L		TOTA	L BROUG	TOTAL BROUGTH FORWARD FROM THE PREVIOUS PAGE	THE PREVIOUS PAGE				
Ë	ITEM DESCRIPTION	UNIT	QTY	RATE	AMOUNTA	QTY	RATE	AMOUNT B	TOTAL AMOUNT
	BROUGHT FORWARD								
5.1	5.1.5 Supply	each	20			20			
5.1	5.1.6 Supply light fixture components								
	Starters	each	1000			1000			
	Ballast/choke	each	1000			1000			
	loningi i	eacu	OOOT			1000			
_									
Ш		TOTA	IL BILL N	TOTAL BILL NO.5 CARRIED OVER TO SUMMARY OF BILLS	SUMMARY OF BILLS				

BILL NO.6

				YEAR ONE			YEAR TWO		TOTAL AMOUNT
ITEM	DESCRIPTION	TINO	QTY	RATE	A MOUNT A	QTV	RATE	AMOUNT B	A+B
6.1	BILL NO.6: SMALL POWER								
	CONDUIT AND CONDUIT ACCESSORIES SABS APPROVED CONDUIT								
	PVC conduit. The supply of conduit including cutting, drawboxes and fixing materials								
6.1.1	6.1.1 20mm dia Supply	٤	1000			200			
6.1.2	25mm dia Supply	٤	200			250			
	CONDUIT ACCESSORIES PVC SABS APPROVED CONDUIT The supply of drawboxes including locknuts, bushes, coverplates, fixing materials when required etc.								
6.1.3	6.1.3 Round box for 20mm Supply	N _o	200			200			
6.1.4	6.1.4 Round box for 25mm Supply	N _o	100			100			
			TOTA	TOTAL CARRIED FORWARD TO THE NEXT PAGE	TO THE NEXT PAGE				

6.2.1 2.5mm² PVC black and red Supply	CONDUCTORS The supply of PVC insulated stranded single core copper conductors drawn into conduits and ducting 2.5mm² PVC black and red Supply	TIMO	ΨŽ	RATE	AMOUNT	QTY	RATE	AMOUNT	TOTAL AMOUNT
CONDUCTORS The supply of PVC insustranded single core or into conduits and duct Supply Supply	ulated copper conductors drawn ting nd red								
2.1 2.5mm² PVC black and Supply	nd red								
		٤	2000			1000			
6.2.2 4mm² PVC black and red Supply	red	Ε	1000			1000			
2.3 2.5mm² PVC insulated Supply	6.2.3 2.5mm² PVC insulated green/yellow earth wire Supply	٤	1000			200			
6.3 SOCKET OUTLETS AND ISOLATORS	DISOLATORS								
6.3.1 16A 3 pin single switch socket outlets complete with range coverplates Supply	h socket outlets complete	each	200			200			
3.2 16A 3 pin double switch with range coverplates Supply	6.3.2 16A 3 pin double switch socket outlets complete with range coverplates Supply	each	200			500			
			TOTAL	TOTAL CARRIED FORWARD TO THE NEXT PAGE	TO THE NEXT PAGE				

		2	TAL BR	TOTAL BROUGHT FORWARD FROM THE PREVIOUS PAGE	A THE PREVIOUS PAGE	121			
ITEM	DESCRIPTION	UNIT	ΔŢ	RATE	AMOUNTA	QTY	RATE	AMOUNTB	TOTAL AMOUNT
6.3.3	Cluster unit with 2 pin,2 essential switched socket outlets with data and telephone point in diamond range cover or similar Supply	each	20			20			
6.3.4	6.3.4 5A switchless socket outlets Supply	each	150			150			
6.3.5	60 Ampere, triple pole isolator for Hot water cylinder, including diamond range cover Supply	each	200			100			
6.3.6	6.3.6 40 Ampere double pole for Stove Isolator including diamond range or similar cover Supply	each	100			100			
6.3.7	25 Ampere, one lever surface weatherproof isolator for cassette room airconditioner Supply	each	20			20			
6.3.8	30 Ampere, triple pole isolator Supply	each	100			100			
			TOT	TOTAL CARRIED FORWARD TO THE NEXT PAGE	O THE NEXT PAGE				

		P	TAL BR	DUGHT FORWARD FRC	TOTAL BROUGHT FORWARD FROM THE PREVIOUS PAGE				
ITEM	DESCRIPTION	TINO	ΔIV	RATE	AMOUNTA	QTV	RATE	AMOUNTB	TOTAL AMOUNT
6.4	POWER SKIRTING AND POWER TRUNKING								
	The supply of modular pre-								
	galvanised 2 compartment power skirting or power trunking complete with 2								
	separate clip on steel full length covers								
	colour hospital grey or similar ,Endcap/top end,								
	Mid Point "TEE" Riser etc.								
6.4.1	2 compartment P802 power ducting complete with 55mm cover								
	Supply	٤	200			100			
6.4.2	6.4.2 16A 3 pin round socket outlet Supply	each	100			100			
6.4.3	6.4.3 16A 3 pin flat dedicated socket outlet	pach	001			Ę			
		3	3			3			
6.4.4	6.4.4 RJ45 Blank cover Supply	each	100			50			
6.4.5	6.4.5 R11 Blank cover								
	Supply	each	100			20			
		۲	TAL BIL	L NO.6 CARRIED OVER	TOTAL BILL NO.6 CARRIED OVER TO SUMMARY OF BILLS				

AMOUNT A QTY RATE 1 1 1 50 50 1000 1000 1000					YEAR ONE			YEAR TIWO		TOTAL AMOUNT
Sum 1 sins, sinks, e bonded. Refrom stroperly reported in the strictly in m 1000 each	E		UNIT	QT7	RATE	1	ATA	RATE	AMOUNTB	A+B
scent sins, sinks, e bonded. Ing from arroperly restrictly in a strictly in each 100 each 10	<u> -</u>									
scent sinks, e bonded. To properly represent the strictly in	7.1.	EARTHING Earthing and bonding to SANS 10142-1	Sum	₽			₩			
inks, om rly sum 1 sum 1000 each 100	7.7.	TESTING & COMMISIONING 1 Testing of the complete LPS installation in terms of SANS 10142-1 and provision of Certificates of Compliance	ltem	20			20			
ng and outgoing cables will be properly to cable lugs and bolted to their Sum 1 Sum 1 FROTECTION If the earthrods and ensure the onding copper Earthrods/spikes for Equipotential onding each Maintain Down Alluminium rod strictly in swith the relevant SANS & IEC ons a similar maintain Rods or s	3.	Bonding of water mains and cables 1 Bond the proposed water main to the adjacent down conductor. All water pipes, hand basins, sinks, baths, gutters and rain water pipes shall be bonded.								
each 1000 each 1000	7.4	All external earth wires and cable armouring from the incoming and outgoing cables will be properly crimped into cable lugs and bolted to their respective earth bars. 1 LIGHTNING PROTECTION Maintain all the earthrods and ensure the connection to the earth wire to achlieve equal	Sum	H			т			
each 1000		potential bonding 1500mm Copper Earthrods/spikes for Equipotential Bonding Links Supply	each	20			20			
TOTAL CADBIEL CODMADD TO THE NEVT DACE	4	Supply or Maintain Down Alluminium rod strictly in accordance with the relevant SANS & IEC Specifications 16mm2 Aluminium Rods or similar Supply Terminate	m each	1000			1000			
TOTAL CARRIED TO THE MEYT BACE										
COLAL CARNIED TONINGARY TO THE NEXT TABLE	ιI			TOTAL	CARRIED FORWARD TO	O THE NEXT PAGE				

		TOTAL	BRO	TOTAL BROUGHT FORWARD FROM THE PREVIOUS PAGE	1 THE PREVIOUS PAGE				
HEM	ITEM DESCRIPTION	UNIT QTY	F	RATE	AMOUNT A	QTV	RATE	AMOUNT B	TOTAL AMOUNT
7.5.1	P.5. Bare Stranded Copper Farth Wire Supply or Maintain Bare Stranded Copper wires in trenches including termination for Equipotential Bonding strictly in accordance with the relevant 7.5.1 SANS & IEC Specifications 35mm2 copper cable Supply Terminate 7.6 Ring Earth Trenching Trenching and backfilling in compacted layers, including bedding and installation of warning tape pickable soil Pickable soil	e ach # # # # # # # # # # # # # # # # # # #	20 20			700 70 70			
		T OF	1	TOTAL BILL NO 8 CARRIED OVER TO SHIMMARY OF RILLS	O SHIMMARY OF BILLS				
				WO'S CANNIED OVER IN	O SUIVIINIANT OF BILLS				

BILL NO.8

ELECTRICAL MAINTENANCE

			3	YEAR ONE			YEAR TWO		TOTAL AMOUNT
ITEM	DESCRIPTION	LIND	QTY	RATE	A MOUNT A	ΔŢ	RATE	AMOUNT B	A+B
8.1	BILL NO.8: AREA/PERIMETER LIGHTING								
	LOW VOLTAGE CABLE								
	Maintain, Provide,test and commission the following 1 000V ECC/SWA/ECC copper cable.								
8.1.1	6mm² x 3 core ECC supply Termination	m each	1500			1000			
8.1.2	2.5mm² x 3 core ECC supply Termination	m each	500			30			
8.2	CABLE TRENCHES				7				
8.2.1	Excavation and back-fill cable trenches as per specification.(Including soft soil layer around cable). The excavation for the perimeter poles are included here. Pickable soil Hard rock	3 3°	1000			500			

TOTAL CARRIED FORWARD TO THE NEXT PAGE

		TOTA	L BROUC	TOTAL BROUGHT FORWARD FROM THE PREVIOUS PAGE	THE PREVIOUS PAGE				
ITEM	DESCRIPTION	TINO	ΔŢ	RATE	AMOUNTA	QTV	RATE	AMOUNT B	TOTAL AMOUNT
8.3	LIGHT FITTINGS								
	Maintain, provide ,install and connect completely the following light fittings as described and light accessories. Light fittings shall be complete with lamps and shall be approved by the Department								
8.3.1	43Watt or similar type post top luminaires to provide area lighting along the parking area Supply	each	100			20			
8.3.2	108-279Watt similar type flood lights to provide security/perimeter lighting Supply	each	30			20			
8.3.3	4.5m Galvanized steel pole or similar for post top luminare Supply	each	10			ιń			
8.3,4	9.5m Galvanized steel pole or similar for flood lights Supply	each	15			25			
8.3.5	Light Fexture Components Supply Starters Ballast/choke	each each	1000 1000			500 500 500			
		TOT,	AL BILL N	TOTAL BILL NO.9 CARRIED OVER TO SUMMARY OF BILLS	SUMMARY OF BILLS				R0.00

ELECTRICAL MAINTENANCE

П				YEAR ONE				YEAR TWO		TOTAL AMOUNT
ITEM	DESCRIPTION	UNIT	QΠγ	RATE	AMOUNTA	MTA	QTY	RATE	AMOUNT B	A+B
6	BILL NO.9: DAY WORK (LABOUR/INSTALL AND TRANSPORT COSTS) AND NON-SCHEDULED ITEMS									
9.1	DAY WORK Normal Hours Supervisor (Pr/candidate ECSA OR Licenced from DOL) Electrician (Licenced from DOL) Semi-skilled labourer General labourer	Hour Hour Hour Hour	50 250 250 250				50 250 250 250			
9.1.1	Overtime Hours Overtime is subject ONLY when the breakdown or emergency occurs after 6PM. No general labour or supervisor shall benefit from overtime. Electrician Semi-skilled labourer	Hour	100				100			
9.2 9.2.1 9.2.3 9.2.3 9.2.4 9.2.5	ITRANSPORT COST All distance for inspection, repairs, maintenance and any Installation will be measure from reference location identified at Kimberley Type A (110p) vehicle travelling rate Type B (210n) vehicle travelling rate Use of a self-propelled cherry picker Use of a self-propelled cherry picker Use of a cane truck	<u> </u>	2500 7500 2500 100 100				2500 7500 1100 1100 1100			
9.3	ELECTRICAL COC's Testing and commissioning of electrical installation or provision of supplementary COC as per SANS 10142-1 and submit Certificate of Compliance. Allowance amount for COC's	Sum	100				100			
9.4	NON-SCHEDULED ITEMS This item includes labour and material. Quotation to be submitted prior the commencement of works. No payment will be made without proof of approval or any instruction from the project leader. Allowance for non-schedule items profit & Attendance to the above item	Sum %	-1 %	R 250,000.00	R	250,000.00	1 %	R120,000.00	R120,000.00	
1.1		TOTAL	3ILL NO.5	TOTAL BILL NO.9 CARRIED OVER TO SUMMARY OF BILLS	IMMARY OF B	ILLS				

SECTION B - PRICE SUMMARY BILL - MEDIUM VOLTAGE - KIMBERLEY AND SURROUNDING AREAS

ITEM		DESCRIPTION	AMOUNT
1	SCHEDULE NO 1	SITE WORKS	
2	SCHEDULE NO 2	SCHEDULED MAINTENANCE	
3	SCHEDULE NO 3	DAY WORK AND NON-SCHEDULED ITEMS	
		SUB-TOTAL - TO BE CARRIED TO THE TOTAL SUMMARY	

Department of Public Works - Kimberley Ragional Office Section B - Kimberley and Surrounding Areas: Servicing, Maintenance and Repairs of HT Equipments Tender No: ID 164103 f

Z L	DESCRIPTION		YEAR 1	_			YEAR 2		TOTAL AMOUNT
		TIND	RATE	QTY	A TWOUNT A	RATE	QTY	AMOUNT B	A+B
	SCHEDULE NO 2								
-	SHEWORKS								
	VERIFY EXISTING INSTALLATIONS								
	Inspect, test and report (traveling costs not included):								
1.1.1	Correctional Services Facilities (DCS)	Sum		-			0	Rate Only	
1.1.2	Defence Force Facilities (SANDF)	Sum		-			0	Rate Only	
1.1.3	Police Station Facilities (SAPS)	Sum		-			0	Rate Only	
1.1.4	Justice Facilities (DoJ)	Sum		-			0	Rate Only	
5	CONTRACTORS								
	EQUIPMENT SPECIFICATIONS								
	Contractor's drawings, designs and product information: Prepare and submit for approval prior to commencement of manufacture and installation								
1.2.1	Related to new components	mns		-					
1.2.2	Related to components altered or replaced	wns		-					
1.3	SUPPLY AUTHORITY								
1.3.1	Arrange for switching of the high voltage supply with User Department and Sundy Authority	mns		-			-		
4.	PRESSURE TEST								
1.4.1	Pressure test MV cable-trace fault.	item		10			10		
£.	EARTHING								
1.5.1		ea ·		7			2		
1.5.2		ea.		2			2		
1.5.3	70mm sq. earth wire with earth electrodes.	ε		9			D.		
9.1	CABLE TRENCHES								
	Excavate and back-fill cable trenches, 300mm wide x 650mm deep.								
1.6.1		٤		22		Š	70		
1.6.2		٤		40			40		
1.6.3	Soft soil backfilling material	cub m		10			0		
1.7	CABLE MARKER TAPE								
1.7.1		٤		9			02		
1.8	CONFIRM EXISTING CABLE ROUTE								
1.8.1	Confirm MV or LV supply cable route and position with a thumper / cable detector.	亡		20			20		
6:									
1.9.1	Confirm the position of a cable and cable fault on an MV or LV cable.	눞		30			8		
1.10	SERVICE AND TIDY EXISTING DISTRIBUTION KIOSK								
1.10.1	Tidy, make safe and label	ea.		2			ω		
1.10.2	Clean sand paper and spray paint an existing distribution klosk - e.g.1000mmx1000mmx350mm.	m ²		2			S		
1.10.3		ea.		2			2		
1.10.4		ea.		5			22		
		Kimberle	Section 8 - Medium Voltage	Voltasa					
	CARRIED FORWARD TO SUMMARY								

	DESCRIPTION		YEAR 1	Ξ.			YEAR 2		TOTAL AMOUNT
		TINN	RATE	ΩTY	A THOOMA	RATE	QTY	AMOUNT B	Y+B
2	SCHEDULED MAINTENANCE				11				
2.1	SUBSTATION EQUIPMENT								
2.1.1	Tranformer Maintenance (50 - 315 kVA 11000/400 V Oil Cooled) Service of transformers including checking oil leaks, buchholtz relay, tap settings, secondary voltage etc (per transformer every 3 months, rafe excluding transport)	S Z		30			8		
	Pole mounted transformer maintenance (50-200kVA 11000/400V oil cooled)								
2.1.2	Service of transformers including checking oil leaks, buchholtz relay, tap settings, secondary voltage etc (per transformer every 3 months, rate excluding transport)	8		15			15		
	Transformer Repairs (50 - 315kVA 11 00/400 Oll Cooled)								
	Supply, install and commission the following, inclusive of all material required								
2.1.3	Gasket seals (0-100cm2)	No		10			9		
2.1.4	Gasket seals (100-1000cm2)	SN.		8			30		
2.1.5	Insulators	8		10			9		
2.1.6	Breather units	No		10			10		
2.1.7	Conservator tanks	No		2			10		
2.1.8	Buchholtz relay	No		10			10		
2.1.9	Temperature gauge	No		10			10		
2.1.10		kg		10			9		
2.2	Supply, install, decommission old transformer, test and commissioning of the following including all necessary materials: Specification to be provided when this request is due)								
2.2.1	315kVA 11kV/400V Transformer	item		2			-		
	Hiring of Transformer (315kVA) 400V	Day		10			9		
2.3	Tranformer Maintenance (500 - 1250 kVA 11000/400 V Oil Cooled)								
2.3.1	Service of transformers including checking oil leaks, buchholtz relay, tap settings, secondary voltage etc (per transformer every 3 months, rate excluding transport)	o N		40			4		
2.4	Transformer Repairs (500 - 1250kVA 11 00/400 Oil Cooled)								
2.4.1	Oil leak repair at the following components								
2.4.2	Insulators	No		2			2		
2.4.3	Breather units	o _N		2			2		
2.4.4	Conservator tanks	9V		5			ည		
2.4.5	Buchholtz relay	No		9			2		
2.4.6	Temperature gauge	No		2			2		
2.4.7	Gasket seals (0-100cm²)	No		50			20		
	CARRIED FORWARD								

BROUGHT FORWARD No.	ITEM	DESCRIPTION		YEAR 1	۲.1		YEAR 2	TOTAL AMOUNT
Silves gel replacement (500-1250 NA Transformer)			TINO	RATE	ΩTΥ	RATE	αTΥ	A+B
Silica gel replacement (500-1250 kVA Transformer) kg 5 Silica gel replacement (500-1250 kVA Transformer) kg 6 Supply, Install, decommission of transformer, test and commissioning of the following including all necessary materials: Specification to be provided when this request is due) tem 1 Hirting of Transformer (500kVA) 400V Supply and Install Equipment / Material No A 4 Hirting of Transformer (500kVA) 400V Supply and Install Equipment / Material No A 4 Tangerature Gauge tem 3 0000 Tangerature Gauge tem 5 1000 Tangerature Cauge size) tem 5 5 Bushing Instalator 6 5 Bushing Instalator 6 5 Bushing Instalator 7 5 Bushing Instalator 8 5 Bushing Instalator 9 5 Bushing Instalator		BROUGHT FORWARD						
Supply, Install, decommission of transformer) Supply, Install, decommission of transformer, test and commissioning of the following including all necessary materials: Specification to be ransformer and transformer (SOONAA) 400V Supply and Install Equipment / Material Buchholtr Reley Temperature Gauge Transformer (SOONAA) 400V Temperature Gauge Transformer (SOONAAA) 400V Temperature Gauge Transformer (SOONAAA) 400V Temperature Gauge Transformer (SOONAAA) 400V Temperature Gauge Transformer (SOONAAAA) 400V Temperature Gauge Transformer (SOONAAAAAA) 400V Temperature Gauge Transformer (SOONAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	8.4		g		90		8	
Supply, Install, decommission old transformer, test and commission old transformer tests and commission of the following including all necessary materials: Soberfication to a provided when this request is due) Soberfication to a provided when this request is due) Hiring of Transformer (SOOKVA) 400V Supply and Install Equipment / Material Buchholtz Reley Transformer (SOOKVA) 400V No 4 Transformer (SOOKVA) 400V No 6 Transformer (SooKVA) 400V Transformer (SooKVA) 400V Annoter Reley Annoter Reley Bushing Insulator Bushing Insulator	2.4.9		Đ,		တ		ĸ	
Hinting of Transformer 1 1 1 1 1 1 1 1 1	2.5	Supply, Install, decommission old transformer, test and commissioning of the following including all necessary materials: Specification to be provided when this request is due)						
Hiring of Transformer (500kVA) 400V Supply and Install Equipment / Material Buch holtz Relage Transformer Oil Tap Changer Switch (average size) Transformer Oil Tap Changer Switch (average size) Transformer Oil Tap Changer Switch (average size) Temporature Suge Transformer Oil Tap Changer Switch (average size) Titem Submitter Fuse Bushing Insulator Tap Changer Switch (average size) Titem Size Transformer Oil Tap Changer Switch (average size) Temporature Size T	2.1				-		-	
Buchholtz Relay Buchholtz Relay Buchholtz Relay Buchholtz Relay Temperature Gauge Transformer Oil Transformer Oil Tansformer Oil Tansformer Oil Tansformer Oil Tiem Tap Changer Switch (average size) Tiem Tap Change	5.2		Day		က		ιΩ	
Temperature Gauge	9:	Supply and Install Equipment / Material						
Transformer Gauge Transformer Oil Transformer Oil Tap Changer Switch (average size) Tep Changer Switch (average size) Tem Size T	6.1		No		4		4	
Transformer Oil Tap Changer Switch (average size) Tap Changer Switch (average size) Tiem Anneter Fuse Bushing Insulator S. S	6.2		oN N		9		9	
Ammeter Fuse Bushing insulator Ammeter Fuse Bushing insulator Ammeter Fuse Item 5 Item 5 Item 6 Item 7 Item 7 Item 1 Item Ite	6.3		Item		3,000		3,000	
Ammeter Fuse Bushing insulator Bushing insulator Same and the same a	6.4		item		-		-	
Bushing Insulator item 5	6.5		item		5		က	
	9.9		item		2		ı,	
							ļ	

ITEM	DESCRIPTION		YEAR	-			YEAR 2		TOTAL AMOUNT
		TINU	RATE	ΩTY	A THOOMA	RATE	QTY	AMOUNT B	A+B
	BROUGHT FORWARD								
2.6.7	Sight glass	item		4			က		
2.6.8	Gasket seal set	Item		2			S		
2.7	Perform the following								
2.7.1	Oil test	2		10			10		
2.7.2	Purification per 4 Pass complete	°N		10			10		
2.8	ELECTRICAL MV								
	MV Panels								
2.8.1	Maintenance Inspection	per panel		09			09		
c	Supply, Install, decommission old panel, test and commissioning								
8.7	of the following including all necessary materials: [Specification to be provided when this request is due.]								
2.9.1	11kV Incomer / Feeder Isolator 630A (incl.overcurrent and earth fault protection)	8		-			-		
2.9.2	Outdoor unit including plinth, 11kV Incomer/feeder isolator 630A (incl. overcurrent and earth fault protection)	N _o		-			-		
2.9.3	Metering installed in 11kV; 630A Panel including CTs a	No.		-			-		
2.9.4	Fuse link (11kV, 630A panel)	o _N		-			-		
2.9.5	11kV Incomer / Feeder Isolator 630A	No		-			1		
2.9.6	Metering installed in 11kV; 630A Panel including CTs and VTs	No		-			-		
2.9.7	Fuse link (11kV, 630A panel)	Š		-			-		
2.9.8	_	Š		-			-		
2.9.9	11KV Ring Main Units (RMU's) 630A (3 incomer isolators, 1 transformer insolator with CB)	Š		-			-		
2.9.10	2.9.10 11kV Bushar VT	oN N		-			1		
	CARRIED FORWARD								

Standard Forewards	ITEM	DESCRIPTION		YEAR	L X		YEAR 2		I O AL AMOUNT
The block of the following of the foll			TINO	RATE	ΦTΥ	RATE	QTY	П	A+B
11	BROUGHT FORW	WARD							
Supply and install DC tripping coils complete with wing No Supply and install commissioning of the following: No Supply standoff Switches Supply standoff Switches Supply standoff Switches No Supply standoff switch (tripping and closing) No Supply standoff sead No Supply sead No Supply standoff sead No S	2.9.11 11kV Busbar VT		No		-		-		
Supply, Install, Lest and commissioning of the following: Install standoff Switchbea Supply install, Lest and commissioning of the following: Install standoff switch (tripping and olosing) No 20	2.9.12 Supply and install	DC tripping coils complete with wiring	No No		m		60		
Supply, Install, test and commissioning of the following: No 20	2.10 Electrical Stando	off Switches							
Install standoff switch (tripping only)	Supply, install, to	est and commissioning of the following:							
No 30	2.10.1 Install standoff sw	vitch (tripping only)	S.		50		20		
No 20	2.10.2 Install standoff sw	vitch (tripping and closing)	No		ю		က		
Set and Calibrate No 30	3 Supply standoff le	pec	N		20		20		
Minisubstation		Je.							
Minisubstation No 30			No		30		8		
Minisubstation Minisubstation Service of transformers including checking oil leaks, buchholtz relay, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap and commissioning of the following including all necessary Subably, install decommission oid BTU, test and commissioning of the following including all necessary materials: BTU Subably, install decommission oid BTU, test and commissioning of the following including all necessary materials: No overhead Line Maintenance 400V to 11kV Overhead Line Maintenance (Visual inspection, line tension, line tension, line early coverhead Line Maintenance of Cables, test the following: Cables, Termination and Joint Kits Subably, Install, remove oid cables, test the following: TIKV 120mm ² 3core PILC insulated cables with copper conductor m 30			9N		90		8		
Minisubstation Minisubstation Minisubstation maintenance (200-500kVA 11000/400V) Service of transformers including checking oil leaks, buchholtz relay, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap and transformer every 3 months, tap and transformer every 3 months, tap and transformer etc. Supply, install, decommission oid minisub, tast and commissioning of the following including all necessary materials: Supply, install, decommission oid BTU, test and commissioning of the Maintenance 400V to 11kV Overhead Line Maintenance 400V to 11kV Overhead Line Maintenance (Visual inspection, line tension, line and), cross-arm and poles, every 3 months, rate including transport) Cables, Termination and Joint Kitts Supply, Install, emove old cables, test the following: TINY 120mms 3000 PILC insulated cables with copper conductor m 300									
Service of transformers including checking oil leaks, buchholtz relay, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap settings, secondary voltage etc (per transformer every 3 months, tap settings,									
Service of transformers including checking oil leaks, buchholtz relay, hope etc (per transformer every 3 months, rate excluding transport) Supply, Install, decommistion old minisub, test and commissioning of the following including all necessary 3300 BTU Supply, Install, decommistion old BTU, test and commissioning of the following including all necessary materials: No Stray painting - Mini Substation BTU Supply, Install, decommistion old BTU, test and commissioning of the following including all necessary materials: 300 Batty Supply, Install, decommistion old BTU, test and commissioning of the following including all necessary materials: 300 Battery Set Overhead Line Maintenance (Visual inspection, line tension, line installion, line earth, cross-arm and poles, every 3 months, rate including transport) Cables, Termination and Joint Kits Supply, Install, ramove old, cables, test the following: 11KV 120mm² 3core PILC insulated cables with copper conductor m 30	Minisubstation n	naintenance (200-500kVA 11000/400V)							
Supply, Install, decommission old minisub, test and commissioning of the following all necessary. No 2 315-500 kVA 11kV/400V Mini Substation m² 300 BTU m² 300 Supply, Install, decommission old BTU, test and commissioning of the following including all necessary materials. No 5 30Vdc BTU No 5 30Vdc BTU No 5 30Vdchead Line Maintenance 400V to 11kV No 5 Overhead Line Maintenance Visual inspection, line tension, line acrth, cross-arm and poles, every 3 months, rate including transport) No 10 Cables, Termination and Joint Kits Supply, install, ramove old cables, test the following: m 30		rmers including checking oil leaks, buchhoftz relay, andary voltage etc (per transformer every 3 months, risport)	o _N		184		184		
Spray painting - Mint Substation	Supply, install, d	decommision old minisub, test and of the following including all necessary							
Spray painting - Mini Substation		V/400V Mini Substation	Š		2		-		
Supply, install, decommiston old BTU, test and commissioning of Supply, install, decommiston old BTU, test and commissioning of Supply, install, decommiston old BTU, test and commissioning of Supply, install, care and install inst	Spray painting - N	Mini Substation	"m		300		250		
Supply, Install, decommission old BTU, test and commissioning of the following including all necessary materials; 30 Vac BTU 30 Vateral Line Maintenance 400V to 11kV Overhead Line Maintenance (Visual inspection, line tension, line including transport) Cables, Termination and Joint Kits Supply, Install, remove old cables, test the following: Supply, Install, remove old cables, test the following: 11kV 120mm² 3core PILC insulated cables with copper conductor m 30									
30V dc BTU No 5 30V Battery Set No 5 Overhead Line Maintenance 400V to 11kV 5 Overhead Line Maintenance (Visual inspection, line line land), cross-arm and poles, every 3 months, rate including transport) No Cables, Termination and Joint Kits Cables, test the following: Supply, install, remove old cables, test the following: 30		decommission old BTU, test and commissioning of cluding all necessary materials:							
30V Battery Set Overhead Line Maintenance 400V to 11kV Overhead Line Maintenance (Visual inspection, line tension, line insulation, line earth, cross-arm and poles, every 3 months, rate including transport) Cables, Termination and Joint Kite Supply, install, remove old cables, test the following: 11kV 120mm² 3core PILC insulated cables with copper conductor m 30			2		ιΩ		2		
Overhead Line Maintenance 400V to 11kV Overhead Line Maintenance 400V to 11kV Overhead Line Maintenance (Visual inspection, line tension, line including transport) Cables, Termination and Joint Kits Supply, Install, remove old cables, test the following: 11kV 120mm² 3core PILC insulated cables with copper conductor m 30	30V Battery Set		S S		ις		ιο		
Overhead Line Maintenance (Visual inspection, line tension, line insulation, line earth, cross-arm and poles, every 3 months, rate including transport) Cables, Termination and Joint Kits Supply, Install, remove old cables, test the following: 11KV 120mm² 3core PILC insulated cables with copper conductor m 30		Maintenance 400V to 11kV							
Joint Kits Id cables, test the following: m 30		laintenance (Visual inspection, line tension, line trith, cross-arm and poles, every 3 months, rate rt),	8		10		10		
Id cables, lest the following: m 30		tion and Joint Kits							
insulated cables with copper conductor m 30	Supply, Install, r	remove old cables, test the following:							
	1 11kV 120mm² 3cc	ore PILC insulated cables with copper conductor	E		93		99		

Department of Public Works - Kimberley Regional Office Section B - Kimberley and Surrounding Areas: Servicing, Maintenance and Repairs of HT Equipments Tender No: 1D 164103 \mid

TEM	DESCRIPTION		YEAR	_			YEAR 2		TOTAL AMO
		UNIT	RATE	QTY	A MOUNT A	RATE	QTY	AMOUNT B	A+B
	BROUGHT FORWARD								
2.15.2	2.15.2 11kV 95mm² 3core PILC insulated cables with copper conductor	Ε		09			09		
2.15.3	2.15.3 11kV 70mm² 3core PILC insulated cables with copper conductor	ε		09			09		
2.15.4	2.15.4 11kV 50mm* 3core PILC insulated cables with copper conductor	ε		09			09		
2.15.5	2.15.5 11kV 35mm² 3core PILC insulated cables with copper conductor	٤		09			09		
2.15.6	2.15.6 11kV 120mm² 3core PILC Termination Set	2		∞			80		
2.15.7	2.15.7 11kV 95mm² 3core PILC Termination Set	ę		8			œ		
2.15.8	2.15.8 11kV 70mm² 3core PILC Termination Set	å		ß			2		
2.15.9	2.15.9 11kV 50mm² 3core PILC Termination Set	£		ß			22		
15.10	2.15.10 11kV 35mm² 3core PILC Termination Set	å		co.			2		
.15.11	2.15.11 90/120mm 11kV joint kit	£		10			9		
.15.12	2.15.12 70mm 11kV joint kit	£		10			10		
.15.13	2.15.13 50mm11kV joint kit	g		10			10		
.15.14	2.15.14 35mm 11kV joint kit	9		10			10		

			RATE						
		TINO		ΔŢ	A TMOUNT A	RATE	QTY	AMOUNT B	O. P.
	BROUGHT FORWARD								
	Switchrooms County and Inexed the fall and an								
.16.2 Pt	in diagrams	2		G			2		
	Panel Jabelling	2 2		8 8			3 8		
2.16.3 Ar	Ammeter fuse	2		8			30		
2.16.4 Vc	Volts meter	Ŷ.		02			50		
	Selector switch	å		20			20		
.16.6 Lc	Log book	å		09			10		
2.16.7 CT	CT test	ş		10			10		
.16.8 E.	2.16.8 Earthing test (1 Ohm)	2		10			10		
2.17 Br	Building								
	Clean inside/outside of substation	m _z		200			200		
2.17.2 Vi	Viro A83 Padlock	2		20			20		
2.17.3 Cc	Concrete ramps at entrance	Ë		100			100		
	Inspect Roof & Gutters on Substation	m ²		2			۵		
	Inspect damage to concrete floors	m ₂		-			-		
	Inspect damage to concrete trenches	m²		-					
2.17.7 Tr	Trench cover plates (600mm reinforced)	m²		10			10		
	Contract Contraction								
2.18	Character could be seen to be see			5			8		
	Substation waits, pure activitie paint write	<u> </u>		3 8			3 1		
Z.18.2	Floor screed: epoxy coating standard	È		52			52		
2.18.3 FI	Floor screed: epoxy coating self levelling	Ë î		52			52		
18.4 W	2.18.4 Window frames, steel: Max 1200x900mm	" u		10			9		
0.00	vindow trames, varnished timber: Max 1200x900mm	j j		2 5			10		
2.18.5	Doors varnished timber	ž ž		0 8			2 8		
2 48 -	Curaly and Install Calvanisad Matel Doof Cheet	E E		2 4			75		
0.01	uppiy aliu libidii Galvalliseu metal Nool Sileet	Ė		2			0		
2.19	Safety Signs								
2.19.1 D	Danger Sign - High Voltage			30			10		
	Unauthorised Entry Prohibited Warning Sign			15			10		
2.19.3 Pt	Procedure in case of Electric Shock Warning Sign			15			10		
	Procedure in case of Fire Warning Sign			15			10		
2.19.5 U	Unauthorised Handling of Equipment Prohibited Warning Sign			15			10		
+									

Department of Public Works - Kimberley Regional Office Section B - Kimberley and Surrounding Areas: Servicing, Maintenance and Repairs of HT Equipments Tender No: ID 164103 $\not\mid A$

Ĭ L	DESCRIPTION		YEAR 1				YEAR 2		TOTAL AMOUNT
		TIND	RATE	ΩT	A AMOUNT A	RATE	ΔT	AMOUNT B	A+B
	SCHEDULE NO. 3								
e0	DAY WORK AND NON-SCHEDULED ITEMS								
3.1	NON-SCHEDULED MATERIAL COST								
3.1.1		wns	360,000.00	-	360,000.00	350,000.00	-	350,000.00	
3.1.2		%	%			%			
	DAY WORK								
3.2	LABOUR								
3.2.1		Hour		100			100		
3.2.2	Electrician	Hour		1500			200		
	CADDIED EODWADD TO SHIMMADY								



Tender No.: ID: 164103/ A-PG-01.1 (EC) Scope of Works – GCC

GCC (2010): 2nd Edition 2010

PG-01.1 (EC) SCOPE OF WORKS - (GCC (2010) 2nd EDITION: 2010)

Project title:	SERVICING OF HIGH	ROUNDING AREAS: MA TENSION EQUIPMENT THS TERM CONTRACT FO	AND LOW VOLTAGE
Tender no:	ID:164103 [A	Reference no:	19/2/4/2/2/2022-2024

C3. Scope of Works

CONTENTS

- C3.1 STANDARD SPECIFICATIONS
- C3.2 PROJECT SPECIFICATIONS

A: GENERAL

- PS-1 PROJECT DESCRIPTION
- PS-2 **DESCRIPTION OF SITE AND ACCESS**
- PS-3 MAINTENANCE AND REPAIRS PROGRAMME
- PS-4 OCCUPATIONAL HEALTH AND SAFETY PLAN

B: AMENDMENTS TO THE PARTICULAR SPECIFICATIONS Specify if any.....

1.

2.

C3.3 **PARTICULAR SPECIFICATIONS**

PS-1 **GENERAL MAINTENANCE**

Tender No.: ID: 164103 / A

PG-01.1 (EC) Scope of Works – GCC GCC (2010); 2nd Edition 2010

C3.1 STANDARD SPECIFICATIONS:

The standard specifications on which this contract is based are the **South African Bureau of Standards Standardized Specifications for Civil Engineering Construction SABS 1200**. (Note to compiler. "SABS" has been changed to "SANS"; the SABS 1200 specifications are due to be replaced in the foreseeable future by SANS 2100)

Although not bound in nor issued with this Document, the following Sections of the Standardized Specifications of SABS 1200 shall form part of this Contract:

A - 1986 - GENERAL / D - (etc., to be provide by compiler)

C3.2 PROJECT SPECIFICATIONS:

Status

The Project Specification, consisting of two parts, forms an integral part of the contract and supplements the Standard Specifications.

Part1 A contains a general description of the works, the site and the requirements to be met.

Part B contains variations, amendments and additions to the Standardized Specifications and, if applicable, the Particular Specifications.

In the event of any discrepancy between a part or parts of the Standardised of Particular Specifications and the Project Specification, the Project Specification shall take precedence. In the event of a discrepancy between the specifications, (including the Project Specifications) and the drawings and / or the Bill of Quantities, the discrepancy shall be resolved by the Engineer before the execution of the work under the relevant item.

3.2.1 GENERAL

PS-1 PROJECT DESCRIPTION:

KIMBERLEY AND SURROUNDING AREAS: MAINTENANCE, REPAIRS, SERVICING OF HIGH TENSION EQUIPMENT AND LOW VOLTAGE INSTALLATION: 24 MONTHS TERM CONTRACT FOR VARIOUS CLIENTS.

PS-2 DESCRIPTION OF SITE AND ACCESS

The department of SANDF, SAPS and DCS may require the contractor to have his personnel or certain number of them to perform security screening for security reasons.

Contractor's personnel must have identity document and uniform so that they can be easily identified by Public Works Clients.

PS-2 DESCRIPTION OF SITE AND ACCESS

The contractor shall use competent trained staff directly employed and supervised by delegated supervisor and shall take all reasonable care to maintain the installation and keep staff members in proper working conditions.

Arrange with the occupants of buildings regarding access to the premises in order to execute the required services.

Take adequate precautions to prevent any loss or damages to building such as fittings, furnisher inside or any belongings of the building within the premises.

Any claims by the client due to the negligence or misconduct by the service provider or employee by the contractor shall be and remains the liability, responsibility of the service provider (contractor).

Service provider shall comply with all by-laws and requirements of the local authority.



Tender No.: ID: 164103 $\int A$ PG-01.1 (EC) Scope of Works – GCC

GCC (2010): 2nd Edition 2010

Maintenance, servicing and repairs must be taken place during normal working hours except arrangement has been made or breakdown/emergency occurs.

The contractor must ensure that log book is easily accessible by the department and must always be on site at all times with client maintenance unit/representative.

PS-3 MAINTENANCE AND REPAIRS PROGRAMME

The contractor must provide department and client with programme (any format is accepted which details all the milestones of the contract period), at least every 6 months the programme must be revised and resubmitted to the project manager.

The programme must be submitted within 14 days before the execution of services

PS-4 OCCUPATIONAL HEALTH AND SAFETY PLAN

The contractor must all times be in position of Occupational Health and Safety Plan and it must have approval from DPWI health and safety officer.

The contractor must provide his/her personnel and PPE clothing as per the BOQ.

3.2.2 AMENDMENTS TO THE STANDARD AND PARTICULAR SPECIFICATION:

Specify subheadings below :......(Additional annexure is required if any addition)

1.

2.

C3.3 PARTICULAR SPECIFICATIONS:

3.3.1 PART 1 – GENERAL MAITENANCE

1 TESTS

After completion of the works and before first delivery is taken, a full test will be carried out on the installation for a period of sufficient duration to determine the satisfactory working thereof. During this period the maintenance will be inspected and the Contractor shall make good, to the satisfaction of the Representative/Agent, any defects which may arise.

The Contractor shall provide all instruments and equipment required for testing and any water, power and fuel required for the commissioning and testing of the maintenance at completion.

2 MAINTENANCE OF MAINTENANCE

With effect from the date of the First Delivery Certificate the Contractor shall at his own expense undertake the regular servicing of the installation during the maintenance period and shall make all adjustments necessary for the correct operation thereof.

If during the said period the maintenance is not in working order for any reason for which the Contractor is responsible, or if the maintenance develops defects, he shall immediately upon being notified thereof take steps to remedy the defects and make any necessary adjustments.

Should such stoppages however be so frequent as to become troublesome, or should the maintenance otherwise prove unsatisfactory during the said period the Contractor shall, if called upon by the Representative/Agent or the Director-General, at his own expense replace the whole of the maintenance or such parts thereof as the Representative/Agent or the Director-General may deem necessary with apparatus specified by the Representative/Agent or the Director-General.



Tender No.: ID: 164103 / A

PG-01.1 (EC) Scope of Works – GCC

GCC (2010): 2nd Edition 2010

3 REGULATIONS

The installation shall be erected and tested in accordance with the Acts and Regulations as indicated in the scope of works

The latest issue of SANS 10142: "Code of Practice for the Wiring of Premises",

The Occupational Health and Safety Act, 1993 (Act 85 of 1993) as amended,

The Local Government Act 1998(Act 10 of 1998) as amended and the municipal by-laws and any special requirements of the local supply authority,

The National Building Regulations and Building Standards Act 1996 (Act 29 of 1996) as amended, The Electricity Act 1996 (Act 88 of 1996) as amended and

4 NOTICES AND FEES

The Contractor shall give all notices required by and pay all necessary fees, including any inspection fees, which may be due to the local Supply Authority.

On production of the official account, only the net amount of the fee charged by the Supply Authority for connection of the installation to the supply mains, will be refunded to the Contractor by the Department.

5 QUALITY OF MATERIALS

Only materials of first class quality shall be used and all materials shall be subject to the approval of the Department. Departmental specifications for various materials to be used on this Contract are attached to and form part of this specification.

Wherever applicable the material is to comply with the relevant South African Bureau of Standards, specifications, or to British Standard Specifications, where no SABS Specifications exist.

Materials wherever possible, must be of South African manufacture.

6 WORKMANSHIP AND STAFF

Except in the case of electrical maintenance supplied by a single-phase electricity supply at the point of supply, an accredited person shall exercise general control over all electrical installation work being carried out. The workmanship shall be of the highest grade and to the satisfaction of the Department.

All inferior work shall, on indication by the Department's inspecting officers, immediately be removed and rectified by and at the expense of the Contractor.

7 CERTIFICATE OF COMPLIANCE

On completion of the service, a certificate of compliance must be issued to the Department's Representative/Agent in terms of the Occupational Health and Safety Act, 1993 (Act 85 of 1993).

8 EARTHING OF INSTALLATION

Main earthing

The type of main earthing must be as required by the supply authority if other than the Departments, and in any event as directed by the Department's representative, who may require additional earthing to meet test standards.

Where required an earth mat shall be provided, the minimum size, unless otherwise specified, being $1,0m \times 1,0m$ and consisting of 4mm diameter hard-drawn bare copper wires at 250mm centres, brazed at all intersections.



Tender No.: ID: 164103/A
PG-01.1 (EC) Scope of Works – GCC

GCC (2010): 2nd Edition 2010

Alternatively or additionally earth rods or trench earths may be required as specified or directed by the Department's authorised representative.

Maintenance shall be effectively earthed in accordance with the "Wiring Code" and to the requirements of the supply authority. All earth conductors shall be stranded copper with or without green PVC installation.

Connection from the main earth bar on the main board must be made to the cold water main, the incoming service earth conductor, if any and the earth mat or other local electrode by means of 12mm x 1,60 mm solid copper strapping or 16 mm² stranded (not solid) bare copper wire or such conductor as the Department's representative may direct. Main earth copper strapping where installed below 3m from ground level, must be run in 20 mm diameter conduit securely fixed to the walls.

All other hot and cold water pipes shall be connected with 12mm x 0,8mm perforated for solid copper strapping (not conductors) to the nearest switchboard. The strapping shall be fixed to the pipework with brass nuts and bolts and against walls with brass screws at 150-mm centres. In all cases where metal water pipes, down pipes, flues, etc., are positioned within 1,6m of switchboards an earth connection consisting of copper strapping shall be installed between the pipework and the board. In vertical building ducts accommodating both metal water pipes and electrical cables, all the pipes shall be earthed at each distribution board.

Roofs, gutters and down pipes

Where service connections consist of overhead conductors, all metal parts of roofs, gutters and down pipes shall be earthed. One bare 10mm² copper conductor shall be installed over the full length of the ceiling void, fixed to the top purlin and connected to the main earth conductor and <u>each</u> switchboard. The roof and gutters shall be connected at 15m intervals to this conductor by means of 12mm X 0,8mm copper strapping (not conductors) and galvanised bolts and nuts. Self-tapping screws are not acceptable. Where service connections consist of underground supplies, the above requirements are not applicable.

Sub-distribution boards

A separate earth connection shall be supplied between the earth busbar in each sub-distribution board and the earth busbar in the Main Switchboard. These connections shall consist of bare or insulated stranded copper conductors installed along the same routes as the supply cables or in the same conduit as the supply conductors. Alternatively, armoured cables with earth continuity conductors included in the armouring may be utilised where specified or approved.

Sub-circuits

The earth conductors of fall sub-circuits shall be connected to the earth busbar in the supply board in accordance with SANS 10142.

Ring Mains

Common earth conductors may be used where various circuits are installed in the same wire way in accordance with SANS 10142. In such instances the sizes of earth conductors shall be equivalent to that of the largest current carrying conductor installed in the wire way, alternatively the size of the conductor shall be as directed by the Engineer. Earth conductors for individual circuits branching from the ring main shall by connected to the common earth conductor with T-ferrules or soldered. The common earth shall not be broken.



Tender No.: ID: 164103/A

PG-01.1 (EC) Scope of Works - GCC

GCC (2010): 2nd Edition 2010

Non-metallic Conduit

Where non-metallic conduit is specified or allowed, the installation shall comply with the Department's standard quality specification for "conduit and conduit accessories".

Standard copper earth conductors shall be installed in the conduits and fixed securely to all metal appliances and equipment, including metal switch boxes, socket-outlet boxes, draw-boxes, switchboards, luminaires, etc. The securing of earth conductors by means of self-threading screws will not be permitted.

Flexible Conduit

An earth conductor shall be installed in all non-metal flexible conduit. This earth conductor shall not be installed externally to the flexible conduit but within the conduit with the other conductors. The earth conductor shall be connected to the earth terminals at both ends of the circuit.

Connection

Under no circumstances shall any connection points, bolts, screws, etc., used for earthing be utilised for any other purpose. It will be the responsibility of the Contractor to supply and fit earth terminals or clamps on equipment and materials that must be earthed where these are not provided.

Unless earth conductors are connected to proper terminals, the end shall be tinned and lugged.

C3.4 STANDARD MINIMUM REQUIREMENTS

In terms of section 5(2) of the Construction Industry Development Board Act, 2000 (Act no. 38 of 2000) (the Act), the Construction Industry Development Board is empowered to establish and promote best practice standards, Standard Requirements and Guidelines which includes the following but not limited to:

- C3.4.1 cidb Best Practice: Green Building Certification, No. 34158 Government Gazette, 1 April 2011
- C3.4.2 cidb Standard for Developing Skills through Infrastructure Contracts, No. 36760 Government Gazette, 23 August 2013
- C3.4.3 cidb Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts, No 36190 Government Gazette, 25 February 2013
- C3.4.4 Preferential Procurement Policy Framework Act, 2000: Preferential Procurement Regulations, 2017, No. 40553 Government Gazette, 20 January 2017
- C3.4.5 cidb Standard for Contract Participation Goals for Targeting Enterprises and Labour through Construction Works Contracts, No. 41237 Government Gazette, 10 November 2017
- C3.4.6 cidb Standard for Minimum Requirements for Engaging Contractors and Sub-Contractors on Construction Works Contracts, No. 41237 Government Gazette, 10 November 2017
- C3.4.7 cidb Standard for Minimum Requirements for Engaging Contractors and Sub- Contractors on Construction Works Contracts, No. 42021 Government Gazette, 9 November 2018
- C3.4.8 cidb Standard for Developing Skills through Infrastructure Contracts, No. 43495 Government Gazette, 3 July 2020
- C3.4.9 SANS 10142 wiring of premises
- C3.4.10 SANS10313 lightning protection system



Tender No.: ID: 164103/19 PG-01.1 (EC) Scope of Works - GCC

GCC (2010): 2nd Edition 2010

CONTRACT PARTICIPATION GOALS AND CIDB BUILD PROGRAMME C3.5

The contractor shall achieve in the performance of the contract the following Contract Participation Goals (CPGs) as indicated below. Provision for pricing of compliance with the achieving the CPGs is made in the Contract Participation Goal Section of the Bills of Quantities and it is explicitly pointed out that all requirements in respect of the aforementioned are deemed to be priced thereunder and no additional claims in this regard shall be entertained:

C3.5.1 Minimum Thirty Percent (30%) Mandatory Sub-contracting Contract Participation Goal

MINIMUM THIRTY PERCENT (30%) MANDATORY SUBCONTRACTING TO SMMES: **IMPLEMENTATION OF PREFERENCIAL PROCUREMENT RGULATIONS 2017**

30% Mandatory subcontracting is NOT APPLICABLE to this project.

For Internal & External Use Effective date 26 July 2022 Department of Public Works & Infrastructure

Kimberley And Surrounding Areas: Maintenance, Repairs, Servicing Of High Tension Equipment And Low Voltage

Installation: 24 Months Term Contract For Various Clients

Technical Specifications

Tender No: ID:164103 | A

GENERAL INFORMATION	
---------------------	--

DOCUMENTATION

The Department of Public Works & Infrastructure proposes to repair and maintain of low voltage for period of 24 months at springbok and surrounding areas.

- 1.1. **Maintenance** maintenance must be carried out by qualified service providers in terms of the Operational Health and Safety legislation.
- 1.2. **Repair-** actions required to reinstate of installation to its original state when such fails due to ordinary use. This does not include upgrading or replacement of installation. Should there be a need to upgrade or replace any equipment the service provider should communicate with responsible works manager/inspector for approval.
- 1.3. The service provider will be called as when the above mentioned services are required in a form of compliant number and order number. The service provider should not execute any work without receiving complaint number from NDPWI.
- 1.4. Warranty- The service contractor shall unconditionally guarantee any work performed on the Departmental electrical equipment, or implements for twelve (12) months on new parts supplied and three (3) months repairs on existing equipment/components, irrespective of hours worked or kilometres travelled.

If the standard warranty period on any parts that are supplied by the contractor is more favorable to the department than that stated above, then the standard warranty shall apply.

Should the work done not meet the above mentioned condition the contractor will be held accountable.

- 1.5. **Response time** the contractor should respond to complaint within the stated in the table time below
- 1.6. Service the contractor is responsible to comply with service schedule of High Tension equipment

PRIORITY	RESPONSE TIME	RESOLUTION TIME
Emergency	2 hours	8 hours
Urgent	8 hours	24 hours
Normal	24 ours	7 days

- 1.7. **Job-card** The job card should meet the following criteria:
 - Be fully completed
 - With complaint number/ID number/order number
 - Summary of work executed
 - Completion date of work executed
 - Both signed by contractor and end-user
 - End-used date stamp

Department of Public Works & Infrastructure

Kimberley And Surrounding Areas: Maintenance, Repairs, Servicing Of High Tension Equipment And Low Voltage
Installation: 24 Months Term Contract For Various Clients

Technical Specifications

Tender No: ID:164103 / A

- 1.8. **Invoices** The contractor shall invoice NDPWI when work executed is completed and confirmed by the client onsite and the invoice must be submitted to DPWI within 5 days of completion of work via email, postal address or hand delivery unless otherwise special arrangement is made between the project manager and contractor. **The following criteria should be meet upon submission of invoices**:
 - Invoice must be made of "Department Of Public Works & Infrastructure" together with the address of the department;
 - Name of the company and contact information, including physical and postal address, email address, cellphone and telephone where applicable;
 - Value added tax (VAT), CSD and company's registration number;
 - Description of a list of the services or goods provided and the price for each items of such goods or services:
 - Quantity and units price of the goods and/or service procured and/or delivered;
 - Date of invoice;
 - Invoice number;
 - Department purchase order or complaint number(KIM number/ID number);
 - Supplier's banking details and Total amount claimed/invoiced
- 1.8 Unsatisfactory performance- occurs when performance is not in accordance with the contract conditions.
- 1.8.1 The departmental official shall warn the contractor in writing that action will be taken in accordance with the contract conditions unless the contractor complies with the contract conditions and delivers satisfactory supplies or services within a specified reasonable time (7 days minimum). If the contractor does not perform satisfactorily despite the warning, the official will:
 - (a) Take action in terms of its delegated powers; and
 - (b) Make a recommendation to the Accounting Officer for cancellation of the contract concerned.
- 1.8.2 When correspondence is addressed to the contractor, reference will be made to the contract number/item number/s and an explanation of the complaint.





EPWP IMPLEMENTATION FRAMEWORK ON NDPWI PROJECTS

KIMBERLEY AND SURROUNDING AREAS: MAINTENANCE, REPAIRS, SERVICING OF HIGH TENSION EQUIPMENT AND LOW VOLTAGE INSTALLATION: 24 MONTHS TERM CONTRACT FOR VARIOUS CLIENTS

In order to make tender / contract documents fully EPWP compliant (labour-intensive construction projects) the following clauses and / or additions need to be included in the documentation:

1. Tender Document Cover

The following EPWP Logo to be included on the bottom of the front cover



2. Tender Notice and Invitation to Tender

The following must be included in the notice and invitation to tender (<u>for Contract Documentation</u> for the Works):

"Only tenderers who employ staff which satisfy EPWP requirements are eligible to submit tenders."

3. Contract Data

The following must be included in the contract data in the contract with the Employer:

Linkage of payment for labour-intensive component of works to submission of project data

The Contractor's payment invoices shall be accompanied by labour information for the corresponding period in a format specified by the employer. If the contractors chooses to delay submitting payment invoices, labour returns shall still be submitted as per frequency and timeframe stipulated by the Employer. The contractor's invoices shall not be paid until all pending labour information has been submitted.

Applicable labour laws

The current Ministerial Determination (also downloadable at www.epwp.gov.za), Expanded Public Works Programmes, issued in terms of the Basic Conditions of Employment Act of 1997 by the Minister of Labour in Government Notice , shall apply to works described in the scope of work as being labour intensive and which are undertaken by unskilled or semi-skilled workers.





4. Bill of Quantities

- Due to the nature of the works involved, this type of project is feasible as a labour Intensive project i.e. the maintenance activities will require skilled/unskilled labour.
- Noted that only few items were identified to be implemented on the BOQ.

6. Employment Targets

The contractor needs to provide a realistic estimate on the number of jobs that the project has the potential to create throughout the project duration as the project will be implemented using Labour Intensive Construction methods on elements where it is economical and feasible for this construction method.

Estimated no of jobs to be created:

NYS Beneficiaries = N/A

Local Labour = 2

7. Employment requirements

Tenderers are advised that this contract will be subject to the Expanded Public Works Program (EPWP) aimed at alleviating and reducing unemployment.

Tenderers must allow for any costs for the following employment requirements of the EPWP

60% women

55% youth aged between 18 and 35 years

2% people with disability

100% unskilled labour utilized must reside within the boundaries of the Municipality ward where this contract is executed, with preference to the local community closest or at the walking distance to the contract site. Wherever possible local skilled tradesmen are to be employed on this contract with the view to maximize utilization of local resources.

8. EPWP Branding

8.1. Signboard

EPWP Programme at the project level shall always be promoted through the projects signage board that embrace EPWP logo at the bottom, correct measurement for this signage board will be provided by the project leader during the site handing over meeting.

The Contractor is responsible for ensuring that the project board remains neatly and safely erected for the full duration including the maintenance period, after which the project board and posts are to be dismantled and handed to the client in good order





8.2. Personal Protective Equipment (PPE)

All local labourers including contractor & sub-contractors' shall be provided with EPWP branded Personal Protective Equipment (PPE), as per the branding specifications.

Overalls to be orange in colour as per EPWP Corporate image and requirements (Annexure E). Branding to be done in full colour. Specification with the exception of Correctional Services contracts where the participants top and bottom would be green.

9. Reporting

The Contractor's payment invoice shall be accompanied by labour information for the corresponding period in an EPWP reporting format (Annexure B). The completed EPWP reporting template should be accompanied by the following supporting documents:

- Contract of employment (Individual and/or Entity) once-off
- Certified South African ID copy (certification date not older than 3 months)once-off
- Attendance register of participants- periodically
- Proof of payment of participants- periodically
- Schedule of payment for SMMEs- periodically (N/A)

The Consultant shall, before certifying a contractor's payment certificate, ensure that contractor has submitted labour information in a format and timeframe specified by the employer.

If the information submitted by the contractor is inadequate the consultant shall not submit the payment certificate to the employer for payment. If the contractor chooses to delay submitting payment invoices, labour information shall still be submitted as per frequency and timeframe stipulated by the Employer. The contractors invoice shall not be paid until all pending labour information has been submitted.

10.02 PROVISION OF EPWP DESIGNED OVERALLS, HARD HATS TO YOUTH WORKERS (NYS) AS WELL AS ONE PAIR OF SAFETY BOOTS.

10.02.01	PPE for local labour: Supply 1 x full overall and 1 pair of safety boots to each local labour
	RUnit: PC .Sum
	Amount carried forward to summary: R



OCCUPATIONAL HEALTH AND SAFETY

HEALTH & SAFETY SPECIFICATIONS

FOR

PROJECTS AND MAINTENANCE (BUILDING/ELECTRICAL/MECHANICAL)

MANAGED ON BEHALF OF

THE DEPARTMENT OF PUBLIC WORKS

(THE "CLIENT")

PROJECT: KIMBERLEY AND SURROUNDING AREAS: MAINTENANCE, REPAIRS, SERVICING OF HIGH TENSION EQUIPMENT AND LOW VOLTAGE INSTALLATION: 24 MONTHS TERM CONTRACT FOR VARIOUS CLIENTS

SUPERVISION BY THE DEPARTMENT OF PUBLIC WORKS:

Mr/Ms/Me

- PROJECT MANAGER

		(Simiso Mbusi) (053 838 5228)
Mr/Ms/Me	-	HEALTH & SAFETY OFFICER (Ms W Khumalo) (053 838 5359)
Mr/Ms/Me	-	HEAD: FACILITY MANAGEMENT (Ms. A Xentsa) (053 838 5345)
Mr /Ms/Me	-	HEAD: REGIONAL MANAGER (Ms R Baulackey) (053 838 5202)
SUPERVISION BY TH	HE PRINC	CIPAL CONTRACTOR:
PRINCIPAL CONTRA	ACTOR:	
COIDA No.:	-	
UIF No.:	-	
Mr /Ms/Me		
	-	

CONTENTS

			PAGE
1.	PREAMBLE		4
2.	SCOPE OF HEALTH & SAFETY DOCUMENT		5
3.	PURPOSE		5
	DEFINITIONS		6
	OCCUPATIONAL HEALTH & SAFETY MANAGEMENT		8
	5.1 Structure & Organisation of OH&S Responsibilities	8	
	5.2 Communication & Liaison	9	
6.	INTERPRETATION		9
7.	RESPONSIBILITIES		9
	7.1 Client	9	
	7.2 Principal Contractor	10	
	7.3 Contractor	11	
8.	SCOPE OF WORK		13
	HEALTH AND SAFETY FILE		13
10.	OH&S GOALS & OBJECTIVES & ARRANGEMENTS FOR MO	ONITORING	
	& REVIEWING OH&S PERFORMANCE		13
11.	IDENTIFICATION OF HAZARDS & DEVELOPMENT OF RIS	K ASSESSMENTS,	
	STANDARD WORKING PROCEDURES (SWP) & METHOD ST	TATEMENTS	14
12.	ARRANGEMENTS FOR MONITORING AND REVIEW		14
	12.1 Monthly Audit by Client and/or its Agent on its behalf	14	
	12.2 Other Audits & Inspections	14	
	12.3 Reports	14	
	12.4 Review	15	
	12.5 Site Rules and other Restrictions	15	
	12.6 Training		
	12.7 Accident & Incident Investigation		
	12.8 H&S Representatives (SHE-Reps) & H&S Committees	17	10
	PROJECT/SITE SPECIFIC REQUIREMENTS		19
	THE PRINCIPAL CONTRACTOR'S GENERAL DUTIES		21
	THE PRINCIPAL CONTRACTOR'S SPECIFIC DUTIES	DECLED	21
16.		REGARD	-
	TO HAZARDOUS ACTIVITIES		21
	GENERAL NOTES TO THE PRINCIPAL CONTRACTOR		22
	HOUSE KEEPING		22
	LOCKOUT SYSTEMS		23
	INCIDENT INVESTIGATION		23
	GENERAL		23
22	IMPORTANT CONTACT DETAILS (HEALTH & SAFETY ON	Y) (attached)	24

ATTACHMENTS:

IMPORTANT CONTACT DETAILS (HEALTH & SAFETY ONLY)

1. PREAMBLE

In terms of Construction Regulation 4(1)(a) of the Occupational Health and Safety Act, 1993 (Act 85 of 1993), the Department of Public Works, as the Client and/or its Agent on its behalf, shall be responsible to prepare Health & Safety Specifications for any intended construction project and provide any Principal Contractor who is making a bid or appointed to perform construction work for the Client and/or its Agent on its behalf with the same.

The Client's further duties are as described in The Act and the Regulations made there-under. The Principal Contractor shall be responsible for the Health & Safety Policy for the site in terms of Section 7 of the Act and in line with Construction Regulation 5 as well as the Health and Safety Plan for the project.

This 'Health and Safety Specifications' document is governed by the "Occupational Health and Safety Act, 1993 (Act No. 85 of 1993), hereinafter referred to as 'The Act'. Notwithstanding this, cognisance should be taken of the fact that no single Act or its set of Regulations can be read in isolation. Furthermore, although the definition of Health and Safety Specifications stipulates 'a documented specification of all health and safety requirements pertaining to associated works on a construction site, so as to ensure the health and safety of persons', it is required that the entire scope of the Labour legislation, including the Basic Conditions of Employment Act be considered as part of the legal compliance system. With reference to this specification document this requirement is limited to all health, safety and environmental issues pertaining to the site of the project as referred to here-in. Despite the foregoing it is reiterated that environmental management shall receive due attention.

Due to the wide scope and definition of construction work, every construction activity and site will be different, and circumstances and conditions may change even on a daily basis. Therefore, due caution is to be taken by the Principal Contractor when drafting the Health and Safety Plan based on these Health and Safety Specifications. Prior to drafting the Health and Safety Plan, and in consideration of the information contained here-in, the contractor shall set up a Risk Assessment Program to identify and determine the scope and details of any risk associated with any hazard at the construction site, in order to identify the steps needed to be taken to remove, reduce or control such hazard. This Risk Assessment and the steps identified will be the basis or point of departure for the Health and Safety Plan. The Health and Safety Plan shall include documented 'Methods of Statement' (see definitions under Construction Regulations) detailing the key activities to be performed in order to reduce as far as practicable, the hazards identified in the Risk Assessment.

The Department of Public Works is tasked to provide accommodation and operational facilities to a very large proportion of the approximate 40 National Departments responsible for the governance of the Department of Public Works. A very large number of State employees and public users of the facilities and the services provided there-in directly interacts with the facilities provided by the well-being, health and safety of a great number of people. This Department thus has directly or indirectly, an impact on the Republic of South Africa as well as the National Parliament.

In this a high premium is to be placed on the health and safety of the most valuable assets of the Department of Public Works. These are its personnel, the personnel of its Clients and the physical assets of which it is the custodian and may also include the public as well. The responsibilities the Department and relevant stakeholders have toward its employees and other people present in the facilities or on the sites are captured further in this specification document. These responsibilities stem from both moral, civil and a variety of legal obligations. The Principal Contractor is to take due cognisance of the above statement.

Every effort has been made to ensure that this specification document is accurate and adequate in all respects. Should it however, contain any errors or omissions they may not be considered as grounds for claims under the contract for additional reimbursement or extension of time, or relieve the Principal Contractor from his responsibilities and accountability in respect of the project to which this specification document pertains. Any such inaccuracies, inconsistencies and/or inadequacies must immediately be brought to the attention of the Agent and/or Client.

2. SCOPE OF HEALTH AND SAFETY SPECIFICATION DOCUMENT

The Health and Safety Specifications pertaining to the project; "(Kimberley Area: Service and Repairs of Cold and Freezer Room (12 Month))—cover the subjects contained in the index and is intended to outline the normal as well as any special requirements of the Department pertaining to the health and safety matters (including the environment) applicable to the project in question. These Specifications should be read in conjunction with the Act, the Construction Regulations and all other Regulations and Safety Standards which were or will be promulgated under the Act or incorporated into the Act and be in force or come into force during the effective duration of the project. The stipulations in this specification, as well as those contained in all other documentation pertaining to the project, including contract documentation and technical specifications shall not be interpreted, in any way whatsoever, to countermand or nullify any stipulation of the Act, Regulations and Safety Standards which are promulgated under, or incorporated into the Act.

3. PURPOSE

The Department is obligated to implement measures to ensure the health and safety of all people and properties affected under its custodianship or contractual commitments, and is further obligated to monitor that these measures are structured and applied according to the requirements of these Health and Safety Specifications. (All references to the singular shall also be regarded as references to the plural)

The purpose of this specification document is to provide the relevant Principal Contractor (and his /her contractor) with any information other than the standard conditions pertaining to construction sites which might affect the health and safety of persons at work and the health and safety of persons in connection with the use of plant and machinery; and to protect persons other than persons at work against hazards to health and safety arising out of or in connection with the activities of persons at work during the carrying out of construction work for the Department of Public Works. The Principal Contractor (and his /her contractor) is to be briefed on the significant health and safety aspects of the project and to be provided with information and requirements on inter alia:

- a) safety considerations affecting the site of the project and its environment;
- b) health and safety aspects of the associated structures and equipment;
- c) submissions on health and safety matters required from the Principal Contractor(and his /her contractor); and
- d) the Principal Contractor's (and his /her contractor) health & safety plan.

To serve to ensure that the Principal Contractor (and his /her contractor) is fully aware of what is expected from him/her with regard to the Occupational Health and Safety Act, 1993 (Act No. 85 of 1993) and the Regulations made there-under including the applicable safety standards, and in particular in terms of Section 8 of the Act.

To inform the Principal Contractor that the Occupational Health and Safety Act, 1993 (Act 85 of 1993) in its entirety shall apply to the contract to which this specification document applies. The Construction Regulations promulgated on 18 July 2003 and incorporated into the above Act by Government Notice R 1010, published in Government Gazette 25207 shall apply to any person involved in construction work pertaining to this project, as will the Act.

4. DEFINITIONS - The most important definitions in the Act and Regulations pertaining to this specification document are hereby extracted.

"Purpose of the Act" -

To provide for the health and safety of persons at work and the health and safety of persons in connection with the use of plant and machinery; the protection of persons other than persons at work against hazards to health and safety arising out of or in connection with the activities of persons at work; to establish an advisory council for occupational health and safety; and to provide for matters connected therewith.

"Agent" -

means any person who acts as a representative for a client;

"Client" -

means any person for whom construction work is performed;

"Construction Work" is defined as any work in connection with -

(a) the erection, maintenance, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure;

- (b) the installation, erection, dismantling or maintenance of a fixed plant where such work includes the risk of a person falling;
- (c) the construction, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or any similar civil engineering structure; or
- (d) the moving of earth, clearing of land, the making of an excavation, piling, or any similar type of work;

"Contractor" -

means an employer, as defined in Section 1 of the Act, who performs construction work and includes Principal Contractors;

"Health and Safety File" -

means a file, or other record in permanent form, containing the information required a contemplated in the regulations;

"Health and Safety Plan" -

means a documented plan which addresses hazards identified and includes safe work procedures to mitigate, reduce or control the hazards identified;

"Health and Safety Specification" -

means a documented specification of all health and safety requirements pertaining to the associated works on a construction site, so as to ensure the health and safety of persons;

"Method Statement" -

means a document detailing the key activities to be performed in order to reduce as reasonably as practicable the hazards identified in any risk assessment;

"Principal Contractor" -

means an employer, as defined in section 1 of the Act who performs construction work and is appointed by the client to be in overall control and management of a part of or the whole of a construction site;

"Risk Assessment" -

means a program to determine any risk associated with any hazard at a construction site, in order to identify the steps needed to be taken to remove, reduce or control such hazard.

5. OCCUPATIONAL HEALTH & SAFETY MANAGEMENT

5.1 Structure and Organisation of OH&S Responsibilities

5.1.1. Overall Supervision and Responsibility for OH&S

- * The Client and/or its Agent on its behalf to ensure that the Principal Contractor, appointed in terms of Construction Regulation 4(1)(c), implements and maintains the agreed and approved H&S Plan. Failure on the part of the Client or Agent to comply with this requirement will not relieve the Principal Contractor from any one or more of his/her duties under the Act and Regulations.
- * The Chief Executive Officer of the Principal Contractor in terms of Section 16 (1) of the Act to ensure that the Employer (as defined in the Act) complies with the Act. The proforma Legal Compliance Audit may be used for this purpose by the Principal Contractor or his/her appointed contractor.
- * All OH&S Act (85 /1993), Section 16 (2) appointee/s as detailed in his/her/their respective appointment forms to regularly, in writing, report to their principals on matters of health and safety per routine and ad hoc inspections and on any deviations as soon as observed, regardless of whether the observation was made during any routine or ad hoc inspection and to ensure that the reports are made available to the principal Contractor to become part of site records (Health & Safety File).
- * The Construction Supervisor and Assistant Construction Supervisor/s appointed in terms of Construction Regulation 6 to regularly, in writing, report to their principals on matters of health and safety per routine and ad hoc inspections and on any deviations as soon as observed, regardless of whether the observation was made during any routine or ad hoc inspection and to ensure that the reports are made available to the principal Contractor to become part of site records (Health & Safety File).
- * All Health and Safety Representatives (SHE-Reps) shall act and report as per Section 18 of the Act.

5.1.2. Further (Specific) Supervision Responsibilities for OH&S

Several appointments or designations of responsible and /or competent people in specific areas of construction work are required to ensure compliance to the Act, Regulations and Safety Standards.

5.2 Communication & Liaison

- 5.2.1 OH&S Liaison between the Employer, the Principal Contractor, the other Contractors, the Designer and other concerned parties shall be through the H&S Committee as per the procedures determined by the H&S Committee.
- 5.2.2 In addition to the above, communication may be directly to the Client or his appointed Agent, verbally or in writing, as and when the need arises.
- 5.2.3 Consultation with the workforce on OH&S matters will be through their Supervisors and H&S Representatives ('SHE Reps')
- 5.2.4 The Principal Contractor will be responsible for the dissemination of all relevant OH&S information to the other Contractors e.g. design changes agreed with the Client and/or its Agent on its behalf and the Designer, instructions by the Client and/or his/her agent, exchange of information between Contractors, the reporting of hazardous/dangerous conditions/situations etc.

6. INTERPRETATION

- (i) The Occupational Health and Safety Act and all its Regulations, with the exception of the Construction Regulations, distinguish between the roles, responsibilities and functions of employers and employees respectively. It views consultants and contractors as employees of the "owner" of a construction or operational project, the "owner" being regarded as the employer. Only if formally agreed to by way of the written agreement in this regard between the "owner(s)" and consultant and /or between the "owner(s)" and the contractor(s), will these assumptions be relinquished in favour of the position agreed upon between the relevant parties.
- The position taken by the Construction Regulations is that the "owner", in terms of its (ii) instructions, operates (has to operate) in the role of client as per relevant definition. contractors working for the "client" are seen to be in two categories, i.e. the Principal Contractor and Contractors. The Principal Contractor has to take full responsibility for the health and safety on the site of the relevant project / contract. This includes monitoring health and safety conditions and overseeing administrative measures required by the Construction Regulations from all contractors on the project site. (Ordinary / sub) Contractors are required to operate under the scrutiny and control (in terms of all health and safety measures which are covered in the Construction Regulations) of the Principal Contractor. Where, for the work the Principal Contractor will have to execute himself, practical health and safety measures are applicable, he will also be subject to the relevant requirements with which (ordinary / sub) Contractors have to comply. The Principal Contractor will, however, not have to actually fulfill such requirements in respect of any of the work / functions of any (ordinary / sub) Contractors on the site for which he has been appointed as Principal Contractor. However, he has to monitor / oversee such processes, ensuring that the requirements are complied with and that the required appointments / evaluations / inspections / assessments and tests are done and that the records are duly generated and kept as This has to feature clearly in the Principal prescribed in the Construction Regulations. Contractor's Health and Safety Plan.

7. RESPONSIBILITIES

7.1 Client

- 7.1.1 The Client or his appointed Agent on his behalf will appoint each Principal Contractor for this project or phase/section of the project in writing for assuming the role of Principal Contractor as intended by the Construction Regulations and determined by the Bills of Quantities.
- 7.1.2 The Client or his appointed Agent on his behalf shall discuss and negotiate with the Principal Contractor the contents of the health and safety plan of the both Principal Contractor and Contractor for approval.
- 7.1.3 The Client or his appointed Agent on his behalf, will take reasonable steps to ensure that the health and safety plan of both the Principal Contractor and Contractor is implemented and maintained. The steps taken will include periodic audits at intervals of at least once every month.
- 7.1.4 The Client or his appointed Agent on his behalf, will prevent the Principal Contractor and/or the Contractor from commencing or continuing with construction work should the Principal Contractor and/or the Contractor at any stage in the execution of the works be found to:
 - have failed to have complied with any of the administrative measures required by the Construction Regulations in preparation for the construction project or any physical preparations necessary in terms of the Act;
 - have failed to implement or maintain their health and safety plan;
 - have executed construction work which is not in accordance with their health and safety plan; or
 - act in any way which may pose a threat to the health and safety of any person(s) present on the site of the works or in its vicinity, irrespective of him/them being employed or legitimately on the site of the works or in its vicinity.

7.2 Principal Contractor

- 7.2.1 The Principal Contractor shall accept the appointment under the terms and Conditions of Contract. The Principal Contractor shall sign and agree to those terms and conditions and shall, before commencing work, notify the Department of Labour of the intended construction work in terms of Regulation 3 of the Construction Regulations. Annexure B of this Specification contains a "Notification of Construction Work" form. The Principal Contractor shall submit the notification in writing prior to commencement of work and inform the Client or his Agent accordingly.
- 7.2.2 The Principal Contractor shall ensure that he is fully conversant with the requirements of this Specification and all relevant health and safety legislation. This Specification is not intended to supersede the Act nor the Construction Regulations or any part of either. Those sections of the Act and the Construction Regulations which apply to the scope of work to be performed by the

Principal Contractor in terms of this contract (entirely or in part) will continue to be legally required of the Principal Contractor to comply with. The Principal Contractor will in no manner or means be absolved from the responsibility to comply with all applicable sections of the Act, the Construction Regulations or any Regulations proclaimed under the Act or which may perceivable be applicable to this contract.

- 7.2.3 The Principal Contractor shall provide and demonstrate to the Client a suitable and sufficiently documented health and safety plan based on this Specification, the Act and the Construction Regulations, which shall be applied from the date of commencement of and for the duration of execution of the works. This plan shall, as appendices, include the health and safety plans of all Sub-contractors for which he has to take responsibility in terms of this contract.
- 7.2.4 The Principal Contractor shall provide proof of his registration and good standing with the Compensation Fund or with a licensed compensation insurer prior to commencement with the works.
- 7.2.5 The Potential Principal Contractor shall, in submitting his tender, demonstrate that he has made provision for the cost of compliance with the specified health and safety requirements, the Act and Construction Regulations. (Note: This shall have to be contained in the conditions of tender upon which a tenderer's offer is based.)
- 7.2.6 The Principal Contractor shall consistently demonstrate his competence and the adequacy of his resources to perform the duties imposed on the Principal Contractor in terms of this Specification, the Act and the Construction Regulations.
- 7.2.7 The Principal Contractor shall ensure that a copy of his health and safety plan is available on site and is presented upon request to the Client, an Inspector, Employee or Sub-contractor.
- 7.2.8 The Principal Contractor shall ensure that a health and safety file, which shall include all documentation required in terms of the provisions of this Specification, the Act and the Construction Regulations, is opened and kept on site and made available to the Client or Inspector upon request. Upon completion of the works, the Principal Contractor shall hand over a consolidated health and safety file to the Client.
- 7.2.9 The Principal Contractor shall, throughout execution of the contract, ensure that all conditions imposed on his Sub-contractors in terms of the Act and the Construction Regulations are complied with as if they were the Principal Contractor.
- 7.2.10 The Principal Contractor shall from time to time evaluate the relevance of the Health and Safety Plan and revise the same as required, following which revised plan shall be submitted to the Client and/or his/her Agent for approval.
- 7.3 **Contractor** (Responsibilities of in terms of this contract and health and safety specification)

As per 7.2 above, as and where applicable or as indicated in the letter of appointment.

8. SCOPE OF WORK (also refer to paragraph 2 on page 5)

These specifications are applicable to the specific scope of work pertaining to the above-mentioned project as detailed in the tender documents, this amongst all includes:

8.1 maintenance and repairs of low voltage: 24 months term contract for various clients (See attached scope of Work).

(Elaborate sufficiently and provide adequate information to give full understanding of all work to be done)

[Notes to the Client, Designer, Project Manager, Architect, Agent:

add references to the above project and include specific elements identified as the 'Critical Few'. The 'Critical Few' refer to those few or singular elements of the project that have the potential to impact in a major or devastating way on the project as a whole in the event of an accident or incident occurring. (20:80 principle)

Because of the inherent generic nature of the Health and Safety Specifications document, specific relevant information on the project must be provided and it may be necessary to draft the required information under this paragraph on a separate attached document.

If at any time after commencement of the project changes are brought about to the design or construction, sufficient health and safety information and appropriate resources are to be made available to the Principal Contractor to execute the work safely.]

N.B Construction Regulation 5(3)(g) determines that potential contractors submitting tenders have made provision for the cost of health and safety measures during the construction process. The Principal Contractor shall on tendering make provision for the cost of health and safety measures in terms of his/her documented Health and Safety Plan and measures based on these Health and Safety Specifications during the period of the project. The cost shall be duly quantified and clearly identified for such identifiable purpose.

THE HEALTH AND SAFETY PLAN IS THEREFORE TO BE INCLUDED WITH THE TENDER DOCUMENTS WHEN TENDERS ARE INVITED FOR THE PROJECT.

9. HEALTH AND SAFETY FILE

The Principal Contractor must, in terms of Construction Regulation 5(7), keep a Health & Safety File on site at all times that must include all documentation required in terms of the Act and Regulations and must also include a list of all Contractors on site that are accountable to the Principal Contractor and the agreements between the parties and details of work being done. A more detailed list of documents and other legal requirements that must be kept in the Health and Safety File is attached as an addendum to this document.

IMPORTANT:

The Health and Safety File will remain the property of the Client and/or its Agent on its behalf throughout the period of the project and shall be consolidated and handed over to the Client and/or its Agent on its behalf at the time of completion of the project.

10. OH&S GOALS AND OBJECTIVES AND ARRANGEMENTS FOR MONITORING AND REVIEWING OH&S PERFORMANCE

The Principal Contractor is required to maintain an acceptable disabling incident frequency rate (DIFR) and report on this to the Client and/or its Agent on its behalf on a monthly basis.

11. IDENTIFICATION OF HAZARDS AND DEVELOPMENT OF RISK ASSESSMENTS, STANDARD WORKING PROCEDURES (SWP) AND METHOD STATEMENTS

The Principal Contractor is required to develop Risk Assessments, Standard Working Procedures (SWP) and Method Statements for each activity executed in the contract or project (see 4. below "Project/Site Specific Requirements")

The identification of hazards is over and above the hazards identification programme and those hazards identified during the drafting of the Health and Safety Plan.

12. ARRANGEMENTS FOR MONITORING AND REVIEW

12.1 Monthly Audit by Client and/or its Agent on its behalf

The Client and/or its Agent on its behalf will be conducting Periodic Audits at times agreed with the Principal Contractor Audit to comply with Construction Regulation 4(1)(d) to ensure that the principal Contractor has implemented, is adhering to and is maintaining the agreed and approved OH&S Plan.

12.2 Other audits and inspections by client and/or its agent on its behalf.

The Client and/or its Agent on its behalf reserves the right to conduct any other ad hoc audits and inspections as it and/or its Agent on its behalf deem necessary.

A representative of the Principal Contractor and the relevant Health and Safety Representative(s) (SHE-Reps) must accompany the Client and/or its Agent on its behalf on all Audits and Inspections and may conduct their own audit/inspection at the same time. Each party will, however, take responsibility for the results of his/her own audit/inspection results. The Client and/or its Agent on its behalf may require to be handed a copy of the minutes of the previous Health and Safety Committee meeting reflecting possible recommendations made by that committee to the Employer for reference purposes.

12.3 Reports

- 12.3.1 The Principal Contractor shall report all incidents where an employee is injured on duty to the extent that he/she:
- * dies
- becomes unconscious
- * loses a limb or part of a limb
- * is injured or becomes ill to such a degree that he/she is likely either to die or to suffer a permanent physical defect or likely to be unable for a period of at least 14 days either to work or continue with the activity for which he/she was usually employed

OR where:

- * a major incident occurred
- * the health or safety of any person was endangered
- * where a dangerous substance was spilled
- * the uncontrolled release of any substance under pressure took place
- * machinery or any part of machinery fractured or failed resulting in flying, falling or uncontrolled moving objects
- * machinery ran out of control,

to the Provincial Director of the Department of Labour within seven days and at the same time to the Client and/or its Agent on its behalf.

Refer in this regard to Section 24 of the Act & General Administrative Regulation 8.

- 12.3.2 The Principal Contractor is required to provide the Client and/or its Agent on its behalf with copies of all statutory reports required in terms of the Act and the Regulations.
- 12.3.3 The Principal Contractor is required to provide the Client and/or its Agent on its behalf with a monthly "SHE Risk Management Report".
- 12.3.4 The Principal Contractor is required to provide a.s.a.p. the Client and/or its Agent on its behalf with copies of all internal and external accident/incident investigation reports including the reports contemplated in 12.7, 12.8.2, 15, 16, 17, 21 and 22 below. As soon as the occurrence of any accident/incident of whatever nature comes to the notice of the Principal Contractor, it shall be reported immediately to any of the following:
- * S. Mbusi (Project Manager) 053 838 5228
- W. Khumalo (Health and Safety Officer) 053 838 5359

12.4 Review

The Principal Contractor is to review the Hazard Identification, Risk Assessments and Standard Work Processes at each Production Planning and Progress Report meeting as the construction work develops and progresses and each time changes are made to the designs, plans and construction methods and processes.

The Principal Contractor must provide the Client and/or its Agent on its behalf, other Contractors and all other concerned parties with copies of any changes, alterations or amendments as contemplated in the above paragraph.

12.5 Site Rules and other Restrictions

12.5.1 Site OH&S Rules

The Principal Contractor must develop a set of site-specific OH&S rules that will be applied to regulate the Health and Safety Plan and associated aspects of the construction.

When required for a site by law, visitors and non-employees upon entering the site shall be issued with the proper Personal Protective Equipment (PPE) as and when necessary.

12.5.2 Security Arrangements

The Principal Contractor must establish site access rules and implement and maintain these throughout the construction period. Access control must include the rule that non-employees shall at all times be provided with fulltime supervision while on site.

The Principal Contractor must develop a set of Security rules and procedures and maintain these throughout the construction period.

If not already tasked to the H&S Officer appointed in terms of Construction Regulation 6(6), the Principal Contractor must appoint a competent Emergency Controller who must develop contingency plans for any emergency that may arise on site as indicated by the risk assessments. These must include a monthly practice/testing programme for the plans e.g. January: trench collapse, February: flooding etc. and practiced/tested with all persons on site at the time, participating.

12.6 Training

The contents and syllabi of all training required by the Act and Regulations including any other related or relevant training as required must be included in the Principal Contractor's Health and Safety Plan and Health and Safety File.

12.6.1 General Induction Training

All employees of the Principal and other Contractors must be in possession of proof of General Induction training

12.6.2 Site Specific Induction Training

All employees of the Principal and other Contractors must be in possession of Site Specific Occupational Health and Safety Induction or other qualifying training.

12.6.3 Other Training

All operators, drivers and users of construction vehicles, mobile plant and other equipment must be in possession of valid proof of training.

All employees in jobs requiring training in terms of the Act and Regulations must be in possession of valid proof of training as follows:

Occupational Health and Safety Training Requirements: (as required by the Construction Regulations and as indicated by the Health and Safety Specification Document & the Risk Assessment/s and recommendations by the Health and Safety Committee):

- * General Induction (Section 8 of the Act)
- * Site/Job Specific Induction (also visitors) (Sections 8 & 9 of the Act)
- * Site/Project Manager
- * Construction Supervisor
- * OH&S Representatives (Section 18 (3) of the Act)
- * Training of the Appointees indicated in 12.6.1 & 12.6.2 above
- * Operation of Cranes (Driven Machinery Regulations 18 (11)
- * Operators & Drivers of Construction Vehicles & Mobile Plant (Construction Regulation 21)
- * Basic Fire Prevention & Protection (Environmental Regulations 9 and Construction Regulation 27)
- * As a minimum basic First Aid to be upgraded when necessary (General Safety Regulations 3)
- * Storekeeping Methods & Safe Stacking (Construction Regulation 26)
- * Emergency, Security and Fire Co-ordinator

12.7 Accident and Incident Investigation

The Principal Contractor is responsible to oversee the investigation of all accidents/incidents where employees and non-employees were injured to the extent that he/she/they had to receive first aid or be referred for medical treatment by a doctor, hospital or clinic. (General Administrative Regulation 9)

The results of the investigation to be entered into the Accident/Incident Register listed above. (General Administrative Regulation 9)

The Principal Contractor is responsible for the investigation of all non-injury incidents as described in Section 24 (1) (b) & (c) of the Act and keeping a record of the results of such investigations including the steps taken to prevent similar incidents in future.

The Principal Contractor is responsible for the investigation of all road traffic accidents relating to the construction site and keeping a record of the results of such investigations including the steps taken to prevent similar accidents in future.

Notwithstanding the requirements of Section 24 of the Act, ALL incidents shall be investigated and reported on in writing, irrespective of whether such incident gave rise to injury or damage.

12.8 H&S Representatives (SHE-Reps – 'safety, health & environment') and H&S Committees

12.8.1 Designation of H&S Representatives ('SHE - Reps')

Where the Principal Contractor employs more that 20 persons (including the employees of other Contractors (sub-contractors) he has to appoint one H&S Representatives for every 50 employees or part thereof. (Section 17 of the Act and General Administrative Regulation 6. & 7.)

H&S Representatives have to be designated in writing and the designation shall be in accordance with the Collective Agreement as concluded between the parties as is required in terms of General Administration Regulation 6.

12.8.2 Duties and Functions of the H&S Representatives

The Principal Contractor must ensure that the designated H&S Representatives conduct at least a weekly inspection of their respective areas of responsibility using a checklist and report thereon to the Principal Contractor, after which these reports shall be consolidated for submission to the Health and Safety Committee.

H&S Representatives must be included in and be part of accident/incident investigations.

H&S Representatives shall be members of at least one H&S Committee and must attend all meetings of that H&S committee.

12.8.3 Establishment of H&S Committee(s)

The Principal Contractor must establish H&S Committees consisting of designated H&S Representatives together with a number of Employers Representatives appointed as per Section 19(3) that are not allowed to exceed the number of H&S Representatives on the committee. The persons nominated by the employer on a H&S Committee must be designated in writing for such period as may be determined by him. The H&S Committee shall co-opt advisory (temporary) members and determine the procedures of the meetings including the chairmanship.

The H&S Committee must meet minimum monthly and consider, at least, the following Agenda for the first meeting. Thereafter the H&S Committee shall determine its own procedures as per the previous paragraph.

Agenda:

- 1) Opening and determining of chairmanship (only when necessary)
- 2) Minutes of Previous Minutes
- 3) Observations
- 4) Program and Safety considerations
- 5) Hygiene
- 6) Housekeeping improvement
- 7) Incidents & Accidents / Injuries
- 8) Registers:

- a H&S Rep. Inspections
- b. Matters of First Aid
- f. Portable Electric Equipment
- g. Fire Equipment
- i. Power Hand tools
- j. Incident! Report Investigation
- k. Pressure Vessels
- 1. Personal Protective Equipment
- 9) Safety performance Evaluations
- 10) Education & Safety promotion program
- 11) First Aid Officials and training in First Aid
- 12) Demarcation of work-/hazardous-/safe areas/walkways
- 13) Posters and signage
- 14) Environmental preservation and conservation
- 15) Specific training programmes
- 16) General
- 17) Date of Next Meeting
- 18) Closing

13. PROJECT/SITE SPECIFIC REQUIREMENTS

The following is a list of specific activities and considerations that have been identified for the project and site and for which Risk Assessments, Standard Working Procedures (SWP), management and control measures and Method Statements (where necessary) have to be developed by the Principal Contractor:

- * Clearing & Grubbing of the Area/Site
- * Site Establishment including:
 - o Office/s
 - O Secure/Safe Storage and storage areas for materials, plant & equipment
 - o Ablution facilities
 - o Sheltered dining area
 - Vehicle access to the site
- Dealing with existing Structures.
- Location of existing Services
- * Installation & Maintenance of Temporary Construction Electrical Supply, Lighting and Equipment
- * Adjacent Land uses/Surrounding property exposures
- * Boundary & Access control/Public Liability Exposures (Remember: the Employer is also responsible for the OH&S of non-employees affected by his/her work activities.)
- * Health risks arising from neighboring as well as own activities and from the environment e.g. threats by dogs, bees, snakes, lightning, allergies etc.
- * Exposure to Noise
- * Exposure to Vibration
- * Protection against dehydration and heat exhaustion
- * Protection from wet & cold conditions
- * Dealing with HIV/Aids and other diseases as per specific programme provided by the client and/or its Agent on its behalf
- * Use of Portable Electrical Equipment including:
 - o Angle grinder
 - o Electrical Drilling machine

- o Skill saw
- * Welding including:
 - o Arc Welding
 - o Gas welding
 - o Flame Cutting
 - o Use of LP Gas torches and appliances
- Loading & Offloading of Equipment
- * Aggregate/Sand and other Materials Delivery
- * Manual and Mechanical Handling
- * Lifting and Lowering Operations
- * Use and Storage of Flammable Liquids and other Hazardous Substances the client and/or its Agent on its behalf to be informed of this prior to commencing of the project
- Layering and Bedding of trench floor
- * Installation of Pipes in trenches
- Backfilling of Trenches
- Protection against Flooding
- * Gabion work
- * Use of Explosives the client and/or its Agent on its behalf to be informed of this prior to commencing of the project
- * Protection from Overhead Power Lines
- * As discovered by the Principal Contractor's hazard identification exercise
- * As discovered from any inspections and audits conducted by the Client and/or its Agent on its behalf or by the Principal Contractor or any other Contractor on site
- * As discovered from any accident/incident investigation.

13.1 The following are in particular requirements depending on scope of works and will form a basis for compliance audits.

- 1. Administrative & Legal Requirements
- 2. Education, Training & Promotion
- 3. Public Safety & Emergency Preparedness
- 4. Personal Protective Equipment
- 5. Housekeeping
- 6. Scaffolding, Formwork & Support work
- 7. Ladders
- 8. Electrical Safeguarding
- 9. Emergency/Fire Prevention & Protection
- 10. Excavations & Demolition
- 11. Tools
- 12. Cranes
- 13. Personnel & Material Hoists
- 14. Transport & Materials Handling
- 15. Site Plant & Machinery
- 16. Plant & Storage Yards/Site Workshops Specifics
- 17. Health & Hygiene

14. THE PRINCIPAL CONTRACTOR'S GENERAL DUTIES

The Principal Contractor shall at all times ensure his status of an "employer" as referred to in the Act, and will abide by his/her responsibilities, duties and functions as per the requirements of the Act and Regulations with specific reference to Section 8 of the Act.

The Principal Contractor shall keep, and on demand make available, a copy of the Act on site at all times and in addition to that he/she will introduce and maintain a file titled "Health and Safety File", or other record in permanent form, which shall contain all relevant aspects and information as contemplated in the Construction Regulations. He/she will make this file available to the client or his representative whenever necessary or on request to an interested party.

15. THE PRINCIPAL CONTRACTOR'S SPECIFIC DUTIES

The Principal Contractor's specific duties in terms of these specifications are detailed in the Construction Regulations as published under government notice No.R1010 dated 18 July 2003.

The Principal Contractor is specifically referred to the following elements of the Construction Regulations:

Regulation No. 1 - Definitions

Regulation No. 2 - Scope of application

Regulation No. 3 - Notification of construction work

Regulation No. 5 - Principal Contractor and Contractor

Regulation No. 6 - Supervision of construction work

Regulation No. 7 - Risk Assessment

Regulation No. 26 - Stacking & Storage on construction sites

Regulation No. 28 - Construction welfare facilities

Regulation No. 29 - Approved Inspection authorities

Regulation No. 30 - Offences and penalties

This list must not be taken to be exclusive or exhaustive!

The Principal Contractor shall ensure compliance to the Act and its Regulations and specifically to the above regulations, and document each record in the Health and Safety File.

16. THE PRINCIPAL CONTRACTOR'S SPECIFIC RESPONSIBILITIES WITH REGARD TO HAZARDOUS ACTIVITIES

The following activities are identifiable as hazardous in terms of the Construction Regulations.

The contractor shall execute the activities in accordance with the following Construction Regulations and other applicable regulations of the Act:

Regulation No. 20	- Cranes
Regulation No. 21	- Construction vehicles & mobile plant.
Regulation No. 22	- Electrical installations and machinery on construction sites
Regulation No. 23	 Use and temporary storage of flammable liquids on construction sites
Regulation No. 24	- Water environments
Regulation No. 25	- Housekeeping on construction sites
Regulation No. 27	- Fire precautions on construction sites.

This list must not be taken to be exclusive or exhaustive!

All of the above requirements will be read in conjunction with the relevant regulations and health and safety standards as required by the Act. All documents and records required by the Construction Regulations will be kept in the Health and Safety File and will be made available at any time when required by the client or his representative, or on request to an interested party.

17. GENERAL NOTES TO THE PRINCIPAL CONTRACTOR

Legal Liabilities

Common Law and Legislation

Based on two main criteria -

- Would the reasonable person have foreseen the hazard?
 That is a reasonable person in that specific position, taking experience, qualifications, authority, position in the organization etc. into consideration
- Would the reasonable person have taken precautionary measures (action) to prevent or limit the hazard?

Negligence can be proven on failure on <u>any</u> or <u>both</u> of the above criteria (There may not necessarily be a relationship between criminal and civil liability!)

18. HOUSE KEEPING

Good housekeeping will be maintained at all times as per Construction Regulation No. 25. Poor housekeeping contributes to three major problems, namely, costly or increased accidents, fire or fire hazards and reduction in production. Good housekeeping will enhance production time.

Particular emphasis is to be placed on the following crucial elements of a construction site:

- Phase priorities and production/plant layout
- Enclosures
- Pits, openings and shoring
- Storage facilities
- Effective, sufficient and maintained lighting or illumination

- Principal sources of injuries e.g. stairways, runways, ramps, loose building material
- Oil, grease, water, waste, rubble, glass, storm water
- Colour coding
- Demarcations
- Pollution
- Waste disposal
- Ablution and hygiene facilities
- First aid

This list must not be taken to be exclusive or exhaustive!

In promotion of environmental control all waste, rubble, scrap etc, will be disposed of at a registered dump site and records will be maintained. Where it is found to be impractical to use a registered dump site or it is not available, the Principal Contractor will ensure that the matter is brought to record with the client or his representative, after which suitable, acceptable alternatives will be sought and applied.

Dross and refuse from metals, and waste matters or by-products whose nature is such that they are poisonous or capable of fermentation, putrefaction or constituting a nuisance shall be treated or disposed of by methods approved of by an inspector.

NOTE: No employer (Principal Contractor) shall require or permit any person to work at night or after hours unless there is adequate, suitable artificial lighting including support services in respect of Health and Safety.

19. LOCKOUT SYSTEMS - ELECTRICAL!

A system of control shall be established in order that no unauthorized person can energize a circuit, open a valve, or activate a machine on which people are working or doing maintenance, even if equipment, plant or machinery is out of commission for any period, thus eliminating injuries and damage to people and equipment as far as is reasonably practicable.

Physical/mechanical lock-out systems shall be part of the safety system and included in training. Lockouts shall be tagged and the system tested before commencing with any work or repairs.

20. INCIDENT INVESTIGATION

Inspection and reporting is the best way in which a responsible contractor can control his area of responsibility. All incidents therefore, irrespective of whether it gave rise to loss, injury, damage or not, shall be investigated and the results recorded in the Health and Safety File. (attached GAR 9)

21. GENERAL

The project under control of the Principal Contractor shall be subject to periodic health and safety audits that will be conducted by the client at intervals agreed upon between the Principal Contractor and the client, provided such intervals will not exceed periods of one month. The Principal Contractor is to ensure that he/she and all persons under his control on the construction site shall adhere to the above specifications, as non-conformance will lead to the client taking action as directed by Construction Regulation 4.1(e). The Principal Contractor should note that he/she shall be held liable for any anomalies including costs and resulting deficiencies due to delays caused by non-conformance and/or non-compliance to the above Health and Safety Specifications and the Health and Safety Plan based on these specifications.

22. IMPORTANT CONTACT DETAILS (HEALTH & SAFETY ONLY) (Document attached)



IMPORTANT CONTACT DETAILS - HEALTH & SAFETY ONLY

IMPORTANT CONTACT DETAILS

(FOR HEALTH & SAFETY ASPECTS ONLY)

The contractor is to add all the important contact information about essentials services, support and assistance.

	SERVICE	NUMBER	CONTACT PERSON
	Hospital		
000	Ambulance		
	Water Electricity		
C	Police		
	Fire Brigade		
The state of the s	Engineer		

ADD OTHER IMPORTANT HEALTH & SAFETY CONTACT DETAILS AS MAY BE FOUND NECESSARY.



PG-03.1 (EC) SITE INFORMATION - GCC (2010) 2nd Edition 2010

Project title:	KIMBERLEY AND SURROUNDING AREAS: MAINTENANCE, REPAIRS, SERVICING O ect title: HIGH TENSION EQUIPMENT AND LOW VOLTAGE INSTALLATION: 24 MONTHS TERM CONTRACT FOR VARIOUS CLIENTS				
Tender no:	ID:164103 /A	WCS no:	ID:164103/A	Reference no:	19/2/4/2/2/2022-2024

C4 Site Information

The main town of the maintenance is Kimberley, Northern Cape, South Africa, therefore main site office should be erected at Kimberley town.

99% of the facilities are accessible via tarred road

Properties According to the Area

SAPS	DOJ	DCS	SANDF	HOME AFFAIRS
		RROUNDING A	REAS	
Barkley West x2	Barkley	Barkley		
Boetsap				
Windsorton				
Warrenton x2	Warrenton			
Jan Kemp			Jan Kemp	
Hartswater	Hartswater			
Pampierstad	Pampierstad			Pampierstad
Kgomotso				
Douglas	Douglas	Douglas		
Prieska	Prieska			
Medderriver				
Plooysburg				
	P	(IMBERLEY AR	EA	
	NPO(Magistrate)			
Livestock				
Transvaal				
HRD(De Beers)				
Gladstone(De Beers)				
	High Court			
Garage				
	Galeshewe Court			
Kagisho				
CSC				
Roodepan				
		Old Prison		
		Tswelopele		
			3 Sai	
			Diskobolos 10AA	
			shop with SAPS	
	Willian	n Humphreys Art	Gallery	