



public works
& infrastructure

Department:
Public Works and Infrastructure
REPUBLIC OF SOUTH AFRICA

BID DOCUMENT

FOR

**REPLACEMENT AND UPGRADING OF HEAT
PUMP INSTALLATION
AT**

**KIMBERLEY TSWELOPELE CORRECTIONAL
CENTRE**

NORTHERN CAPE PROVINCE

DEPARTMENT OF PUBLIC WORKS
KIMBERLEY REGIONAL OFFICES
PRIVATE BAG X5002
KIMBERLEY
8300

PROJECT MANAGER:

JP MARAIS

SEPTEMBER 2022

DPWI Scam Alert!

The Department of Public Works and Infrastructure (DPWI) would like to once again warn members of the public and service providers about a scam doing rounds using personal details of DPWI staff members to scam the public.

Members of the public and those who are doing business with DPWI are cautioned to be extra vigilant around this time of the lockdown, whereby unscrupulous people use any available opportunity to scam them.

If anyone receives such an invitation purporting to be from any staff member, please verify with DPWI by calling the following officials;

Ms Wendy Khumalo

Telephone number: 053 8385359

Email: Wendy.Khumalo@dpw.gov.za

Ms Gail Aysen

Telephone number – 053 8385221

Email – Gail.Aysen@dpw.gov.za



SERVICE PROVIDER DOCUMENT COMPLETION GUIDE: WHAT TO AVOID AND/OR REMEMBER WHEN COMPLETING THESE TENDER DOCUMENTS.

1. **PA - 32 INVITATION TO BID** – the total bid price calculated on the bill of quantities and/or PA 30.1 **MUST** be transferred to the PA-32 form and completed at the bottom right corner.
2. **DPW – 07 FORM OF OFFER AND ACCEPTANCE** – the total bid price calculated on the bill of quantities should be carried over from the bill of quantities (BOQ) to DPW-07 in both numerical and in words format. It should be noted that should there be a price difference between numeric value offer and the offer in words, the offer in words shall prevail.
3. **PA – 36 DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTOR** – ensure that you read the guidelines included in the bid documents for clarification of the document to be completed, critical areas to complete

3.1. Par 3

Does any portion of the goods or services offered
have any imported content?

(Tick applicable box)

YES		NO	
-----	--	----	--

If yes is indicated above, please complete the appropriate currency and rate of exchange for the specific currency

3.2. Local Content Declaration:

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

On the above table extracted from PA-36 input the summary as calculated in Annexure C of the bid document

⬇ Bid Price, excluding VAT (y) – transfer price from **C20 Total Tender Value**

⬇ Imported content (x), as calculated in terms of SATS 1286:2011 – transfer from **C23 Total Imported Content** (If applicable)



public works
& infrastructure

Department:
Public Works and Infrastructure
REPUBLIC OF SOUTH AFRICA

- ✚ Stipulated minimum threshold – **refer to Annexure C if more than 1 designated item**
- ✚ Local content % - **refer to Annexure C if more than 1 designated item**

NB: Bidders should complete PA 36 and Annexure C fully and accurately, where bidder indicates exemption by inputting values on column C11, C12 C18 and C21 please ensure that a letter of exemption approval is attached on the bid document as approved by the DTIC. If there is no approval then these columns should be left blank.

Please note: both the PA 36 and Annexure C are to be signed by bidder and submitted before closure of RFQ or RFT

4. **PA - 11 BIDDERS DISCLOSURE** – declare any related company interest (where you have controlling interest) including those reflecting on the **CSD report** under each director/member of your company (*if, tick YES on point 2.3. Furnish the details on 2.3.1*).
5. **PA - 16 PREFERENCE POINTS CLAIM FORM** – should be completed in full, BBBEE status level of contribution claimed indicated in sec 6, 1.1 according to the entities BBBEE Level (i.e. for 80/20, Level 1 = 20 points, indicate 20 as maximum claimed).
6. **ORIGINAL OR CERTIFIED BBBEE SWORN AFFIDAVIT** - Ensure that the sworn affidavit is signed and dated in the presence of the Commissioner of Oaths. The date of the deponent and the commissioner must be the same date. **CIPC sworn affidavit** are preferred but not compulsory
7. **ORIGINAL OR CERTIFIED BBBEE CERTIFICATE** - must be issued by a SANAS accredited agency and all other required certificates must be issued by the relevant accredited agency. Please verify that the your certificate issuing providers are registered on SANAS to ensure your certificates are accredited www.sanas.co.za under accredited organizations
8. **PROCUREMENT COMPLIANCE FORMS** – all procurement compliance form **MUST** be fully completed and signed in ink.
9. **ERRORS ON THE BOQ** – Ensure correct and accurate carry-over of totals throughout the BOQ

Please ensure that you completely fill in the document, where not sure kindly contact this office for assistance, should you fail to submit a fully compliant document you may be rendered ***administratively non-responsive*** thus **disqualified** from further evaluation.

PA-09 (EC): LIST OF RETURNABLE DOCUMENTS

Project title:	Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps		
Tender / Quote no:	KIM 03/2022	Reference no:	19/2/4/2/2327/491
Receipt Number:			

1. RETURNABLE DOCUMENTS REQUIRED FOR TENDER EVALUATION PURPOSES

Note: Failure to submit the applicable documents will result in the tender offer being disqualified from further consideration.

Tender document name	Number of pages issued	Returnable document
Form of Offer and Acceptance (DPW-07 EC)	4 Pages	Yes
Declaration of Interest and Tenderer's Past Supply Chain Management Practices (PA-11)	4 Pages	Yes
Resolution of Board of Directors (PA-15.1) <i>(if applicable)</i>	1 Page	Yes
Resolution of Board of Directors to enter into Consortia or JV's (PA-15.2) <i>(if applicable)</i>	2 Pages	Yes
Special Resolution of Consortia or JV's (PA-15.3) <i>(if applicable)</i>	3 Pages	Yes
Preference points claim form in terms of the Preferential Procurement Regulations 2017 (PA – 16)	5 Pages	Yes
Certificate of independent Bid Determination (PA - 29)	4 Pages	Yes
Declaration Certificate for Local Production and Content for designated sectors (PA – 36 and Annexure/s C)	7 Pages	Yes
Fully completed Declaration of Designated Groups for Preferential Procurement (PA 40)	2 Pages	Yes
Registration on National Treasury's Central Supplier Database (CSD).	-	Yes
Particulars of Tenderer's Projects (DPW-09 EC)	2 Pages	Yes
Site Inspection Meeting Certificate (DPW-16 EC) <i>(if applicable)</i> .	1 Page	Yes
Record of attending compulsory virtual bid clarification / site inspection meeting <i>(if applicable)</i> .	1 Page	N/A
Record of Addenda to tender documents (DPW-21 EC)	1 Page	Yes
Site Inspection Meeting Certificate (DPW-16 EC) <i>(if applicable)</i>	1 Page	Yes
Proof of 30% Subcontracting participation and related documents in terms of the Preferential Procurement Regulations 2017 <i>(if applicable)</i> .	--	N/A

* In compliance with the requirements of the CIDB SFU Annexure G

Tender no: **KIM 03/2022**

2. ADDITIONAL RETURNABLE DOCUMENTS REQUIRED FOR TENDER EVALUATION PURPOSES

Note: Failure to submit the applicable documents will result in the Tenderer having to submit same upon request within a stipulated time and if not complied with, will result in the tender offer being disqualified from further consideration. [See also C.2.18 of the Standard Conditions of Tender]

Tender document name	Number of pages issued	Returnable document
Any <u>additional</u> information required to complete a risk assessment (<i>if applicable</i>)	-	Yes

3. RETURNABLE DOCUMENTS THAT WILL BE INCORPORATED INTO THE CONTRACT

Note: Failure to submit the applicable documents will result in the Tenderer having to submit same upon request within a stipulated time and if not complied with, will result in the tender offer being disqualified from further consideration. [See also C.2.18 of the Standard Conditions of Tender]

Tender document name	Number of pages issued	Returnable document
Schedule of proposed sub-contractors (DPW-15 EC) (<i>if applicable</i>)	1 Page	Yes
Particulars of Electrical Contractor (DPW-22 EC) (<i>if applicable</i>)	1 Page	Yes
Mechanical / Electrical / Security Work material and equipment schedules (<i>if applicable</i>)	- Pages	Yes
Schedule for Imported Materials and Equipment (DPW-23 EC) (<i>if applicable</i>)	1 Page	Yes

4. OTHER DOCUMENTS THAT WILL BE INCORPORATED INTO THE CONTRACT

(Insert a tick in the "Returnable document" column to indicate which documents must be returned with the tender)

Note: Failure to submit the applicable documents will result in the tender offer being disqualified from further consideration.

Tender document name	Number of pages issued	Returnable document
Priced Bills of Quantities / Lump Sum Document (complete document inclusive of all parts)	6 Pages	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Fully priced and completed sectional summary- and final summary pages with the tender.	Pages	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	Pages	<input type="checkbox"/> Yes <input type="checkbox"/> No
	Pages	<input type="checkbox"/> Yes <input type="checkbox"/> No
	Pages	<input type="checkbox"/> Yes <input type="checkbox"/> No

Tender no:

5. ADDITIONAL INFORMATION THAT MAY BE REQUIRED FOR TENDER EVALUATION PURPOSES

Legal Status of Tendering Entity: If the Tendering Entity is:	Documentation to be submitted with the tender, or which may be required during the tender evaluation:
a. A close corporation, incorporated prior to 1 May 2011 under the Close Corporations Act, 1984 (Act 69 of 1984, as amended)	Copies of the Founding Statement – CK1
b. A profit company duly registered as a private company. [including a profit company that meets the criteria for a private company, whose Memorandum of Incorporation states that the company is a personal liability company in terms of Section 8(2)(c) of the Companies Act, 2008 (Act 71 of 2008, as amended)].	Copies of: i. Certificate of Incorporation – CM1; ii. Shareholding Certificates of all Shareholders of the company, plus a signed statement of the company's Auditor, certifying each Shareholder's ownership / shareholding percentage relative to the total; and/or iii. Memorandum of Incorporation in the case of a personal liability company.
c. A profit company duly registered as a private company in which any, or all, shares are held by one or more other close corporation(s) or company(ies) duly registered as profit or non-profit company(ies).	Copies of documents referred to in a. and/or b. above in respect of all such close corporation(s) and/or company(ies).
d. A profit company duly registered as a public company.	Copy of Certificate of Incorporation – CM1, and a signed statement of the company's Secretary or Auditor confirming that the company is a public company.
e. A non-profit company, incorporated in terms of Section 10 and Schedule 1 of the Companies Act, 2008 (Act 71 of 2008, as amended).	Copies of: i the Founding Statement – CK1; and ii the Memorandum of Incorporation setting out the object of the company, indicating the public benefit, cultural or social activity, or communal or group interest.
f. A natural person, sole proprietor or a Partnership	Copy(ies) of the Identity Document(s) of: i. such natural person/ sole proprietor, or each of the Partners to the Partnership.
g. A Trust	Deed of Trust duly indicating names of the Trustee(s) and Beneficiary (ies) as well as the purpose of the Trust and the mandate of the Trustees.

Signed by the Tenderer:

Name of representative	Signature	Date

PA-04 (EC): NOTICE AND INVITATION TO TENDER

THE DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE INVITES TENDERS FOR:

Project title:	Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps
-----------------------	--

Tender no:	KIM 03/2022	Reference no:	19/2/4/2/2/2327/491
Advertising date:	09/09/2022	Closing date:	30/09/2022
Closing time:	11:00	Validity period:	12 Weeks (84 calendar days)

1. REQUIRED CIDB GRADING

It is estimated that tenderers should have a CIDB contractor grading designation of **7ME** or **7 ME*** or higher.

** Delete "or select tender value range select class of construction works" where only one class of construction works is applicable*

It is estimated that potentially emerging enterprises should have a CIDB contractor grading designation of **7ME PE** or **7ME PE*** or higher.

** Delete "or select tender value range select class of construction works PE" where only one class of construction works is applicable*

2. RESPONSIVENESS CRITERIA

2.1 Substantive responsiveness criteria

Only tenderers who are responsive to the following substantive responsiveness criteria are eligible to submit tenders. Failure to comply with the criteria stated hereunder shall result in the tender offer being disqualified from further consideration:

1	<input checked="" type="checkbox"/>	Only those tenderers who satisfy the eligibility criteria stated in the Tender Data may submit tenders.
2	<input checked="" type="checkbox"/>	Tender offer must be properly received on the tender closing date and time specified on the invitation, fully completed either electronically (if issued in electronic format), or by writing legibly in non-erasable ink. (All as per Standard Conditions of Tender).
3	<input checked="" type="checkbox"/>	Use of correction fluid is prohibited.
4	<input checked="" type="checkbox"/>	Submission of (DPW-07 EC): Form of Offer and Acceptance.
5	<input checked="" type="checkbox"/>	Submission of (PA-16): Preference points claim form in terms of the Preferential Procurement Regulations 2017.
6	<input checked="" type="checkbox"/>	Submission of (PA – 36 and Annexure/s C): Declaration Certificate for Local Production and Content for designated sectors.
7	<input checked="" type="checkbox"/>	Submission of DPW-09 (EC): Particulars of Tenderer's Projects.
8	<input checked="" type="checkbox"/>	Submission of DPW-16 (EC): Site Inspection Meeting Certificate
9	<input type="checkbox"/>	Submission of record of attending compulsory virtual bid clarification / site inspection meeting.
10	<input checked="" type="checkbox"/>	Submission of DPW-21 (EC): Record of Addenda to tender documents
11	<input checked="" type="checkbox"/>	The tenderer shall submit his fully priced Bills of Quantities / Lump Sum Document (complete document inclusive of all parts) together with his tender.

Tender no:
KIM 03/2022

12	<input type="checkbox"/>	The tenderer shall submit his fully priced and completed sectional summary- and final summary pages with the tender.
13	<input type="checkbox"/>	Submission of Proof of 30% Subcontracting participation and related documents in terms of the Preferential Procurement Regulations 2017
14	<input checked="" type="checkbox"/>	Proof of registration with SAQCC
15	<input checked="" type="checkbox"/>	Submission of (PA-11): Bidders disclosure
16	<input type="checkbox"/>	<i>Specify other responsiveness criteria</i>
17	<input type="checkbox"/>	<i>Specify other responsiveness criteria</i>
18	<input type="checkbox"/>	<i>Specify other responsiveness criteria</i>

2.2 Administrative responsiveness criteria

The Employer reserves the right to request further information regarding the undermentioned criteria. Failing to submit further clarification and/or documentation within seven (7) calendar days from request or as specifically indicated, will disqualify the tender offer from further consideration.

1	<input checked="" type="checkbox"/>	Any correction to be initialled by the person authorised to sign the tender documentation as per PA 15.1 or PA 15.2 resolution of board/s of directors / or PA15.3 Special Resolution of Consortia or JV's .
2	<input checked="" type="checkbox"/>	Submission of applicable (PA-15.1, PA-15.2, PA-15.3): Resolution by the legal entity, or consortium / joint venture, authorising a dedicated person(s) to sign documents on behalf of the firm / consortium / joint venture.
3	<input type="checkbox"/>	Submission of (PA-11): Bidder's disclosure.
4	<input checked="" type="checkbox"/>	Submission of (PA 40): Declaration of Designated Groups for Preferential Procurement.
5	<input checked="" type="checkbox"/>	Submission of proof of Registration on National Treasury's Central Supplier Database (CSD).
6	<input checked="" type="checkbox"/>	Submission of DPW-15 (EC): Schedule of proposed sub-contractors
7	<input type="checkbox"/>	The tenderer shall submit his fully priced Bills of Quantities (complete document inclusive of all parts) within 14 days from request.
8	<input checked="" type="checkbox"/>	Upon request, submission of fingerprints obtainable from local SAPS including any other additional documentation and information required for vetting purposes.
9	<input checked="" type="checkbox"/>	Upon request, submission of a fully completed security clearance application form with supporting documentation and information as required. The security clearance form will be provided by the Employer for projects requiring a security clearance.
10	<input type="checkbox"/>	<i>Specify other responsiveness criteria</i>
11	<input type="checkbox"/>	<i>Specify other responsiveness criteria</i>
12	<input type="checkbox"/>	<i>Specify other responsiveness criteria</i>
13	<input type="checkbox"/>	<i>Specify other responsiveness criteria</i>
14	<input type="checkbox"/>	<i>Specify other responsiveness criteria</i>

15	<input type="checkbox"/>	Specify other responsiveness criteria
----	--------------------------	--

Tender no:
KIM 03/2022

3. PRE-QUALIFICATION CRITERIA

Preferential procurement: *Applicable*

Tenderer must comply with the Pre-qualification criteria for Preferential Procurement listed below

<input type="checkbox"/>	A tenderer having stipulated minimum B-BBEE status level of contributor: <input type="checkbox"/> Level 1 or <input type="checkbox"/> Level 2 or <input type="checkbox"/> Level 3
<input checked="" type="checkbox"/>	An EME or QSE
<input type="checkbox"/>	A tenderer subcontracting a minimum of 30% to: <input type="checkbox"/> An EME or QSE which is at least 51% owned by black people <input type="checkbox"/> An EME or QSE which is at least 51% owned by black people who are youth <input type="checkbox"/> An EME or QSE which is at least 51% owned by black people who are women <input type="checkbox"/> An EME or QSE which is at least 51% owned by black people with disabilities <input type="checkbox"/> An EME or QSE which is at least 51% owned by black people living in rural or underdeveloped areas or townships <input type="checkbox"/> A co-operative which is at least 51% owned by black people <input type="checkbox"/> An EME or QSE which is at least 51% owned by black people who are Military veterans <input type="checkbox"/> An EME or QSE;

Functionality: *Applicable*

Note: All bids involving the acquisition of engineering and construction works from cidb Grade 4 and above are subjected to functionality.

Note: Functionality will be applied as a prequalification criterion. Such criteria are used to establish minimum requirements where after bids will be evaluated solely on the basis of price and preference.

Minimum functionality score to qualify for further evaluation:	50
Functionality criteria:	Weighting factor:
Work Force. Teams with the following composition: (Proof of qualification of artisans must be provide) 5 Teams and above consisting of: 2 Plumbers, 2 Air Conditioner Technicians, 1 Electrician, 3 artisan assistants = 5 points 4 Teams consisting of: 2 Plumbers, 2 Air Conditioning Technicians, 1 Electrician, 3 artisan assistants = 4 point 3 Teams consisting of: 2 Plumbers, 2 Air Conditioning Technicians, 1 Electrician, 3 artisan assistants = 3 points 2 Teams consisting of: 2 Plumbers, 2 Air Conditioning Technicians, 1 Electrician, 3 artisan assistants = 2 points 1 Team consisting of: 2 Plumbers, 2 Air Conditioning Technicians, 1 Electrician, 3 artisan assistants = 1 point	30

<p>Management 1: Bidder to provide letters of appointment AND final completion / practical completion certificates of all previous heat pump installation-and-maintenance projects done by the bidder that are similar in scope and in complexity of the work required in this project. (Only projects successfully completed within time cost and quality till practical completion stage, will be considered by the Bid Evaluation Team during the evaluation process.)</p> <p>5 projects and above = 5points 4 projects = 4 points 3 projects = 3 points 2 projects = 2 points 0 to 1 projects = 1 point</p>	20
<p>Management 2: Contractors to provide Company Profile and CV's of site manager that indicate the qualifications and experience of the Site Manager within installation-and-maintenance of heat pumps projects similar in scope and complexity of the work required in this project. (Site manager can be an Engineers, Site Managers or Forman and must be the same person indicated in the Company CV as the site manager)</p> <p>15 years experience and above = 5 points 11 to 14 years experience = 4 points 6 to 10 years experience = 3 points 3 to 5 years experience = 2 points 0-2 years experience = 1 point</p>	25
<p>Equipment and Plant: Proof of ownership or proof of commitment for rental over construction period to be provided</p> <p>Utility vehicles 5 tone truck and 3 LDV = 5 3 LDV: = 4 2 LDV: = 3 1 LDV: = 2 0 vehicles: = 0</p>	15
<p>Financial Credibility:</p> <p>Provide Bank Rating from Banking Institute to justify credit risk (Letter of financial good standing indicating bank rating from banking institution and not confirmation that the bidder is a client of the bank)</p> <p>Sub Criteria Credit Rating of 'A': = 5 points Credit Rating of 'B': = 4 points Credit Rating of 'C': = 3 points Credit Rating of 'D': = 2 points Credit Rating of 'E' or no rating provided: = 0 point</p>	10
Total	100 Points

Tender no:
KIM 03/2022

4. BID EVALUATION METHOD

This bid will be evaluated according to the preferential procurement model in the PPPFA: (Tick applicable preference point scoring system)

<input checked="" type="checkbox"/> 80/20 Preference points scoring system	<input type="checkbox"/> 90/10 Preference points scoring system	<input type="checkbox"/> Either 80/20 or 90/10 Preference points scoring system
--	---	---

In case where below/above R 50 000 000 is selected, the lowest acceptable tender will be used to determine the applicable preference point system.

5. ELIGIBILITY IN RESPECT OF RISK TO THE EMPLOYER:

Standard risk management assessment criteria in respect of tenders received for routine projects in the engineering and construction works environments:

Tender offers will be evaluated by an Evaluation Committee based on the technical and commercial risk criteria listed hereunder. Each criterion carries the same weight / importance and will be evaluated individually based on reports presented to the Bid Evaluation Committee by the Professional Team appointed on the project. A tender offer will be declared non-responsive and removed from any further evaluation if any one criterion is found to present an unacceptable risk to the Employer.

In order for the evaluation reports to be prepared by the Professional Team, the Tenderer is obliged to provide comprehensive information on form DPW-09 (EC). Failure to complete the said form will cause the tender to be declared non-responsive and removed from any further consideration. The Employer reserves the right to request additional information over and above that which is provided by the Tenderer on said form. The information must be provided by the Tenderer within the stipulated time as determined by the Bid Evaluation Committee, failing which the tender offer will *mutatis mutandis* be declared non-responsive.

5.1 Technical risks:

Criterion 1: Experience on comparable projects during the past 5 years.

The tendering Service Provider's experience on comparable projects during the past 5 years. The number of current and previous comparable projects performed by the Tenderer as per the evaluation report prepared by the Consultant Team, based on its research and inspection of a representative sample of the Tenderer's current and previous work as reflected on form DPW-09 (EC), as well as, if necessary, of any additional work executed by the Tenderer, not reflected on form DPW-09 (EC). Failing to provide contactable references will result in the tender offer will be *mutatis mutandis* declared non-responsive.

Aspects to be regarded as "comparable" includes (but may be extended according to circumstances): size of projects (measured against monetary value or other project quantifying parameters), nature of projects (building, engineering, high/low rise, etc.), locality/area of execution (site-specific influences, knowledge of local conditions, etc.), complexity of project, projects for similar client department irrespective of end purpose of buildings/facilities created or in progress of being created and time scales of projects (normal, fast track, etc.) and stage of its/their development.

Criterion 2: Contractual commitment and quality of performance on comparable projects during the past 5 years.

Adherence to contractual commitments and quality of performance of comparable current and previous projects performed by the Tenderer during the past 5 years as per

Tender no:
KIM 03/2022

the evaluation report prepared by the Consultant Team, based on its research and inspection of a representative sample of the Tenderer's current and previous work as reflected on form DPW-09 (EC), as well as, if necessary, of any additional work executed by the Tenderer, not reflected on form DPW-09 (EC). Failing to provide contactable references will result in the tender offer be *mutatis mutandis* declared non-responsive.

Aspects to be considered include, but are not limited to the following:

1. The level of progress on current projects in relation to the project programme or, if such is not available/applicable, to the contractual construction period in general;
2. The degree to which previous projects have been completed within the contractual completion periods and/or extensions thereto, and the extend of penalties imposed;
3. Project performance: time management & programming of works, timeous ordering of materials and appointment of subcontractors;
4. Financial management: payment to suppliers and cash flow problems;
5. Quality of workmanship: extent of reworks and timeous attention to remedial works;
6. Personnel resources: suitably qualified and experienced, turnover in site staff and labour force, specifically site manager and foreman;
7. Personnel management: extent of labour disputes and ability to resolving labour disputes amicably;
8. Sub-contractors: extent of turnover in subcontractors, general liaison and payment problems experienced;
9. Contract administration: contractual aspects such as complying to laws and regulations, insurances, security, submission of required documentation timeously, reaction to written contract instructions, appointments of subcontractors, etc. as can generally be expected in standard/normal conditions of contract.
10. Health & Safety: adherence to regulations and compliance, and number of transgressions & serious incidents.
11. Plant & equipment: sufficient resources on site and in time.
12. Delays: extent of causing delays, submission of claims timeously, and abuse of or exaggerated delay claims.
13. Final account: extent to which the contractor assisted in finalising the final account.

Criterion 3: Suitably qualified and appropriately experienced human resources

Allocation of suitably qualified and appropriately experienced human resources, both in respect of principals and/or other staff (contract manager, site agent, site foreman including other professional, technical and/or administrative) of the tendering Service Provider to the project, as proof that the tendering Service Provider will be able to react/respond appropriately to the Services required herein. The Company Organogram with CV's and certified ID's of all principals and employed workforce as well as proof of Professional Registration will be verified. Current and future workload of the tenderer in relation to capacity and capability will also be considered. The tenderer should demonstrate that he or she possesses the necessary professional and technical qualifications and -competence in relation to the scope of work and work to be undertaken.

Criterion 4: Attendance of compulsory bid clarification meeting, if applicable

If applicable, submission of confirmation of DPW-16.1 (PSB) attendance of compulsory bid clarification meeting or proof of attending the compulsory virtual meeting by a suitably qualified and experienced representative of the tenderer in terms of PA-04 (EC): Notice and Invitation to Tender.

5.2 Commercial risks:

The financial viability assessment evaluates the risk over the life of the construction period, as to whether the tenderer will be able to deliver the goods and services which are specified in the contract and / or be able to fulfil guarantees or warranties provided for in the contract in order to complete the project successfully for the amount tendered.

Aspects to be considered include but are not limited to, the respective rates tendered, bank rating, financial capability and capacity whether the tenderer has or has access to sufficient financial resources to deliver the

goods or services described in the tender documentation (including fulfilling any guarantees or warranty claims), whether the tenderer is not subject to any current or impending legal action (either formal

Tender no:
KIM 03/2022

proceedings or notification of legal action) which could impact on the financial standing of the tenderer or the delivery of the goods or services, financial report from auditors as proof of current liquidity, and company or any parent company or investor guarantee/s and financial statements.

6. CONTRACT PARTICIPATION GOAL TARGETS AND CIDB B.U.I.L.D. PROGRAMME

The contractor shall achieve in the performance of the contract the following Contract Participation Goals (CPGs) as described in PG-01.2 (EC): Scope of Work and PG-02.2 (EC): Pricing Assumptions and in accordance with the feasibility study, which forms part of the specifications in the CPG Section of the Specification of this contract.

(a)	Minimum 30% mandatory Subcontracting to SMMEs in accordance with the Preferential Procurement Policy Framework Act, 2000: Preferential Procurement Regulations, 2017 as published in the Government Gazette Notice No. 40553 of 20 January 2017 – Condition of Tender. (Applicable to all projects above R30 Mil for all class of works categories)	Not applicable
(b)	Minimum Targeted Local Manufacturers of Material Contract Participation Goal, in accordance with the cidb Standard for Contract Participation Goals for Targeting Enterprises and Labour through Construction Works Contracts as published in the Government Gazette Notice No. 41237 of 10 November 2017, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract. (Applicable to projects which require 7GB or 7CE cidb grading, i.e. R20 000 001 and above with minimum 6 month construction period)	Not applicable
(c)	Minimum Targeted Local Building Material Suppliers Contract Participation Goal in accordance with the cidb Standard for Contract Participation Goals for Targeting Enterprises and Labour through Construction Works Contracts as published in the Government Gazette Notice No. 41237 of 10 November 2017, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract. (Applicable to projects which require 7GB or 7CE cidb grading, i.e. R20 000 001 and above with minimum 6 month construction period)	Not applicable
(d)	Minimum Targeted Local Labour Skills Development Contract Participation Goal in accordance with the cidb Standard for Contract Participation Goals for Targeting Enterprises and Labour through Construction Works Contracts as published in the Government Gazette Notice No. 41237 of 10 November 2017, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract. (Applicable to projects which require Grade 7 to 9 cidb grading, i.e. R20 000 001 and above with minimum 12 month construction period)	Not applicable
(e)	cidb BUILD Programme: Minimum Targeted Enterprise Development Contract Participation Goal in accordance with the cidb Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts, No 36190 Government Gazette, 25 February 2013, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract. (Applicable to projects which require 7GB or 7CE cidb grading, i.e. R20 000 001 and above with minimum 6 month construction period)	Not applicable
(f)	cidb BUILD Programme: Minimum Targeted Contract Skills Development Goal in accordance with the cidb Standard for Developing Skills through Infrastructure Contracts as published in the Government Gazette Notice No. 43495 of 3 July 2020, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract. (Applicable to projects which require cidb Grade 7 and above for all class of works categories, i.e. R20 000 001 and above with minimum 12 month construction period)	Not applicable

(g)	DPWI National Youth Service training and development programme (NYS) – Condition of Contract. (Applicable to projects with a minimum contract value R2 Mil and minimum 12 month construction period.	Not applicable
(h)	Labour Intensive Works – Condition of Contract. (Applicable to all CE projects and all GB projects ≥ R30 million)	Not applicable

Tender no:
KIM 03/2022

(i)		Select
(j)		Select

7. COLLECTION OF TENDER DOCUMENTS

- ☒ Bid documents are available for free download on e-Tender portal www.etenders.gov.za
- ☒ Alternatively; Bid documents may be collected during working hours at the following address **NDPWI Kimberley, Old Magistrates Offices, 21 Market Square Kimberley**. A non-refundable bid deposit of R 700.00 is payable (cash only) on collection of the bid documents.

8. SITE INSPECTION MEETING

A pre-tender site inspection meeting will **be** held in respect of this tender.
Attendance of said pre- tender site inspection meeting is **compulsory**

The particulars for said pre- tender site inspection meeting or virtual bid clarification / site inspection meeting. are:

Venue:	Briefing: NDPWI Kimberley, Old Magistrates Offices, 21 Market Square Kimberley After briefing: Site visit at Kimberley Tswelopele Correctional Centre		
Virtual meeting Link:	N/A		
Date:	21/09/2022	Starting time:	Strictly 09:00 (no late arrivals will be allowed into the meeting)

9. ENQUIRIES

Enquiries related to tender documents may be addressed to:

DPWI Project Manager:	JP Marais	Telephone no:	053 838 5288
Cellular phone no:		Fax no:	
E-mail:			

10. DEPOSIT / RETURN OF TENDER DOCUMENTS

Telegraphic, telephonic, telex, facsimile, electronic and / or late tenders will not be accepted.

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

PA-04 (EC): Notice and Invitation to Tender


Requirements for sealing, addressing, delivery, opening and assessment of tenders are stated in the Tender Data.

All tenders must be completed in non-erasable ink and submitted on the official forms – (forms not to be re-typed).

Tender no:
KIM 03/2022

<p>Tender documents may be posted to:</p> <p>The Director-General Department of Public Works and Infrastructure Private Bag X 5002 Kimberley 8300</p> <p>Attention: Procurement section: Room SCM</p>	<p>OR</p>	<p>Deposited in the tender box at:</p> <p>NDPWI Kimberley, Old Magistrates Offices, 21 Market Square Kimberley</p>
---	------------------	---

11. COMPILED BY:

JP Mrais		September 2022
Name of Project Manager	Signature	Date

DPW-03 (EC): TENDER DATA

Project title:	<i>Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps</i>
Reference no:	WCS 055411

Tender / Quotation no:	KIM 03/2022	Closing date:	30/09/2022
Closing time:	11:00	Validity period:	12 Weeks (84 Calendar days)

Clause number:	
	<p>The conditions of tender are the Standard Conditions of Tender as contained in Annex C of the CIDB Standard for Uniformity in Construction Procurement as per Government Notice No. 423 published in Government Gazette No. 42622 of 8 August 2019 and as amended from time to time. (see www.cidb.org.za).</p> <p>The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the Standard Conditions of Tender.</p> <p>Each item of data given below is cross-referenced to the clause marked "C" in the above mentioned Standard Conditions of Tender.</p>
C.1.1	The employer is the Government of the Republic of South Africa in its Department of Public Works and Infrastructure.
C.1.2	<p>For this contract the three volume approach is adopted.</p> <p>This procurement document has been formatted and compiled under the headings as contained in the CIDB's "Standard for Uniformity in Construction Procurement."</p> <p>The three volume procurement document issued by the employer comprises the following:</p> <p>Volume 1: Tendering procedures T1.1 - Notice and invitation to tender (PA-04 EC) T1.2 - Tender data (DPW-03 EC)</p> <p>Volume 2: Returnable documents T2.1 - List of returnable documents (PA-09 EC) C1.1 - Form of offer and acceptance (DPW-07 EC) C1.2 – Contract Data T2.2 - Returnable schedules</p> <p>Volume 3: Contract Part C1: Agreement and contract data C1.2 - Contract data (Part 1: Data provided by employer) (DPW-04 EC or DPW-05 EC) C1.3 - Form of guarantee (DPW-10.1 EC / DPW-10.3EC or DPW-10.2 EC/DPW-10.4 EC)</p> <p>Part C2: Pricing data C2.1 - Pricing Assumptions (PG-02.2 EC or PG-02.1EC) C2.2 - Bills of Quantities / Lump sum document (if not a returnable document)</p> <p>Part C3: Scope of work C3 - Scope of work (PG-01.2 EC or PG-01.1EC)</p> <p>Part C4: Site information C4 - Site information (PG-03.2 EC or PG03.1EC)</p>

Tender no: KIM 03/2022

C.1.4	<p>The Employer's agent is:</p> <table border="1"> <tr> <td>Name:</td><td>JP Marais</td></tr> <tr> <td>Capacity:</td><td>Departmental Project Manager</td></tr> <tr> <td>Address:</td><td>Department of Public Works Kimberley Regional Office</td></tr> <tr> <td>Tel:</td><td>053 838 5288</td></tr> <tr> <td>Fax:</td><td></td></tr> <tr> <td>E-mail:</td><td><i>hannes.marais@dpw.gov.za</i></td></tr> </table>	Name:	JP Marais	Capacity:	Departmental Project Manager	Address:	Department of Public Works Kimberley Regional Office	Tel:	053 838 5288	Fax:		E-mail:	<i>hannes.marais@dpw.gov.za</i>
Name:	JP Marais												
Capacity:	Departmental Project Manager												
Address:	Department of Public Works Kimberley Regional Office												
Tel:	053 838 5288												
Fax:													
E-mail:	<i>hannes.marais@dpw.gov.za</i>												
C.2.1 C.3.11	<p>A. <u>ELIGIBILITY IN RESPECT OF CIDB REGISTRATION:</u></p> <p>The following tenderers who are registered with the CIDB, or are *capable of being so registered prior to the evaluation of submissions, are eligible to have their tenders evaluated (* tenderers who are capable of being so registered, or who have applied for registration but have not yet received confirmation of such registration, must provide, <u>with this tender</u>, acceptable documentary proof thereof):</p> <ul style="list-style-type: none"> a) contractors who have a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25 (7A) of the Construction Industry Development Regulations, for a 7ME or 7ME** class of construction work; and b) contractors registered as potentially emerging enterprises with the CIDB who are registered in one contractor grading designation lower than that required in terms of a) above <p>Joint ventures are eligible to submit tenders provided that:</p> <ul style="list-style-type: none"> 1. every member of the joint venture is registered with the CIDB; 2. the lead partner has a contractor grading designation in the 7ME or 7ME** class of construction work; and 3. the combined contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25 (7A) of the Construction Industry Development Regulations for a 7ME or 7ME** class of construction work <p>** Delete "or select tender value range select class of construction works" where only one class of construction works is applicable</p> <p>A contract will be entered into with a tenderer who has in his employ management and supervisory staff satisfying the requirements of the scope of work for labour intensive competencies for supervisory and management staff. - Applicable</p>												

Tender no: KIM 03/2022

B. INDICATE THE FUNCTIONALITY WEIGHTING APPLICABLE TO THIS BID:

Note: All bids involving the acquisition of engineering and construction works from cidb Grade 4 and above are subjected to functionality.

Note: Functionality will only be applied as a prequalification criterion. Such criteria are used to establish minimum requirements where after bids will be evaluated solely on the basis of price and preference.

Functionality Criteria	Weighting Factor
Work Force. Teams with the following composition: (Proof of qualification of artisans must be provide) 5 Teams and above consisting of: 2 Plumbers, 2 Air Conditioner Technicians, 1 Electrician, 3 artisan assistants = 5 points 4 Teams consisting of: 2 Plumbers, 2 Air Conditioning Technicians, 1 Electrician, 3 artisan assistants = 4 points 3 Teams consisting of: 2 Plumbers, 2 Air Conditioning Technicians, 1 Electrician, 3 artisan assistants = 3 points 2 Teams consisting of: 2 Plumbers, 2 Air Conditioning Technicians, 1 Electrician, 3 artisan assistants = 2 points 1 Team consisting of: 2 Plumbers, 2 Air Conditioning Technicians, 1 Electrician, 3 artisan assistants = 1 point	30
Management 1: Bidder to provide letters of appointment AND final completion / practical completion certificates of all previous heat pump installation-and-maintenance projects done by the bidder that are similar in scope and in complexity of the work required in this project. (Only projects successfully completed within time cost and quality till practical completion stage, will be considered by the Bid Evaluation Team during the evaluation process.) 5 projects and above = 5 points 4 projects = 4 points 3 projects = 3 points 2 projects = 2 points 0 to 1 projects = 1 point	20
Management 2: Contractors to provide Company Profile and CV's of site manager that indicate the qualifications and experience of the Site Manager within installation-and-maintenance of heat pumps projects similar in scope and complexity of the work required in this project. (Site manager can be an Engineers, Site Managers or Forman and must be the same person indicated in the Company CV as the site manager) 15 years experience and above = 5 points 11 to 14 years experience = 4 points 6 to 10 years experience = 3 points 3 to 5 years experience = 2 points 0-2 years experience = 1 point	25
Equipment and Plant: Proof of ownership or proof of commitment for rental over construction period to be provided	15

Utility vehicles 5 tone truck and 3 LDV = 5 3 LDV: = 4 2 LDV: = 3 1 LDV: = 2 0 vehicles: = 0	
Financial Credibility: Provide Bank Rating from Banking Institute to justify credit risk (Letter of financial good standing indicating bank rating from banking institution and not confirmation that the bidder is a client of the bank) Sub Criteria Credit Rating of 'A': = 5 points Credit Rating of 'B': = 4 points Credit Rating of 'C': = 3 points Credit Rating of 'D': = 2 points Credit Rating of 'E' or no rating provided: = 1 point	10
Total	100 Points

(Weightings will be multiplied by the scores allocated during the evaluation process to arrive at the total functionality points)

Minimum functionality score to qualify for further evaluation:	50
---	-----------

(Total minimum qualifying score for functionality is 50 Percent).

C ELIGIBILITY IN RESPECT OF RISK TO EMPLOYER:

Standard risk management assessment criteria in respect of tenders received for routine projects in the engineering and construction works environments:

Tender offers will be evaluated by an Evaluation Committee based on the technical and commercial risk criteria listed hereunder. Each criterion carries the same weight / importance and will be evaluated individually based on reports presented to the Bid Evaluation Committee by the Professional Team appointed on the project. A tender offer will be declared non-responsive and removed from any further evaluation if any one criterion is found to present an unacceptable risk to the Employer.

In order for the evaluation reports to be prepared by the Professional Team, the Tenderer is obliged to provide comprehensive information on form DPW-09 (EC). Failure to complete the said form will cause the tender to be declared non-responsive and removed from any further consideration. The Employer reserves the right to request additional information over and above that which is provided by the Tenderer on said form. The information must be provided by the Tenderer within the stipulated time as determined by the Bid Evaluation Committee, failing which the tender offer will *mutatis mutandis* be declared non-responsive.

C.1 Technical risks:

Criterion 1: Experience on comparable projects during the past 5 years.

The tendering Service Provider's experience on comparable projects during the past 5 years. The number of current and previous comparable projects performed by the Tenderer as per the evaluation report prepared by the Consultant Team, based on its research and inspection of a representative sample of the Tenderer's current and previous work as reflected on form DPW-09 (EC), as well as, if necessary, of any additional work executed by the Tenderer, not reflected on form DPW-09 (EC). Failing to provide contactable references will result in the tender offer will be *mutatis mutandis* declared non-responsive.

Tender no: KIM 03/2022

Aspects to be regarded as "comparable" includes (but may be extended according to circumstances): size of projects (measured against monetary value or other project quantifying parameters), nature of projects (building, engineering, high/low rise, etc.), locality/area of execution (site-specific influences, knowledge of local conditions, etc.), complexity of project, projects for similar client department irrespective of end purpose of buildings/facilities created or in progress of being created and time scales of projects (normal, fast track, etc.) and stage of its/their development.

Criterion 2: Contractual commitment and quality of performance on comparable projects during the past 5 years.

Adherence to contractual commitments and quality of performance of comparable current and previous projects performed by the Tenderer as per the evaluation report prepared by the Consultant Team, based on its research and inspection of a representative sample of the Tenderer's current and previous work as reflected on form DPW-09 (EC), as well as, if necessary, of any additional work executed by the Tenderer, not reflected on form DPW-09 (EC). Failing to provide contactable references will result in the tender offer be *mutatis mutandis* declared non-responsive.

Aspects to be considered include, but are not limited to the following:

1. The level of progress on current projects in relation to the project programme or, if such is not available/applicable, to the contractual construction period in general;
2. The degree to which previous projects have been completed within the contractual completion periods and/or extensions thereto, and the extend of penalties imposed;
3. Project performance: time management & programming of works, timeous ordering of materials and appointment of subcontractors;
4. Financial management: payment to suppliers and cash flow problems;
5. Quality of workmanship: extent of reworks and timeous attention to remedial works;
6. Personnel resources: suitably qualified and experienced, turnover in site staff and labour force, specifically site manager and foreman;
7. Personnel management: extent of labour disputes and ability to resolving labour disputes amicably;
8. Sub-contractors: extent of turnover in subcontractors, general liaison and payment problems experienced;
9. Contract administration: contractual aspects such as complying to laws and regulations, insurances, security, submission of required documentation timeously, reaction to written contract instructions, appointments of subcontractors, etc. as can generally be expected in standard/normal conditions of contract.
10. Health & Safety: adherence to regulations and compliance, and number of transgressions & serious incidents.
11. Plant & equipment: sufficient resources on site and in time.
12. Delays: extent of causing delays, submission of claims timeously, and abuse of or exaggerated delay claims.
13. Final account: extent to which the contractor assisted in finalising the final account.

Criterion 3: Suitably qualified and appropriately experienced human resources

Allocation of suitably qualified and appropriately experienced human resources, both in respect of principals and/or other staff (contract manager, site agent, site foreman including other professional, technical and/or administrative) of the tendering Service Provider to the project, as proof that the tendering Service Provider will be able to react/respond appropriately to the Services required herein. The Company Organogram with CV's and certified ID's of all principals and employed workforce as well as proof of Professional Registration will be verified. Current and future workload of the tenderer in relation to capacity and capability will also be considered. The tenderer should demonstrate that he or she possesses the necessary professional and technical qualifications and -competence in relation to the scope of work and work to be undertaken.

Criterion 4: Attendance of compulsory bid clarification meeting, if applicable

If applicable, submission of confirmation of DPW-16.1 (PSB) attendance of compulsory bid clarification meeting or proof of attending the compulsory virtual meeting by a suitably qualified and experienced representative of the tenderer in terms of PA-04 (EC): Notice and Invitation to Tender.

Tender no: KIM 03/2022

	<p>C.2 Commercial risks:</p> <p>The financial viability assessment evaluates the risk over the life of the construction period, as to whether the tenderer will be able to deliver the goods and services which are specified in the contract and / or be able to fulfil guarantees or warranties provided for in the contract in order to complete the project successfully for the amount tendered.</p> <p>Aspects to be considered include but are not limited to, the respective rates tendered, bank rating, financial capability and capacity whether the tenderer has or has access to sufficient financial resources to deliver the goods or services described in the tender documentation (including fulfilling any guarantees or warranty claims), whether the tenderer is not subject to any current or impending legal action (either formal proceedings or notification of legal action) which could impact on the financial standing of the tenderer or the delivery of the goods or services, financial report from auditors as proof of current liquidity, and company or any parent company or investor guarantee/s and financial statements.</p>
C.2.7	For particulars regarding a pre-tender site inspection meeting, see Notice and Invitation to Tender T1.1
C.2.12	<p>If a tenderer wishes to submit an alternative tender offer, the only criteria permitted for such alternative tender offer is that it demonstrably satisfies the Employer's standards and requirements. A tenderer may submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted. Provided that the tenderer's main tender offer is according to specification and would under normal circumstances be recommended for acceptance, his alternative tender offer may also be considered for the purpose of the award of the contract.</p> <p>Calculations, drawings and all other pertinent technical information and characteristics as well as modified or proposed Pricing Data must be submitted with the alternative tender offer to enable the Employer to evaluate the efficacy of the alternative and its principal elements, to take a view on the degree to which the alternative complies with the Employer's standards and requirements and to evaluate the acceptability of the pricing proposals. Calculations must be set out in a clear and logical sequence and must clearly reflect all design assumptions. Pricing Data must reflect all assumptions in the development of the pricing proposal.</p> <p>Acceptance of an alternative tender offer will mean acceptance in principle of the offer. It will be an obligation of the contract for the tenderer, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the Employer's standards and requirements.</p> <p>The modified Pricing Data must include an amount equal to 5% of the amount tendered for the alternative offer to cover the Employer's costs of confirming the acceptability of the detailed design before it is constructed.</p> <p>Alternative tender offer permitted: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p>
C.2.13.2	The list of Returnable Documents identifies which of the documents a tenderer must complete when submitting a tender offer. The tenderer must submit his tender offer by completing the Returnable Documents, signing the "Offer" section in the "Form of Offer and Acceptance" and delivering the Returnable Documents back to the Department.
C.2.13.5	The Employer's address for delivery of tender offers and identification details to be shown on each tender offer package are as per Notice and Invitation to Tender T1.1.
C.2.13.6 C.3.5	A two-envelope procedure will not be followed.
C.2.15	The closing time for submission of tender offers is as per Notice and Invitation to Tender T1.1.
C.2.16	The tender offer validity period is as per Notice and Invitation to Tender T1.1.
C2.16.3	Omit the wording of the last sentence for those projects which are subject to CPAP
C.2.18	<p>The tenderer will be required to submit his fully priced Bills of Quantities / Lump Sum Document (complete document inclusive of all parts):</p> <p><input checked="" type="checkbox"/> Together with his tender; or <input type="checkbox"/> The tenderer shall submit his fully priced and completed sectional summary- and final summary pages with the tender and thereafter submit the fully completed Bills of Quantities within fourteen (14) calendar days of the date requested to do so prior to the award of the contract.</p>

Tender no: KIM 03/2022

C.2.19	Access shall be provided for inspections, tests and analysis as may be required by the Employer.
C.3.4.1 C.3.4.2	The location for opening of the tender offers, immediately after the closing time thereof shall be at: <i>NDPWI Kimberley, Old Magistrates Offices, 21 Market Square Kimberley</i>
C.3.8	The words "responsive tender" and "acceptable tender" shall be construed to have the same meaning.
C.3.9.3	Omit the wording and replace with the following: "Notify the tenderer of all errors, omissions and/or rate imbalances that are identified in the tender offer and request the tenderer to, within a stipulated time, accept the total of prices as corrected in accordance with C.3.9.4."
C.3.9.4	Omit the wording of the first sentence and replace with the following: "In cases where tender offers contain errors, omissions and/or rate imbalances, these are to be corrected as follows:"
C.3.9.4	Add sub paragraph c) to C.3.9.4, as follows: "c) If the tenderer does not accept the corrected tender offer, or cannot reach consensus with the Employer on a corrected tender offer, the tender is to be classified as not acceptable/non responsive and removed from further contention."
C.3.11.1	The procedure for the evaluation of responsive tenders is Method 2: Financial Offer and Preference.
C.3.13	Add the following to sub paragraph a), as follows: The tenderer or any of its directors is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act, 2004 (Act No. 12 of 2004) as a person prohibited from doing business with the public sector;
C.3.17	Provide to the successful tenderer one copy of the signed contract document.

DPW-07 (EC): FORM OF OFFER AND ACCEPTANCE

Project title:	Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps		
Tender / Quotation no:	KIM 03/2022	Reference no:	19/2/4/2/2327/491

OFFER

The Employer, identified in the acceptance signature block, has solicited offers to enter into a contract for the procurement of:

The supply and installation of the hot water generating installations - Heat pumps and storage cylinders and 12 Months Maintenance.

The Tenderer, identified in the offer signature block, has examined the documents listed in the tender data and addenda thereto as listed in the returnable schedules, and by submitting this offer has accepted the conditions of tender.

By the representative of the Tenderer, deemed to be duly authorized, signing this part of this form of offer and acceptance, the Tenderer offers to perform all of the obligations and liabilities of the Contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

THE TOTAL OFFER INCLUSIVE OF ALL APPLICABLE TAXES (All applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies) IS:

Rand (in words):
Rand in figures:	R

The amount in words takes precedence over the amount in figures. The award of the tender may be subjected to further price negotiation with the preferred tenderer(s). The negotiated and agreed price will be considered for acceptance as **a firm and final offer**.

This offer may be accepted by the Employer by signing the acceptance part of this form of offer and acceptance and returning one copy of this document to the Tenderer before the end of the period of validity stated in the tender data, whereupon the Tenderer becomes the party named as the Contractor in the conditions of contract identified in the contract data.

THIS OFFER IS MADE BY THE FOLLOWING LEGAL ENTITY: (cross out block which is not applicable)

Company or Close Corporation: And: Whose Registration Number is: And: Whose Income Tax Reference Number is: CSD supplier number:.....	OR	Natural Person or Partnership: Whose Identity Number(s) is/are: Whose Income Tax Reference Number is/are: CSD supplier number:.....
--	-----------	--

*Any reference to words "Bid" or "Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

**Any reference to the words "payment reduction" herein shall be construed to have the same meaning as the word "retention"

Page 1 of 4

For Internal & External Use

Effective date 27 June 2022

Version 2022/01

Tender / Quotation no: KIM 03/2022

AND WHO IS (if applicable):	
Trading under the name and style of:	
AND WHO IS:	
Represented herein, and who is duly authorised to do so, by: Mr/Mrs/Ms: In his/her capacity as:	Note: A Resolution / Power of Attorney, signed by all the Directors / Members / Partners of the Legal Entity must accompany this Offer, authorising the Representative to make this offer.

SIGNED FOR THE TENDERER:

Name of representative	Signature	Date

WITNESSED BY:

Name of witness	Signature	Date

This Offer is in respect of: (Please indicate with an "X" in the appropriate block)

- The official documents ☐
- The official alternative ☐
- Own alternative (only if documentation makes provision therefore) ☐

(N.B.: Separate Offer and Acceptance forms are to be completed for the main and for each alternative offer)

SECURITY OFFERED:

- (a) the Tenderer accepts that in respect of contracts up to R1 million, a payment reduction** of 5% of the contract value (excluding VAT) will be applicable and will be deducted by the Employer in terms of the applicable conditions of contract
- (b) in respect of contracts above R1 million, the Tenderer offers to provide security as indicated below:
- (1) cash deposit of 10 % of the Contract Sum (excluding VAT) Yes ☐ No ☐
 - (2) variable construction guarantee of 10 % of the Contract Sum (excluding VAT) Yes ☐ No ☐
 - (3) payment reduction of 10% of the value certified in the payment certificate (excluding VAT) Yes ☐ No ☐
 - (4) cash deposit of 5% of the Contract Sum (excluding VAT) and a payment reduction of 5% of the value certified in the payment certificate (excluding VAT) Yes ☐ No ☐
 - (5) fixed construction guarantee of 5% of the Contract Sum (excluding VAT) and a payment reduction of 5% of the value certified in the payment certificate (excluding VAT) Yes ☐ No ☐

NB. Guarantees submitted must be issued by either an insurance company duly registered in terms of the Insurance Act [Long-Term Insurance Act, 1998 (Act 52 of 1998) or Short-Term Insurance Act, 1998 (Act 35 of 1998)] or by a bank duly registered in terms of the Banks Act, 1990 (Act 94 of 1990) on the pro-forma referred to above. No alterations or amendments of the wording of the pro-forma will be accepted.

*Any reference to words "Bid" or "Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

**Any reference to the words "payment reduction" herein shall be construed to have the same meaning as the word "retention"

Page 2 of 4

For Internal & External Use

Effective date 27 June 2022

Version 2022/01

Tender / Quotation no: KIM 03/2022

The Tenderer elects as its *domicilium citandi et executandi* in the Republic of South Africa, where any and all legal notices may be served, as (physical address):

.....
.....

Other Contact Details of the Tenderer are:

Telephone No..... Cellular Phone No.

Fax No

Postal address

Banker Branch.....

Registration No of Tenderer at Department of Labour

CIDB Registration Number:

ACCEPTANCE

By signing this part of this form of offer and acceptance, the Employer identified below accepts the Tenderer's offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the conditions of contract identified in the contract data. Acceptance of the Tenderer's offer shall form an agreement between the Employer and the Tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract are contained in:

Part C1 Agreement and contract data, (which includes this agreement)

Part C2 Pricing data

Part C3 Scope of work

Part C4 Site information and drawings and documents or parts thereof, which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the tender data and any addenda thereto as listed in the tender schedules as well as any changes to the terms of the offer agreed by the Tenderer and the Employer during this process of offer and acceptance, are contained in the schedule of deviations attached to and forming part of this agreement. No amendments to or deviations from said documents are valid unless contained in this schedule.

The Tenderer shall within two weeks after receiving a completed copy of this agreement, including the schedule of deviations (if any), contact the Employer's agent (whose details are given in the contract data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the contract data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the schedule of deviations (if any). Unless the tenderer (now contractor) within five (5) working days of the date of such receipt notifies the employer in writing of any reason why he/she cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the parties.

For the Employer:

Name of signatory	Signature	Date

*Any reference to words "Bid" or "Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

**Any reference to the words "payment reduction" herein shall be construed to have the same meaning as the word "retention"

Page 3 of 4

For Internal & External Use

Effective date 27 June 2022

Version 2022/01

Tender / Quotation no: KIM 03/2022

Name of Organisation:	Department of Public Works and Infrastructure
Address of Organisation:	<i>NDPWI Kimberley, Old Magistrates Offices, 21 Market Square Kimberley</i>

WITNESSED BY:

Name of witness	Signature	Date

Schedule of Deviations

1.1.1. Subject:
Detail:
1.1.2. Subject:
Detail:
1.1.3. Subject:
Detail:
1.1.4. Subject:
Detail:
1.1.5. Subject:
Detail:
1.1.6. Subject:
Detail:

By the duly authorised representatives signing this agreement, the Employer and the Tenderer agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the tender data and addenda thereto as listed in the tender schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the Tenderer and the Employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the Tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

*Any reference to words "Bid" or "Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

**Any reference to the words "payment reduction" herein shall be construed to have the same meaning as the word "retention"

Page 4 of 4

For Internal & External Use

Effective date 27 June 2022

Version 2022/01

DPW-21 (EC): RECORD OF ADDENDA TO TENDER DOCUMENTS

Project title:	Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps		
Tender no:	KIM 03/2022	Reference no:	19/2/4/2/2/2327/491

1. I / We confirm that the following communications received from the Department of Public Works and Infrastructure before the submission of this tender offer, amending the tender documents, have been taken into account in this tender offer: *(Attach additional pages if more space is required)*

	Date	Title or Details
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		

Name of Tenderer	Signature	Date

2. I / We confirm that no communications were received from the Department of Public Works and Infrastructure before the submission of this tender offer, amending the tender documents.

Name of Tenderer	Signature	Date

PA-15.1: RESOLUTION OF BOARD OF DIRECTORS

RESOLUTION of a meeting of the Board of *Directors / Members / Partners of:

(Legally correct full name and registration number, if applicable, of the Enterprise)

Held at _____ (place)

on _____ (date)

RESOLVED that:

- The Enterprise submits a Bid / Tender to the Department of Public Works in respect of the following project:

(Project description as per Bid / Tender Document)

Bid / Tender Number: _____ (Bid / Tender Number as per Bid / Tender Document)

- *Mr/Mrs/Ms: _____

in *his/her Capacity as: _____ (Position in the Enterprise)

and who will sign as follows: _____

be, and is hereby, authorised to sign the Bid / Tender, and any and all other documents and/or correspondence in connection with and relating to the Bid / Tender, as well as to sign any Contract, and any and all documentation, resulting from the award of the Bid / Tender to the Enterprise mentioned above.

	Name	Capacity	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			

PA-15.1: Resolution of Board of Directors

17			
18			
19			
20			

The bidding enterprise hereby absolves the Department of Public Works from any liability whatsoever that may arise as a result of this document being signed.

Note:

1. * Delete which is not applicable.
2. **NB:** This resolution must, where possible, be signed by all the Directors / Members / Partners of the Bidding Enterprise.
3. In the event that paragraph 2 cannot be complied with, the resolution must be signed by Directors / Members / Partners holding a majority of the shares / ownership of the Bidding Enterprise (attach proof of shareholding / ownership hereto).
4. Directors / Members / Partners of the Bidding Enterprise may alternatively appoint a person to sign this document on behalf of the Bidding Enterprise, which person must be so authorized by way of a duly completed power of attorney, signed by the Directors / Members / Partners holding a majority of the shares / ownership of the Bidding Enterprise (proof of shareholding / ownership and power of attorney are to be attached hereto).
5. Should the number of Directors / Members / Partners exceed the space available above, additional names and signatures must be supplied on a separate page.

ENTERPRISE STAMP

PA-15.2: RESOLUTION OF BOARD OF DIRECTORS TO ENTER INTO CONSORTIA OR JOINT VENTURES

RESOLUTION of a meeting of the Board of *Directors / Members / Partners of:

(Legally correct full name and registration number, if applicable, of the Enterprise)

Held at _____ (place)

on _____ (date)

RESOLVED that:

1. The Enterprise submits a Bid /Tender, in consortium/Joint Venture with the following Enterprises:

(List all the legally correct full names and registration numbers, if applicable, of the Enterprises forming the Consortium/Joint Venture)

to the Department of Public Works in respect of the following project:

(Project description as per Bid /Tender Document)

Bid / Tender Number: _____ (Bid / Tender Number as per Bid / Tender Document)

2. *Mr/Mrs/Ms: _____
in *his/her Capacity as: _____ (Position in the Enterprise)
and who will sign as follows: _____

be, and is hereby, authorised to sign a consortium/joint venture agreement with the parties listed under item 1 above, and any and all other documents and/or correspondence in connection with and relating to the consortium/joint venture, in respect of the project described under item 1 above.

3. The Enterprise accepts joint and several liability with the parties listed under item 1 above for the due fulfilment of the obligations of the joint venture deriving from, and in any way connected with, the Contract to be entered into with the Department in respect of the project described under item 1 above.
4. The Enterprise chooses as its *domicilium citandi et executandi* for all purposes arising from this joint venture agreement and the Contract with the Department in respect of the project under item 1 above:

Physical address: _____

_____ (code)

PA-15.2: Resolution of Board of Directors to enter into Consortia or Joint Ventures

Postal Address: _____

_____ (code)

Telephone number: _____

Fax number: _____

	Name	Capacity	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			

The bidding enterprise hereby absolves the Department of Public Works from any liability whatsoever that may arise as a result of this document being signed

Note:

- * Delete which is not applicable.
- NB:** This resolution must, where possible, be signed by all the Directors / Members / Partners of the Bidding Enterprise.
- In the event that paragraph 2 cannot be complied with, the resolution must be signed by Directors / Members / Partners holding a majority of the shares / ownership of the Bidding Enterprise (attach proof of shareholding / ownership hereto).
- Directors / Members / Partners of the Bidding Enterprise may alternatively appoint a person to sign this document on behalf of the Bidding Enterprise, which person must be so authorized by way of a duly completed power of attorney, signed by the Directors / Members / Partners holding a majority of the shares / ownership of the Bidding Enterprise (proof of shareholding / ownership and power of attorney are to be attached hereto).
- Should the number of Directors / Members / Partners exceed the space available above, additional names and signatures must be supplied on a separate page.

ENTERPRISE STAMP



PA-15.3: SPECIAL RESOLUTION OF CONSORTIA OR JOINT VENTURES

RESOLUTION of a meeting of the duly authorised representatives of the following legal entities who have entered into a consortium/joint venture to jointly bid for the project mentioned below: *(legally correct full names and registration numbers, if applicable, of the Enterprises forming a Consortium/Joint Venture)*

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

Held at _____ (place)

on _____ (date)

RESOLVED that:

RESOLVED that:

- A. The above-mentioned Enterprises submit a Bid in Consortium/Joint Venture to the Department of Public Works in respect of the following project:

(Project description as per Bid /Tender Document)

Bid / Tender Number: _____ *(Bid / Tender Number as per Bid /Tender Document)*

PA-15.3: Special Resolution of Consortia or Joint Ventures

B. *Mr/Mrs/Ms: _____

in *his/her Capacity as: _____ (Position in the Enterprise)

and who will sign as follows: _____

be, and is hereby, authorised to sign the Bid, and any and all other documents and/or correspondence in connection with and relating to the Bid, as well as to sign any Contract, and any and all documentation, resulting from the award of the Bid to the Enterprises in Consortium/Joint Venture mentioned above.

C. The Enterprises constituting the Consortium/Joint Venture, notwithstanding its composition, shall conduct all business under the name and style of:

D. The Enterprises to the Consortium/Joint Venture accept joint and several liability for the due fulfilment of the obligations of the Consortium/Joint Venture deriving from, and in any way connected with, the Contract entered into with the Department in respect of the project described under item A above.

E. Any of the Enterprises to the Consortium/Joint Venture intending to terminate the consortium/joint venture agreement, for whatever reason, shall give the Department 30 days written notice of such intention. Notwithstanding such decision to terminate, the Enterprises shall remain jointly and severally liable to the Department for the due fulfilment of the obligations of the Consortium/Joint Venture as mentioned under item D above.

F. No Enterprise to the Consortium/Joint Venture shall, without the prior written consent of the other Enterprises to the Consortium/Joint Venture and of the Department, cede any of its rights or assign any of its obligations under the consortium/joint venture agreement in relation to the Contract with the Department referred to herein.

G. The Enterprises choose as the *domicilium citandi et executandi* of the Consortium/Joint Venture for all purposes arising from the consortium/joint venture agreement and the Contract with the Department in respect of the project under item A above:

Physical address: _____

_____ (Postal code) _____

Postal Address: _____

_____ (Postal code) _____

Telephone number: _____

Fax number: _____

PA-15.3: Special Resolution of Consortia or Joint Ventures

	Name	Capacity	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			

The bidding enterprise hereby absolves the Department of Public Works & Infrastructure from any liability whatsoever that may arise as a result of this document being signed.

Note:

1. * Delete which is not applicable.
2. **NB:** This resolution must be signed by all the Duly Authorised Representatives of the Legal Entities to the consortium/joint venture submitting this tender, as named in item 2 of Resolution PA-15.2.
3. Should the number of the Duly Authorised Representatives of the Legal Entities joining forces in this tender exceed the space available above, additional names, capacity and signatures must be supplied on a separate page.
4. Resolution PA-15.2, duly completed and signed, from the separate Enterprises who participate in this consortium/joint venture, must be attached to this Special Resolution (PA-15.3).

PA-11: BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest (1) in the enterprise, employed by the state?

YES / NO

- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

(1) the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

- 2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution?

YES / NO

- 2.2.1 If so, furnish particulars:

.....
.....

- 2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?

YES / NO

- 2.3.1 If so, furnish particulars:

.....
.....

3 DECLARATION

I, the undersigned, (name).....
in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

- 3.7 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature

.....
Date

.....
Position

.....
Name of bidder

This form has been aligned with SBD4

Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps

Tender no: KIM 03/2022

DECLARATION OF INTEREST

1. Any legal person, including persons employed by the principal, or persons having a kinship with persons employed by the principal, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons employed by the principal, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority and/or take an oath declaring his/her interest, where-
 - the bidder is employed by the principal; and/or
 - the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the bid(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the bid.
2. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.
 - 2.1 Are you or any person connected with the bidder, **YES / NO**
employed by the principal?
 - 2.1.2 If so, state particulars.

.....

.....
 - 2.2 Do you, or any person connected with the bidder, have **YES / NO**
any relationship (family, friend, other) with a person
employed by the principal and who may be involved with
the evaluation and or adjudication of this bid?
 - 2.2.1 If so, state particulars.

.....

.....

.....

.....

2.3	Are you, or any person connected with the bidder, aware of any relationship (family, friend, other) between the bidder and any person employed by the principal who may be involved with the evaluation and or adjudication of this bid?	YES/NO
-----	--	---------------

2.3.1 If so, state particulars.

.....

.....

.....

DECLARATION

I, THE UNDERSIGNED (NAME).....

CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 2.1 TO 2.3.1 ABOVE IS CORRECT. I ACCEPT THAT THE PRINCIPAL MAY ACT AGAINST ME IN TERMS OF PARAGRAPH 23 OF THE GENERAL CONDITIONS OF CONTRACT SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....

Signature

.....

Date

.....

Position

.....

Name of bidder

DPW-16 (EC): SITE INSPECTION MEETING CERTIFICATE

Project title:	<i>Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps</i>		
Tender / Quotation no:	<i>KIM 03/2022</i>	Reference no:	<i>19/2/4/2/2327/491</i>
Closing date:	<i>30/09/2022</i>		

This is to certify that I, _____ representing

_____ in the capacity of

_____ visited the site on: _____

I have made myself familiar with all local conditions likely to influence the work and the cost thereof. I further certify that I am satisfied with the description of the work and explanations given at the site inspection meeting and that I understand perfectly the work to be done, as specified and implied, in the execution of this contract.

Name of Tenderer	Signature	Date

Name of DPW Representative	Signature	Date

PA16: PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017 AND THE AMENDED B-BBEE CODES.

1. GENERAL CONDITIONS

1.1. The following preference point systems are applicable to all bids:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2. The value of this bid is estimated to ~~Not Exceed~~ R50 000 000 (all applicable taxes included) and therefore the... ~~80/20~~system shall be applicable.

1.3. Preference points for this bid shall be awarded for:

- (a) Price; and
- (b) B-BBEE Status Level of Contribution.

1.3.1 The maximum points for this bid are allocated as follows:

POINTS

1.3.1.1 **PRICE**

80

1.3.1.2 **B-BBEE STATUS LEVEL OF CONTRIBUTION**

20

Total points for Price and B-BBEE must not exceed

100

1.4. Failure on the part of a bidder to fill in and/or to sign this form and submit a B-BBEE Verification Certificate from a Verification Agency accredited by the South African Accreditation System (SANAS) or an Accounting Officer as contemplated in the Close Corporation Act (CCA) together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

1.5. An Exempted Micro Enterprise (EME) is only required to obtain a sworn affidavit or a certificate issued by Companies and intellectual property Commission (CIPC) confirming their annual turnover of R10 Million or less and level of black ownership to claim points.

1.6. Qualifying Small Enterprise (QSE) is only required to obtain a sworn affidavit or a certificate issued by Companies and intellectual property Commission (CIPC) confirming their annual turnover of R10 Million or less and level of black ownership to claim points.

- 1.7 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.
- 1.8 CERTIFICATES ISSUED BY IRBA AND ACCOUNTING OFFICER HAVE BEEN DISCONTINUED; HOWEVER VALID CERTIFICATES ALREADY ISSUED BEFORE 01 JANUARY 2017 MAY BE USED UNTIL THEY PHASE OUT COMPLETELY BY DECEMBER 2017

2. DEFINITIONS

- (a) **“all applicable taxes”** includes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies;
- (b) **“B-BBEE”** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (c) **“B-BBEE status level of contributor”** means the B-BBEE status received by a measured entity based on its overall performance using the relevant scorecard contained in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (d) **“bid”** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of services, works or goods, through price quotations, advertised competitive bidding processes or proposals;
- (e) **“Broad-Based Black Economic Empowerment Act”** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (f) **“comparative price”** means the price after the factors of a non-firm price and all unconditional discounts that can be utilized have been taken into consideration;
- (g) **“consortium or joint venture”** means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract;
- (h) **“contract”** means the agreement that results from the acceptance of a bid by an organ of state;
- (i) **“EME”** means an Exempted Micro Enterprise as defines by Codes of Good Practice under section 9 (1) of the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (j) **“Firm price”** means the price that is only subject to adjustments in accordance with the actual increase or decrease resulting from the change, imposition, or abolition of customs or excise duty and any other duty, levy, or tax, which, in terms of the law or regulation, is binding on the contractor and demonstrably has an influence on the price of any supplies, or the rendering costs of any service, for the execution of the contract;
- (k) **“functionality”** means the measurement according to predetermined norms, as set out in the bid documents, of a service or commodity that is designed to be practical and useful, working or operating, taking into account, among other factors, the quality, reliability, viability and durability of a service and the technical capacity and ability of a bidder;
- (l) **“non-firm prices”** means all prices other than “firm” prices;
- (m) **“person”** includes a juristic person;
- (n) **“QSE”** means a Qualifying Small Enterprise as defines by Codes of Good Practice under

section 9 (1) of the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);

- (o) **“rand value”** means the total estimated value of a contract in South African currency, calculated at the time of bid invitations, and includes all applicable taxes and excise duties;
- (p) **“sub-contract”** means the primary contractor’s assigning, leasing, making out work to, or employing, another person to support such primary contractor in the execution of part of a project in terms of the contract;
- (q) **“total revenue”** bears the same meaning assigned to this expression in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act and promulgated in the *Government Gazette* on 9 February 2007;
- (r) **“trust”** means the arrangement through which the property of one person is made over or bequeathed to a trustee to administer such property for the benefit of another person; and
- (s) **“trustee”** means any person, including the founder of a trust, to whom property is bequeathed in order for such property to be administered for the benefit of another person.

3. ADJUDICATION USING A POINT SYSTEM

- 3.1 The bidder obtaining the highest number of total points will be awarded the contract.
- 3.2 Preference points shall be calculated after prices have been brought to a comparative basis taking into account all factors of non-firm prices and all unconditional discounts;
- 3.3 Points scored must be rounded off to the nearest 2 decimal places.
- 3.4 In the event that two or more bids have scored equal total points, the successful bid must be the one scoring the highest number of preference points for B-BBEE.
- 3.5 However, when functionality is part of the evaluation process and two or more bids have scored equal points including equal preference points for B-BBEE, the successful bid must be the one scoring the highest score for functionality.
- 3.6 Should two or more bids be equal in all respects, the award shall be decided by the drawing of lots.

4. POINTS AWARDED FOR PRICE

4.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right) \quad \text{or} \quad P_s = 90 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where

P_s = Points scored for comparative price of bid under consideration

P_t = Comparative price of bid under consideration

P_{min} = Comparative price of lowest acceptable bid

5. Points awarded for B-BBEE Status Level of Contribution

- 5.1 In terms of Regulation 6(2) and /or 7(2), of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (90/10 system)	Number of points (80/20 system)
1	10	20
2	9	18
3	6	14
4	5	12
5	4	8
6	3	6
7	2	4
8	1	2
Non-compliant contributor	0	0

- 5.2 A trust, consortium or joint venture, will qualify for points for their B-BBEE status level as a legal entity, provided that the entity submits their B-BBEE status level certificate.
- 5.3 A trust, consortium or joint venture will qualify for points for their B-BBEE status level as an unincorporated entity, provided that the entity submits their consolidated B-BBEE scorecard as if they were a group structure and that such a consolidated B-BBEE scorecard is prepared for every separate bid.
- 5.4 Tertiary institutions and public entities will be required to submit their B-BBEE status level certificates in terms of the specialized scorecard contained in the B-BBEE Codes of Good Practice.
- 5.5 A person awarded a contract may not sub-contract more than 25% of the value of the contract to any other enterprise that does not have an equal or higher B-BBEE status level than the person concerned, unless the contract is sub-contracted to an EME that has the capability and ability to execute the sub-contract.

6. BID DECLARATION

- 6.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

7. B-BBEE STATUS LEVEL OF CONTRIBUTION CLAIMED IN TERMS OF PARAGRAPHS 1.3.1.2 AND 5.1

7.1 B-BBEE Status Level of Contribution: =(maximum of 10 or 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 5.1 and must be substantiated by means of a B-BBEE certificate issued by a Verification Agency accredited by SANAS or Sworn Affidavit for EME's and QSE's.

8 SUB-CONTRACTING (relates to 5.5)

8.1 Will any portion of the contract be sub-contracted? YES / NO (delete which is not applicable)

8.1.1 If yes, indicate:

(i) what percentage of the contract will be subcontracted?%

(ii) the name of the sub-contractor?

(iii) the B-BBEE status level of the sub-contractor?

(iv) whether the sub-contractor is an EME/ a QSE YES / NO (delete which is not applicable)

Designated Group: An EME or QSE which is at last 51% owned by:	EME √	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

9 DECLARATION WITH REGARD TO COMPANY/FIRM

9.1 Name of company/firm

9.2 VAT registration number

9.3 Company registration number

9.4 TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One person business/sole propriety
- ☐ Close corporation
- ☐ Company
- ☐ (Pty) Limited

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

[TICK APPLICABLE BOX]

9.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

.....

.....

.....

9.6 COMPANY CLASSIFICATION

- ☐ Manufacturer
- ☐ Supplier
- ☐ Professional service provider
- ☐ Other service providers, e.g. transporter, etc.

[TICK APPLICABLE BOX]

9.7 Total number of years the company/firm has been in business?

9.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contribution indicated in paragraph 7 of the foregoing certificate/ Sworn Affidavit, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- (i) The information furnished is true and correct;
- (ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form.
- (iii) In the event of a contract being awarded as a result of points claimed as shown in paragraph 7, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- (iv) If the B-BBEE status level of contribution has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –
 - (a) Disqualify the person from the bidding process;
 - (b) Recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) Cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) restrict the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution

WITNESSES:

1.

2.

.....

SIGNATURE(S) OF BIDDER(S)

DATE:..... ADDRESS:.....

PA- 40: DECLARATION OF DESIGNATED GROUPS FOR PREFERENTIAL PROCUREMENT

Tender no: KIM 03/2022

Name of Tenderer

☐ EME¹ ☐ QSE² ☐ Non EME/QSE (tick applicable box)

1. LIST ALL PROPRIETORS, MEMBERS OR SHAREHOLDERS BY NAME, IDENTITY NUMBER, CITIZENSHIP AND DESIGNATED GROUPS.

Name and Surname #	Identity/ Passport number and Citizenship##	Percentage owned	Black	Indicate if youth	Indicate if woman	Indicate if person with disability	Indicate if living in Rural (R) / Under Developed Area (UD) / Township (T) / Urban (U).	Indicate if military veteran
1.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
2.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
3.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
4.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
5.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
6.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
7.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
8.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
9.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
10.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
11.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
12.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No

Where Owners are themselves a Company, Close Corporation, Partnership etc, identify the ownership of the Holding Company, together with Registration number
State date of South African citizenship obtained (not applicable to persons born in South Africa)

¹ EME: Exempted Micro Enterprise

² QSE: Qualifying Small Business Enterprise

PA- 40: DECLARATION OF DESIGNATED GROUPS FOR PREFERENTIAL PROCUREMENT

Tender no: KIM 03/2022

2. DECLARATION:

The undersigned, who warrants that he/she is duly authorized to do so on behalf of the Tenderer, hereby confirms that:

- 1 The information and particulars contained in this Affidavit are true and correct in all respects;
- 2 The Broad-based Black Economic Empowerment Act, 2003 (Act 53 of 2003), Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000), the Preferential Procurement Regulations, 2017, National Small Business Act 102 of 1996 as amended and all documents pertaining to this Tender were studied and understood and that the above form was completed according to the definitions and information contained in said documents;
- 3 The Tenderer understands that any intentional misrepresentation or fraudulent information provided herein shall disqualify the Tenderer's offer herein, as well as any other tender offer(s) of the Tenderer simultaneously being evaluated, or will entitle the Employer to cancel any Contract resulting from the Tenderer's offer herein;
- 4 The Tenderer accepts that the Employer may exercise any other remedy it may have in law and in the Contract, including a claim for damages for having to accept a less favourable tender as a result of any such disqualification due to misrepresentation or fraudulent information provided herein;
- 5 Any further documentary proof required by the Employer regarding the information provided herein, will be submitted to the Employer within the time period as may be set by the latter;

Signed by the Tenderer

Name of representative	Signature	Date

DPW-10.2 (EC): VARIABLE CONSTRUCTION GUARANTEE (GCC (2010) 2nd EDITION: 2010)

Director-General
Department of Public Works and Infrastructure
Government of the Republic of South Africa

FOR ATTENTION

Mr Vuyani Mabe
Private Bag ix5002
KIMBERLEY
8300

Sir,

VARIABLE CONSTRUCTION GUARANTEE FOR THE EXECUTION OF A CONTRACT IN TERMS OF GCC (2010) 2nd EDITION 2010

1. With reference to the contract between _____
_____ (hereinafter referred to as the "**contractor**") and the Government of the Republic of South Africa in its Department of Public Works and Infrastructure (hereinafter referred to as the "**employer**"), Contract/Tender No: **KIM 03/2022**, for the **Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps** (hereinafter referred to as the "**contract**") for the sum of R _____
(_____), (hereinafter referred to as the "**contract sum**").
I / We, _____
in my/our capacity as _____ and hereby
representing _____ (hereinafter referred to as the "**guarantor**") advise that the **guarantor** holds at the **employer's** disposal the sum of R _____
(_____) being 10% of the **contract sum** (excluding VAT), for the due fulfilment of the **contract**.
2. I / We advise that the **guarantor's** liability in terms of this guarantee shall be as follows:
 - (a) From and including the date on which this guarantee is issued and up to and including the day before the date on which the last **certificate of completion** of works is issued, the **guarantor** will be liable in terms of this guarantee to the maximum amount of 10% of the **contract sum** (excluding VAT);
 - (b) The **guarantor's** liability shall reduce to 5 % of the **value of the works** (excluding VAT) as determined at the date of the last **certificate of completion** of works, subject to such amount not exceeding 10% of the **contract sum** (excluding VAT);
 - (c) This guarantee shall expire on the date of the last **final approval certificate**.
3. The **guarantor** hereby renounces the benefits of the exceptions *non numeratae pecunia; non causa debiti; excussionis et divisionis*; and *de duobus vel pluribus reis debendi* which could be pleaded against the enforcement of this guarantee, with the meaning and effect whereof I/we declare myself/ourselves to be conversant, and undertake to pay the **employer** the amount guaranteed on receipt of a written demand from the **employer** to do so, stating that (in the **employer's** opinion and sole discretion):
 - (a) the **contractor** has failed or neglected to comply with the terms and/or conditions of the **contract**;
or

Tender no: KIM 03/2022

- (b) the **contractor's** estate is sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa.
4. Subject to the above, but without in any way detracting from the **employer's** rights to adopt any of the procedures provided for in the **contract**, the said demand can be made by the **employer** at any stage prior to the expiry of this guarantee.
 5. The amount paid by the **guarantor** in terms of this guarantee may be retained by the **employer** on condition that upon issue of the last **final approval certificate**, the **employer** shall account to the **guarantor** showing how this amount has been expended and refund any balance due to the **guarantor**.
 6. The **employer** shall have the absolute right to arrange his affairs with the **contractor** in any manner which the **employer** deems fit and the **guarantor** shall not have the right to claim his release on account of any conduct alleged to be prejudicial to the **guarantor**. Without derogating from the foregoing, any compromise, extension of the construction period, indulgence, release or variation of the **contractor's** obligation shall not affect the validity of this guarantee.
 7. The **guarantor** reserves the right to withdraw from this guarantee at any time by depositing the guaranteed amount with the **employer**, whereupon the **guarantor's** liability ceases.
 8. This guarantee is neither negotiable nor transferable, and
 - (a) must be surrendered to the **guarantor** at the time when the **employer** accounts to the **guarantor** in terms of clause 5 above, or
 - (b) shall lapse in accordance with clause 2 (c) above.
 9. This guarantee shall not be interpreted as extending the **guarantor's** liability to anything more than payment of the amount guaranteed.

SIGNED AT _____ **ON THIS** _____ **DAY OF** _____ **20**_____

AS WITNESS

1. _____

2. _____

By and on behalf of

(insert the name and physical address of the guarantor)

NAME: _____

CAPACITY: _____
(duly authorised thereto by resolution attached marked Annexure A)

DATE: _____

Tender no: KIM 03/2022

- A.** No alterations and/or additions of the wording of this form will be accepted.
- B.** The physical address of the guarantor must be clearly indicated and will be regarded as the guarantor's *domicilium citandi et executandi*, for all purposes arising from this guarantee.
- C.** This GUARANTEE must be returned to:

DPW-10.4 (EC): FIXED CONSTRUCTION GUARANTEE GCC (2010) 2nd EDITION: 2010

Director-General
Department of Public Works and Infrastructure
Government of the Republic of South Africa

FOR ATTENTION

Insert name
Private Bag **insert no**
insert town
insert postal code

Sir,

FIXED CONSTRUCTION GUARANTEE FOR THE EXECUTION OF A CONTRACT IN TERMS OF GCC 2ND EDITION 2010

1. With reference to the contract between _____
_____ (hereinafter referred to as the "**contractor**") and the Government of the Republic of South Africa in its Department of Public Works and Infrastructure (hereinafter referred to as the "**employer**"), Contract/Tender No: **KIM 03/2022**, for the **Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps** (hereinafter referred to as the "**contract**"), for the sum of R _____, (_____), (hereinafter referred to as the "**contract sum**").

I / We, _____

in my/our capacity as _____ and hereby

representing _____ (hereinafter referred to as the "**guarantor**") advise that the **guarantor** holds at the **employer's** disposal the sum of R _____, (_____), being 5% of the **contract sum** (excluding VAT), for the due fulfillment of the **contract**.
2. The **guarantor** hereby renounces the benefits of the exceptions *non numeratae pecunia; non causa debiti; excussionis et divisionis*; and *de duobus vel pluribus reis debendi* which could be pleaded against the enforcement of this guarantee, with the meaning and effect whereof I/we declare myself/ourselves to be conversant, and undertake to pay the **employer** the amount guaranteed on receipt of a written demand from the **employer** to do so, stating that (in the **employer's** opinion and sole discretion):
 - (a) the **contractor** has failed or neglected to comply with the terms and/or conditions of the **contract**;
or
 - (b) the **contractor's** estate is sequestrated; liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa.
3. Subject to the above, but without in any way detracting from the **employer's** rights to adopt any of the procedures provided for in the **contract**, the said demand can be made by the **employer** at any stage prior to the expiry of this guarantee.
4. The amount paid by the **guarantor** in terms of this guarantee may be retained by the **employer** on condition that upon the issue of the last **final approval certificate**, the **employer** shall account to the **guarantor** showing how this amount has been expended and refund any balance due to the **guarantor**.

Tender No: **KIM 03/2022**

5. The **employer** shall have the absolute right to arrange his affairs with the **contractor** in any manner which the **employer** deems fit and the **guarantor** shall not have the right to claim his release on account of any conduct alleged to be prejudicial to the **guarantor**. Without derogating from the foregoing, any compromise, extension of the construction period, indulgence, release or variation of the **contractor's** obligation shall not affect the validity of this guarantee.
6. The **guarantor** reserves the right to withdraw from this guarantee at any time by depositing the guaranteed amount with the **employer**, whereupon the **guarantor's** liability ceases.
7. This guarantee is neither negotiable nor transferable, and
 - (a) must be surrendered to the **guarantor** at the time when the **employer** accounts to the **guarantor** in terms of clause 4 above, or
 - (b) shall lapse on the date of the last **certificate of completion** of works.
8. This guarantee shall not be interpreted as extending the **guarantor's** liability to anything more than the payment of the amount guaranteed.

SIGNED AT _____ ON THIS _____ DAY OF _____ 20____.

AS WITNESS

1. _____

2. _____

By and on behalf of

(insert the name and physical address of the guarantor)

NAME: _____

CAPACITY: _____
(duly authorised thereto by resolution attached marked
Annexure A)

DATE: _____

- A. No alterations and/or additions of the wording of this form will be accepted.
- B. The physical address of the guarantor must be clearly indicated and will be regarded as the guarantor's *domicilium citandi et executandi*, for all purposes arising from this guarantee.
- C. This GUARANTEE must be returned to: _____

DPW-09 (EC): PARTICULARS OF TENDERER'S PROJECTS

Project title:	<i>Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps</i>		
Tender / quotation no:	KIM 03/2022	Closing date:	30/09/2022
Advertising date:	09/09/2022	Validity period:	84 calendar days

1. PARTICULARS OF THE TENDERER'S CURRENT AND PREVIOUS COMMITMENTS

1.1. Current projects

Projects currently engaged in	Name of Employer or Representative of Employer	Contact tel. no.	Contract sum	Contractual commence-ment date	Contractual completion date	Current percentage progress
1						
2						
3						
4						
5						
6						
7						
8						

Tender no:

1.2. Completed projects

Projects completed in the previous 5 (five) years		Name of Employer or Representative of Employer	Contact tel. no.	Contract sum	Contractual commence-ment date	Contractual completion date	Date of Certificate of Practical Completion
1							
2							
3							
4							
5							
6							
7							
8							
9							

Name of Tenderer	Signature	Date

DPW-05: (EC) CONTRACT DATA - (GCC (2010) 2nd EDITION: 2010)

Project title:	Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps		
Tender no:	KIM 03/2022	Reference no:	19/2/4/2/2327/491

	PART 1: DATA PROVIDED BY THE EMPLOYER
	CONDITIONS OF CONTRACT
	<p>The General Conditions of Contract for Construction Works, Second Edition, 2010, published by the South African Institution of Civil Engineering, Private Bag X200, Halfway House, 1685, is applicable to this Contract and is obtainable from www.saice.org.za</p> <p>Bidders to note that materials procured for the works should be from South African manufactures and suppliers. Imported materials shall only be considered under exceptional circumstances, based on compelling technical justifications, and subject to the approval by the NDPWI.</p>

CONTRACT SPECIFIC DATA

The following contract specific data, referring to the General Conditions of Contract for Construction Works, Second Edition, 2010, are applicable to this Contract:

CLAUSES	COMPULSORY DATA
1.1.1.8	<p>Amend Clause 1.1.1.8 to include the word "rights" to read as follows:</p> <p>"Contract Data" means the specific data which, together with these General Conditions of Contract, collectively describe the rights, risks, liabilities and obligations of the contracting parties and the procedures for the administration of the Contract.</p>
1.1.1.13	<p>Amend Clause 1.1.1.13 as follows, clarify when the defects liability period starts:</p> <p>"Defects Liability Period" means the period stated in the Contract Data, commencing on the date indicated on the Certificate of Completion or Certificates of Completion in the event of more than one Certificate of Completion is issued for different parts of the Works, during which the Contractor has both the right and the obligation to make good defects in the materials, Plant and workmanship covered by the Contract.</p> <p>Defects liability period is: 12 months.</p>
1.1.1.14 & 5.14.7	<p>The time for achieving Practical Completion of the whole of the works is: --- measured from the <u>Commencement</u> Date. The time thus stated includes special non-working days and the year-end break.</p> <p><i>or, if Practical Completion in portions is required,</i></p> <p>The times for achieving Practical Completion for the portions as set out in the Scope of Works are <i>mutatis mutandi</i>:</p> <p>For portion 1 within 10 Months Construction</p> <p>For portion 2 within 12 Months Maintenance (inclusive of the 12 months Defects liability period)</p> <p>For portion 3 within N/A</p> <p>For portion 4 within N/A</p> <p>(followed by further portions as required)</p>

Tender no: KIM 03/2022

	The time for achieving Practical Completion of the whole of the Works is: 22 months, measured from the Commencement Date. The time thus stated includes special non-working days and the year-end break.
1.1.1.15	The name of the Employer is: The Government of the Republic of South Africa in its Department of Public Works and Infrastructure.
1.1.1.16	The name of the Engineer is: George Molomo (DPWI Professional Services Mechanical)
1.1.1.26	The Pricing Strategy is a: Re-measurement Contract.
1.1.1.31	Not applicable to this Contract.
1.1.1.35	Insert the definition of "Value of Works" as Clause 1.1.1.35: "Value of Works" means the value of the Works certified by the Engineer as having been satisfactorily executed and shall include the value of the works done, the value of the materials and/or plant and Contract Price Adjustments.
1.2.1.2	Employer's address: Physical Address: Old Magistrates Office 21 Market Square KIMBERLEY Postal Address: Private Bag X5002 KIMBERLEY 8301 Facsimile: insert fax no Telephone: 053 838 5288
	Engineer's address: Physical Address: Old Magistrates Office 21 Market Square KIMBERLEY Postal Address: insert postal address insert town insert postal code Facsimile: insert fax no Telephone: 066 476 0102
1.3.4	Not applicable to this Contract.

Tender no: **KIM 03/2022**

1.3.5	<p>Replace Clause 1.3.5 with the following provisions:</p> <ul style="list-style-type: none"> (a) The Employer will become the owner of the information, documents, advice, recommendation and reports collected, furnished and/or compiled by the Contractor during the course of, and for the purposes of executing this Contract, all of which will be handed over to the Employer on request, but in any event on the termination and/or cancellation of this Contract for whatever reason. The Contractor relinquishes its retention or any other rights thereon to which it may be entitled. (b) The copyright of all documents, recommendations and reports compiled by the Contractor during the course of and for the purposes of finalizing the Works will vest in the Employer, and may not be reproduced or distributed or made available to any person outside the Employer's service, or to any institution in any way, without the prior written consent of the Employer. The Employer shall have the right to use such material for any other purpose without the approval of information or payment to the Contractor. (c) The copyright of all electronic aids, software programmes etc. prepared or developed in terms of the Contract shall vest in the Employer, who shall have the right to use such material for any other purpose without the approval of, information or payment to the Contractor. (d) In case of the Contractor providing documents, electronic aids, software programs or like material to the Employer, the development of which has not been at the expense of the Employer, copyright shall not vest in the Employer. The Contractor shall be required to indicate to which documents, electronic aids, software programs or like material this provision applies. (e) The Contractor hereby indemnifies the Employer against any action, claim, damages or legal cost that may be instituted against the Employer on the grounds of an alleged infringement of any copyright, patents or any other intellectual property right in connection with the Works outlined in this Contract. (f) All information, documents, recommendations, programs and reports collected or compiled must be regarded as confidential and may not be communicated or made available to any person outside the Employer's service and may not be published either during the currency of this Contract or after termination thereof without the prior written consent of the Employer.
3.1.3	<p>1. The Engineer's authority to act and/or to execute functions or duties or to issue instructions are expressly excluded in respect of the following:</p> <ul style="list-style-type: none"> (a) Appointment of nominated Sub-contractors – clause 4.4.3; (b) Granting of an extension of time and/or ruling on claims associated with claims for extension of time – clauses 5.12.3, 10.1.5; (c) Acceleration of the rate of progress and determination of the cost for payment of such acceleration – clause 5.12.4; (d) Rulings on claims and disputes – clauses 10.1.5, 10.2.3 and 10.3.3; (e) Suspension of the Works – clause 5.11.1; (f) Final Payment Certificate – clause 6.10.9; (g) Issuing of <i>mora</i> notices to the Contractor – clauses 9.1.1, 9.1.2.1 and 9.2.1; (h) Cancellation of the contract between the Employer and Contractor – clauses 9.1.1, 9.1.2.1 and 9.2.1.

Tender no: KIM 03/2022

	<p>2. In order to be legally binding and have legal bearing and consequence, any ruling in respect of the above matters (a) to (h) must be on an official document, signed and issued by the Employer to the Contractor.</p> <p>3. The Contractor must submit claims, demands, notices, notifications, updated particulars and reports in writing, as well as any other supporting documentation pertaining thereto, in respect of any of the above listed matters (a) to (h), to the Engineer within the time periods and in the format(s) as determined in the relevant clauses of the Conditions of Contract. Failing to deliver such to the Engineer timeous and in the correct format will invalidate any claim and the consequences of such failure will <i>mutatis mutandis</i> be as stated in clause 10.1.4.</p> <p>4. Clauses 6.10.9 and 10.1.5 shall be amended as follows to indicate the limitation on the Engineer's authority in respect thereof:</p> <p>Clause 6.10.9 – Amend to read as follows:</p> <p>Within 14 days of the date of final approval as stated in the Final Approval Certificate, the Contractor shall deliver to the Engineer a final statement claiming final settlement of all moneys due to him (save in respect of matters in dispute, in terms of Clauses 10.3 to 10.11, and not yet resolved). The Employer shall within 14 days issue to the Contractor a Final Payment Certificate the amount of which shall be paid to the Contractor within 28 days of the date of such certificate, after which no further payments shall be due to the Contractor (save in respect of matters in dispute, in terms of Clauses 10.3 to 10.11 and not yet resolved).</p> <p>Clause 10.1.5 – Amend to read as follows:</p> <p>Unless otherwise provided in the Contract, the Employer shall, within 28 days after the Contractor has delivered his claim in terms of Clause 10.1.1 as read with Clause 10.1.2, deliver to the Contractor his written and adequately reasoned ruling on the claim (referring specifically to this Clause). The amount thereof, if any, allowed by the Employer shall be included to the credit of the Contractor in the next payment certificate.</p> <p>5. Insert the following under 3.1.3:</p> <p>Provided that, notwithstanding any provisions to the contrary in the Contract, the Employer shall have the right to reverse and, should it deem it necessary, to amend any certificate, instruction, decision or valuation of the Engineer and to issue a new one, and such certificate instruction, decisions or valuations shall for the purposes of the Contract be deemed to be issued by the Engineer, provided that the Contractor shall be remunerated in the normal manner for work executed in good faith in terms of an instruction issued by the Engineer and which has subsequently been rescinded.</p>
3.2.2.1	<p>Amend Clause 3.2.2.1 to insert the word "Plant" to read as follows:</p> <p>Observe the execution of the Works, examine and test material, Plant and workmanship, and receive from the Contractor such information as he shall reasonably require.</p>
3.2.3.2	<p>Amend Clause 3.2.3.2 to insert the word "Plant" to reads as follows:</p> <p>Notwithstanding any authority assigned to him in terms of Clauses 3.2.2 and 3.2.4, failure by the Engineer's Representative to disapprove of any work, workmanship, Plant or materials shall not prejudice the power of the Engineer thereafter to disapprove thereof and exercise any of his powers in terms of the Contract in respect of thereof.</p>
4.8.2.1	<p>Amend Clause 4.8.2.1 to include the word "person", as follows:</p> <p>Makes available to the Employer, or to any such contractor, person or authority, any roads or ways for the maintenance of which the Contractor is responsible, or</p>

Tender no: KIM 03/2022

4.8.2.2	Amend Clause 4.8.2.2 to include "Employer" and "contractors", as follows: Provides any other facility or service of whatsoever nature to the Employer or to any of the said contractors, persons or authorities,
5.3.1	The documentation required before commencement with Works execution are: Health and Safety Plan (Refer to Clause 4.3) Initial programme (Refer to Clause 5.6) Security (Refer to Clause 6.2) Insurance (Refer to Clause 8.6) <i>insert other requirements</i> <i>insert other requirements</i> <i>insert other requirements</i>
5.3.2	The time to submit the documentation required before commencement with Works execution is: 21 days.
5.4.2	The access to, and possession of, the Site referred to in Clause 5.4.1 shall be <i>not exclusive</i> to the Contractor. In the event of access to, and possession of, the Site is not exclusive to the Contractor, the following limitations apply: <i>The site is a prison and movement on site is subjected to rules of DCS as determined from time to time by DCS. Ref to limitations as per briefing meeting.</i> <i>No living quarters for construction workers on site will be permitted for the full duration of the contract .</i>
5.8.1	The non-working days are: Saturdays and Sundays The special non-working days are: (1) Public Holidays; (2) The year-end break commencing on 16 December until the Sunday preceding the first working Monday of January of the succeeding year.
5.9.1	Amend Clause 5.9.1 as follows: On the Commencement Date, the Engineer shall deliver to the Contractor three (3) copies, at no cost to the Contractor, of the drawings and any instructions required for the commencement of the Works. The cost of any additional copies of such drawings and/or instructions, as may be required by the Contractor, will be for the account of the Contractor.
5.13.1	The penalty for failing to complete the Works is: RN/A per day <i>or, if completion in portions is required,</i> The penalty for failing to complete portion 1 of the Works is: R6 500.00 per day. The penalty for failing to complete portion 2 of the Works is: R6 500.00 per day. The penalty for failing to complete portion 3 of the Works is: RN/A per day. The penalty for failing to complete portion 4 of the Works is: RN/A per day. <i>Followed by further portions as required.</i> The penalty for failing to complete the whole of the works is: R6 500.00 per day.

Tender no: KIM 03/2022

5.14.1	<p>Amend the second paragraph of Clause 5.14.1 as follows:</p> <p>When the Works are about to reach the said stage, the Contractor shall, in writing, request a Certificate of Practical Completion and the Engineer shall, within 14 days after receiving such request, issue to the Contractor a written list setting out the work to be completed to justify Practical Completion. Should the Engineer not issue such a list within the 14 days, the Contractor shall notify the Employer accordingly. Should the Employer not issue such a list within 7 days of receipt of such notice, Practical Completion shall be deemed to have been achieved on the 14th day after the contractor requested the Certificate of Practical Completion.</p>
5.16.1	Amend Clause 5.16.1 to delete the proviso in the third paragraph of this clause.
5.16.2	<p>Amend Clause 5.16.2 as follows:</p> <p>No certificate other than the Final Approval Certificate referred to in Clause 5.16.1 shall be deemed to constitute approval of the Works or shall be taken as an admission of the due performance of the Contract or any part thereof, nor of the accuracy of any claim made by the Contractor, nor shall any other certificate exclude or prejudice any of the powers of the Engineer and/or the Employer.</p>
5.16.3	The latent defect period for all works is: 5 years.
6.2.1	The type of security for the due performance of the Contract, as selected by the Contractor in the Contract Data, must be delivered to the Employer.
6.2.3	<p>Amend Clause 6.2.3 as follows:</p> <p>If the Contractor has selected a performance guarantee as security, he shall ensure that it remains valid and enforceable as required in terms of the Contract.</p>
6.5.1.2.3	<p>The percentage allowance to cover overhead charges is:</p> <p>33%, except on material cost where the percentage allowance is 10%.</p>
6.8.2	<p>Contract Price Adjustment (CPA) will be applicable: No.</p> <p>If CPA is indicated as 'Yes' above the value of payment certificates is to be adjusted by a Contract Price Adjustment Factor:</p> <p>The value of the certificates issued shall be adjusted in accordance with the Contract Price Adjustment Schedule with the following values:</p> <p>The value of "x" is 0.15.</p> <p>The values of the coefficients are:</p> <p>a = 0.25. (Labour) b = 0.3 (Contractor's equipment) c = 0.3 (Material) d = 0.15 (Fuel)</p> <p>The values of the coefficients for "Repair and Maintenance Project" (RAMP) contracts are:</p> <p>a = 0.35 (Labour) b = 0.20 (Contractor's equipment) c = 0.35 (Material) d = 0.10 (Fuel)</p>

Tender no: KIM 03/2022

6.8.2	<p>The urban area nearest the Site is N/A. (Select urban area from Statistical News Release, P0141, Table 7.1.)</p> <p>The applicable industry for the Producer Price Index for materials is N/A. (Select the applicable industry from Statistical News Release, P01421, Table 11.)</p> <p>The area for the Producer Price Index for fuel is N/A. (Select the area from Statistical News Release, P01421, Table 12.)</p> <p>The base month is N/A 20N/A. (The month prior to the closing of the tender.)</p>
6.8.3	Price adjustments for variations in the costs of special materials are not allowed.
6.10.1.5	The percentage advance on materials not yet built into the Permanent Works is: 85 % .
6.10.3	The limit of retention money is dependent on the security to be provided by the Contractor in terms of Clause 6.2.1.
6.10.5	<p>Replace Clause 6.10.5 with the following:</p> <p><u>In respect of contracts up to R2 million and in respect of contracts above R2 million where the Contractor elects a security by means of a 10% retention</u>, 50% of the retention shall be released to the Contractor when the Engineer issues the Certificate of Completion in terms of clause 5.14.4. The remaining 50% of the retention shall be released in accordance with the provisions of the conditions of contract and will become due and payable when the Contractor becomes entitled, in terms of Clause 5.16.1, to receive the Final Approval Certificate.</p> <p><u>In respect of contracts above R2 million, where the Contractor elects a security by means of a cash deposit or fixed guarantee of 5% of the Contract Sum (excl. VAT) and a 5% retention of the Value of the Works (excl. VAT)</u>, the cash deposit or fixed guarantee, whichever is applicable, shall be refunded to the Contractor or return to the guarantor, respectively, when the Engineer issues the Certificate of Completion in terms of Clause 5.14.4. The 5% retention of the Value of the Works (excl. VAT) shall become due and payable when the Contractor becomes entitled, in terms of Clause 5.16.1, to receive the Final Approval Certificate.</p> <p><u>In respect of contracts above R2 million, where the Contractor elects a security by means of a cash deposit or a variable guarantee of 10% of the Contract Sum (excl. VAT)</u>, the cash deposit or the variable guarantee, whichever is applicable, will be reduced to 5% of the Value of the Works (excl. VAT) when the Engineer issues the Certificate of Completion in terms of Clause 5.14.4. The balance of the cash deposit shall become due and payable or the variable guarantee shall expire when the Contractor becomes entitled in terms of Clause 5.16.1 to receive the Final Approval Certificate.</p>
7.9.1	<p>Insert the following at the end of Clause 7.9.1:</p> <p>Provided that, should the Contractor on demand not pay the amount of such costs to the Employer, such amount may be determined and deducted by the Employer from any amount due to or that may become due to the Contractor under this or any other previous or subsequent contract between the Contractor and the Employer.</p>
8.2.2.1	<p>Insert the following as a second paragraph to Clause 8.2.2.1:</p> <p>The Contractor shall at all times proceed immediately to remove or dispose of any debris arising from damage to or destruction of the Works and to rebuild, restore, replace and/or repair the Works, failing which the</p>

	Employer may cause same to be done and recover the reasonable costs associated therewith from the Contractor.
--	---

Tender no: KIM 03/2022

8.4.3	<p>Insert a new Clause 8.4.3 as follows:</p> <p>The Contractor shall on receiving a written instruction from the Engineer immediately proceed at his own cost to remove or dispose of any debris and to rebuild, restore, replace and/or repair such property and to execute the Works.</p>
8.6.1.1.1	Amend Clause 8.6.1.1.1 to read as follows: Contract Sum plus 10%.
8.6.1.1.2	The value of Plant and materials supplied by the Employer to be included in the insurance sum is: Nil
8.6.1.1.3	The amount to cover professional fees for repairing damage and loss to be included in the insurance sum is: Nil
8.6.1.3	<p>Amend Clause 8.6.1.3 to delete reference to limit of indemnity, to read as follows:</p> <p>Liability insurance that covers the Contractor against liability for the death of, or injury to any person, or loss of, or damage to any property (other than property while it is insured in terms of Clause 8.6.1.1) arising from or in the course of the fulfillment of the Contract, from the Commencement Date to the date of the end of the Defects Liability Period, if there is one, or otherwise to the issue of the Certificate of Completion.</p>
8.6.1.5	<p>1. Public liability insurance to be effect by the Contractor to a minimum value of:</p> <p><input checked="" type="checkbox"/> R5 million</p> <p>or</p> <p><input type="checkbox"/> R insert amount in figures (and in words)</p> <p>With a deductible not exceeding 5% of each and every claim.</p> <p>2. Support insurance is to be effected by the Contractor to a minimum value of:</p> <p>R 0.00</p> <p>With a deductible not exceeding 5% of each and every claim.</p>
8.6.5	<p>Amend Clause 8.6.5 as follows:</p> <p>Save as otherwise provided in the Contract Data, the insurances referred to in Clause 8.6.1 shall be effected with an insurance company registered in the Republic of South Africa. The Contractor shall submit the insurance policy to the Employer for approval, if so requested.</p>
8.6.7	<p>Amend Clause 8.6.7 as follows:</p> <p>If the Contractor fails to effect and keep in force any of the insurances referred to in Clause 8.6.1, the Employer may cancel the Contract in terms of Clause 9.2.</p>
8.6.8	<p>Insert a new Clause 8.6.8 in provide for high risk insurance for projects executed on areas classified as "High Risk Areas".</p> <p>HIGH RISK INSURANCE</p>

	In the event of the project being executed in a geological area classified as a "High Risk Area", that is an area which is subject to highly unstable subsurface conditions that might result in catastrophic ground movement evident by sinkhole or doline formation the following will apply:
--	---

Tender no: KIM 03/2022

8.6.8	<p>(1) Damage to the Works The Contractor shall, from the date of Commencement of the Works until the date of the Certificate of Completion, bear the full risk of and hereby indemnifies and holds harmless the Employer against any damage to and/or destruction of the Works consequent upon a catastrophic ground movement as mentioned above. The Contractor shall take such precautions and security measures and other steps for the protection of the Works as he may deem necessary.</p> <p>When so instructed to do so by the Engineer, the Contractor shall proceed immediately to remove and/or dispose of any debris arising from damage to or destruction of the Works and to rebuild, restore, replace and/or repair the Works, at the Contractor's own costs.</p> <p>(2) Injury to Persons or Loss of or damage to Properties The Contractor shall be liable for and hereby indemnifies and holds harmless the Employer against any liability, loss, claim or proceeding arising during the Contract Period whether arising in common law or by Statute, consequent upon personal injuries to or the death of any person whomsoever resulting from, arising out of or caused by a catastrophic ground movement as mentioned above.</p> <p>The Contractor shall be liable for and hereby indemnifies the Employer against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable, or immovable or personal property or property contiguous to the Site, whether belonging to or under the control of the Employer or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the Contract Period.</p> <p>(3) It is the responsibility of the Contractor to ensure that he has adequate insurance to cover his risk and liability as mentioned in Clauses 8.6.8(1) and 8.6.8 (2) above. Without limiting his obligations in terms of the Contract, the Contractor shall, within 21 days of the Commencement Date and before Commencement of the Works, submit to the Employer proof of such insurance policy, if requested to do so.</p> <p>(4) The Employer shall be entitled to recover any and all losses and/or damages of whatever nature suffered or incurred consequent upon the Contractor's default of his obligations as set out in Clauses 8.6.8 (1), 8.6.8 (2) and 8.6.8 (3). Provided that, should the Contractor on demand not pay the amount of such costs to the Employer, such amount may be determined and deducted by the Employer from any amount due to or that may become due to the Contractor under this or any other existing or subsequent contract between the Contractor and the Employer.</p>
9.1.4	<p>Amend Clause 9.1.4 as follows:</p> <p>In the circumstances referred to in Clauses 9.1.1, 9.1.2 or 9.1.3 (provided that the circumstances in 9.1.3 is not due to the fault of the Contractor, his employees, contractors or agents), and whether or not the Contract is terminated under the provisions of this Clause, the Contractor shall be entitled to payment of any increased cost of or incidental to the execution of the Works which is specifically attributable to, or consequent upon the circumstances defined in Clauses 9.1.1, 9.1.2 or 9.1.3;</p>
9.1.5	<p>Amend Clause 9.1.5 as follows:</p>

	If the Contract is terminated on any account in terms of this Clause (provided that the circumstances in 9.1.3 is not due to the fault of the Contractor, his employees, contractors or agents) , the Contractor shall be paid by the Employer (insofar as such amounts or items have not already been covered by payments on account made to the Contractor) for all measured work executed prior to the date of termination, the amount (without retention), payable in terms of the Contract and, in addition:
9.1.6	This Clause is not applicable to this Contract.

Tender no: KIM 03/2022

9.2.1.3.8	Insert a new Clause 9.2.1.3.8 as follows: Has failed to effect and keep in force any of the insurances referred to in Clause 8.6.1,
9.2.4	Insert a new Clause 9.2.4 as follows, to provide for unilateral termination by the Employer: The Employer shall be entitled at any time to unilaterally terminate or cancel this Contract or any part thereof. Save for the following, the Contractor shall not be entitled to claim any other amounts whatsoever in respect of such termination or cancellation of this Contract. The Employer shall be obliged to pay the Contractor as damages and/or loss of profit the lesser of: 9.2.4.1 An amount not exceeding 10% of the Contract Sum; 9.2.4.2 10% of the value of incomplete work; or 9.2.4.3 The Contractor's actual damage or loss as determined by the Employer after receipt of evidence substantiating any such damage or loss.
9.3.2.2	Amend Clause 9.3.2.2 as follows to delete the proviso on lien: The ownership of Plant and unused materials brought onto the Site by the Contractor, and for which the Employer has not made any payment, shall revert to the Contractor and he shall, with all reasonable dispatch, remove from the Site such Plant, materials and all Construction Equipment and Temporary Works.
9.3.3	Insert the following at the end of Clause 9.3.3 After cancellation of the Contract by the Contractor, the Contractor, when requested by the Employer to do so, shall not be entitled to refuse to withdraw from the Works on the grounds of any lien or a right of retention or on the grounds of any other right whatsoever.
10.1.3.1	Amend Clause 10.1.3.1 as follows to insert the word "Plant": All facts and circumstances relating to the claims shall be investigated as and when they occur or arise. For this purpose, the Contractor shall deliver to the Engineer, records in a form approved by the Engineer, of all the facts and circumstances which the Contractor considers relevant and wishes to rely upon in support of his claims, including details of all Construction Equipment, labour, Plant and materials relevant to each claim. Such records shall be submitted promptly after the occurrence of the event giving rise to the claim.
10.1.6	Insert a new Clause 10.1.6 as follows: If the Employer fails to give his ruling within the period referred to in Clause 10.1.5 he shall be deemed to have given a ruling dismissing the claim.
10.2.1	Amend Clause 10.2.1 as follows: In respect of any matter arising out of or in connection with the Contract, which is not required to be dealt with in terms of Clause 10.1 or which does not require the decision or ruling of the Employer, the Contractor or the Employer shall have the right to deliver a written dissatisfaction claim to the Engineer. This written claim shall be supported by particulars and substantiated.

10.2.2	<p>Amend Clause 10.2.2 as follows:</p> <p>If, in respect of any matter arising out of or in connection with the Contract, which is not required to be dealt with in terms of Clause 10.1 or which does not require the decision or ruling of the Employer, the Contractor or the Employer fails to submit a claim within 28 days after the cause of dissatisfaction, he shall have no further right to raise any dissatisfaction on such matter.</p>
--------	--

Tender no: KIM 03/2022

10.3.2	<p>Amend Clause 10.3.2 as follows to replace "adjudication" with "court":</p> <p>If either party shall have given notice in compliance with Clause 10.3.1, the dispute shall be referred to court proceedings in terms of Clause 10.8, unless amicable settlement is contemplated.</p>
10.3.3	<p>Replace "Engineer" with "Employer".</p>
10.4.2	<p>Amend Clause 10.4.2 as follows to provide for submission to court:</p> <p>If the other party rejects the invitation to amicable settlement in writing or does not respond in writing to the invitation with 14 days, or amicable settlement is unsuccessful, either party may submit the dispute to court.</p>
10.4.4	<p>Amend Clause 10.4.4 to delete reference to "adjudication" and "arbitration" to read as follows:</p> <p>Save for reference to any portion of any settlement or decision which has been agreed to be final and binding on the parties, no reference shall be made by or on behalf of either party in any subsequent court proceedings, to any outcome of an amicable settlement, or to the fact that any particular evidence was given, or to any submission, statement or admission made in the course of the amicable settlement.</p>
10.5 10.6 & 10.7	<p>The entire provisions of these Clauses are not applicable to this Contract.</p>
10.10.3	<p>Amend Clause 10.10.3 as follows to reword and remove reference to "arbitrator":</p> <p>The court shall have full power to open up, review and revise any ruling, decision, order, instruction, certificate or valuation of the Engineer and Employer and neither party shall be limited in such proceedings before such court to the evidence or arguments put before the Engineer or Employer for the purpose of obtaining his ruling.</p>

CONTRACT PARTICIPATION GOAL TARGETS AND CIDB B.U.I.L.D. PROGRAMME

The contractor shall achieve in the performance of the contract the following Contract Participation Goals (CPGs) as described in PG-01.2 (EC): Scope of Work and PG-02.2 (EC): Pricing Assumptions and in accordance with the feasibility study, which forms part of the specifications in the CPG Section of the Specification of this contract.

(a)	<p>Minimum 30% mandatory Subcontracting to SMMEs in accordance with the Preferential Procurement Policy Framework Act, 2000: Preferential Procurement Regulations, 2017 as published in the Government Gazette Notice No. 40553 of 20 January 2017 – Condition of Tender. (Applicable to all projects above R30 Mil for all class of works categories)</p>	<p>Not applicable</p>
-----	--	------------------------------

(b)	Minimum Targeted Local Manufacturers of Material Contract Participation Goal, in accordance with the cidb Standard for Contract Participation Goals for Targeting Enterprises and Labour through Construction Works Contracts as published in the Government Gazette Notice No. 41237 of 10 November 2017, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract. (Applicable to projects which require 7GB or 7CE cidb grading, i.e. R20 000 001 and above with minimum 6 month construction period)	Not applicable
-----	--	-----------------------

Tender no: KIM 03/2022

(c)	Minimum Targeted Local Building Material Suppliers Contract Participation Goal in accordance with the cidb Standard for Contract Participation Goals for Targeting Enterprises and Labour through Construction Works Contracts as published in the Government Gazette Notice No. 41237 of 10 November 2017, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract. (Applicable to projects which require 7GB or 7CE cidb grading, i.e. R20 000 001 and above with minimum 6 month construction period)	Not applicable
(d)	Minimum Targeted Local Labour Skills Development Contract Participation Goal in accordance with the cidb Standard for Contract Participation Goals for Targeting Enterprises and Labour through Construction Works Contracts as published in the Government Gazette Notice No. 41237 of 10 November 2017, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract. (Applicable to projects which require Grade 7 to 9 cidb grading, i.e. R20 000 001 and above with minimum 12 month construction period)	Not applicable
(e)	cidb BUILD Programme: Minimum Targeted Enterprise Development Contract Participation Goal in accordance with the cidb Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts, No 36190 Government Gazette, 25 February 2013, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract. (Applicable to projects which require 7GB or 7CE cidb grading, i.e. R20 000 001 and above with minimum 6 month construction period)	Not applicable
(f)	cidb BUILD Programme: Minimum Targeted Contract Skills Development Goal in accordance with the cidb Standard for Developing Skills through Infrastructure Contracts as published in the Government Gazette Notice No. 43495 of 3 July 2020, as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 as amended in cidb Best Practice Project Assessment Scheme Notice No. 43726 of 18 September 2020 – Condition of Contract. (Applicable to projects which require cidb Grade 7 and above for all class of works categories, i.e. R20 000 001 and above with minimum 12 month construction period)	Not applicable
(g)	DPWI National Youth Service training and development programme (NYS) – Condition of Contract. (Applicable to projects with a minimum contract value R2 Mil and minimum 12 month construction period.	Not applicable
(h)	Labour Intensive Works – Condition of Contract. (Applicable to all CE projects and all GB projects ≥ R30 million)	Not applicable
(i)		Select
(j)		Select

Tender no: KIM 03/2022

	PART 2: DATA PROVIDED BY THE BIDDER
1.1.1.9	The name of the Bidder is: _____
1.2.1.2	<p>The address of the Bidder is:</p> <p>Postal address:</p> <p>_____</p> <p>_____</p> <p>_____ Postal Code: _____</p> <p>Tel: _____ Fax: _____</p> <p>TAX / VAT Registration No: _____</p> <p>Physical address:</p> <p>_____</p> <p>_____</p> <p>_____ Postal Code: _____</p> <p>E-mail address: _____</p>
6.2.1	<p>The security to be provided by the Contractor shall be one of the following:</p> <p>(a) Cash deposit of 10 % of the Contract Sum (excl. VAT) <input type="checkbox"/> YES or <input type="checkbox"/> NO</p> <p>(b) Variable performance guarantee of 10 % of the Contract Sum (excl. VAT) <input type="checkbox"/> YES or <input type="checkbox"/> NO</p> <p>(c) Retention of 10 % of the value of the Works (excl. VAT) <input type="checkbox"/> YES or <input type="checkbox"/> NO</p> <p>(d) Cash deposit of 5 % of the Contract Sum (excl. VAT) plus retention of 5 % of the value of the Works (excl. VAT) <input type="checkbox"/> YES or <input type="checkbox"/> NO</p>

	<p>(e) Performance guarantee of 5 % of the Contract Sum (excl. VAT) plus retention of 5 % of the value of the Works (excl. VAT) <input type="checkbox"/> YES or <input type="checkbox"/> NO</p> <p><i>NB: Guarantees submitted must be issued by either an insurance company duly registered in terms of the Insurance Act [Long-Term Insurance Act, 1998 (Act 52 of 1998) or Short-Term Insurance Act, 1998 (Act 53 of 1998)] or by a bank duly registered in terms of the Banks Act, 1990 (Act 94 of 1990) on the pro-forma referred to above. No alterations or amendments of the wording of the pro-forma will be accepted.</i></p>
--	--

PG-01.1 (EC) SCOPE OF WORKS – (GCC (2010) 2nd EDITION: 2010)

Project title:	Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps		
Tender no:	KIM 03/2022	Reference no:	19/2/4/2/2/2327/491

C3. Scope of Works

CONTENTS

C3.1 STANDARD SPECIFICATIONS

C3.2 PROJECT SPECIFICATIONS

A: SEE DOCUMENT IN THE TENDER AND NAMED:

SUPPLEMENTARY TECHNICAL SPECIFICATION FOR THE HEAT PUMP INSTALLATIONS AND HOT WATER STORAGE

C3.3 STANDARD SPECIFICATIONS:

The standard specifications on which this contract is based are the **South African Bureau of Standards Standardized Specifications for Civil Engineering Construction SABS 1200**. (Note: "SABS" has been changed to "SANS"; the SABS 1200 specifications are due to be replaced in the foreseeable future by SANS 2100)

Although not bound in nor issued with this Document, all the Sections of the Standardized Specifications of SABS 1200 (the SANS specifications referred to in the document named under C3.2 above shall form part of this Contract.

3.5 PROJECT SPECIFICATIONS:

Status

The Project Specification, consisting of two parts, forms an integral part of the contract and supplements the Standard Specifications.

Part1 A contains a general description of the works, the site and the requirements to be met.

Part B contains variations, amendments and additions to the Standardized Specifications and, if applicable, the Particular Specifications.

In the event of any discrepancy between a part or parts of the Standardised of Particular Specifications and the Project Specification, the Project Specification shall take precedence. In the event of a discrepancy between the specifications, (including the Project Specifications) and the drawings and / or the Bill of Quantities, the discrepancy shall be resolved by the Engineer before the execution of the work under the relevant item.

3.5.1 GENERAL

PS-1 PROJECT DESCRIPTION:

Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps

3.5.2 AMENDMENTS TO THE STANDARD AND PARTICULAR SPECIFICATION:

See document named under C3.2 above

Tender no: KIM 03/2022

C3.5.3 PARTICULAR SPECIFICATIONS:

See document named under C3.2 above

C3.6 STANDARD MINIMUM REQUIREMENTS

In terms of section 5(2) of the Construction Industry Development Board Act, 2000 (Act no. 38 of 2000) (the Act), the Construction Industry Development Board is empowered to establish and promote best practice standards, Standard Requirements and Guidelines which includes the following but not limited to:

- C3.6.1 cidb Best Practice: Green Building Certification, No. 34158 Government Gazette, 1 April 2011
- C3.6.2 cidb Standard for Developing Skills through Infrastructure Contracts, No. 36760 Government Gazette, 23 August 2013
- C3.6.3 cidb Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts, No 36190 Government Gazette, 25 February 2013
- C3.6.4 Preferential Procurement Policy Framework Act, 2000: Preferential Procurement Regulations, 2017, No. 40553 Government Gazette, 20 January 2017
- C3.6.5 cidb Standard for Contract Participation Goals for Targeting Enterprises and Labour through Construction Works Contracts, No. 41237 Government Gazette, 10 November 2017
- C3.6.6 cidb Standard for Minimum Requirements for Engaging Contractors and Sub-Contractors on Construction Works Contracts, No. 41237 Government Gazette, 10 November 2017
- C3.6.7 cidb Standard for Minimum Requirements for Engaging Contractors and Sub- Contractors on Construction Works Contracts, No. 42021 Government Gazette, 9 November 2018
- C3.6.8 cidb Standard for Developing Skills through Infrastructure Contracts, No. 43495 Government Gazette, 3 July 2020

C3.7 CONTRACT PARTICIPATION GOALS AND CIDB BUILD PROGRAMME

Not applicable on this project

C3.8 Submission of Accrual Reports

The Contractor shall submit accrual reports to the client representative at the **end of March and September each year** for the duration of the Service Contract period from the date of appointment up to and including project closeout. This is to ensure that PMTE complies with the accounting framework GRAP, which requires that PMTE disclose all its accruals as at the end of each reporting date.

C.3.9 Submission of Monthly Local Material Utilisation Report (Local Content)

The contractors shall be responsible for record keeping, documenting and submission of monthly local material utilization report with supporting documentation to the Employer's representative within 7 working days of the beginning of the successive month, in terms of DTI&C designated industry/sector/sub-sector schedule as per the PA36 and Annexures C attached to the tender document. The final percentage achievement to be reconciled upon completion of the project and form part of the final account.

Tender no: KIM 03/2022

Failure by the contractors to achieve the specified percentage of local content per designated industry/sector/sub-sector as listed will result in a thirty percent thirty percent (30%) penalty of the value not achieved, excluding VAT, unless the contractor can prove to the Employer's satisfaction that the non-achievement was beyond his/her control. Allowance must be made for submitting monthly reports illustrating the value of local material utilisation report.

PG-03.1 (EC) SITE INFORMATION – GCC (2010) 2nd Edition 2010

Project title:	<i>Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps</i>			
Tender no:	KIM 03/2022	WCS no:		Reference no: 19/2/4/2/2/2327/491

C4 Site Information

The site is situated at Kimberly, in the Northern Cape Province.

The work to be done is in the security area of a working prison.

Access to and from the site is under strict security enforced by the DCS. The contractor's workers, equipment and material will be subjected to inspection when entering and leaving the site.

DCS reserves the right to refuse any person access to the facility at any time and without providing reasons.

The work will be in existing heat pump plantrooms that form part of the prison buildings. Access to the plantrooms are directly from the outside of the prison buildings.

PG-02.1 (EC) PRICING ASSUMPTIONS – GCC (2010) 2nd Edition 2010

Project title:	<i>Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps</i>		
Tender / Quotation no:	KIM 03/2022	Reference no:	19/2/4/2/2/2327/491

C2.1 Pricing Assumptions

C2.1.1 GENERAL

The Bill of Quantities forms part of the Contract Documents and must be read and priced in conjunction with all the other documents comprising the Contract Documents, which include the Conditions of Tender, Conditions of Contract, the Specifications (including the Project Specification) and the Drawings.

C2.1.2 DESCRIPTION OF ITEMS IN THE SCHEDULE

The Bill of Quantities has been drawn up generally in accordance with Civil Engineering Quantities 1990 issued by the SA Institution of Civil Engineers.

The short descriptions of the items in the Bill of Quantities are for identification purposes only and the measurement and payment clause of the Standardized Specifications and the Particular Specifications, read together with the relevant clauses of the Project Specification and directives on the drawings, set out what ancillary or associated work and activities are included in the rates for the operations specified.

C2.1.3 QUANTITIES REFLECTED IN THE SCHEDULE

The quantities given in the Bill of Quantities are estimates only, and subject to remeasuring during the execution of the work. The Contractor shall obtain the Engineer's detailed instructions for all work before ordering any materials or executing work or making arrangements for it.

The Works as finally completed in accordance with the Contract shall be measured and paid for as specified in the Bill of Quantities and in accordance with the General and Special Conditions of Contract, the Specifications and Project Specifications and the Drawings. Unless otherwise stated, items are measured net in accordance with the Drawings, and no allowance has been made for waste.

The validity of the contract will in no way be affected by differences between the quantities in the Bill of Quantities and the quantities finally certified for payment.

C2.1.4 PROVISIONAL SUMS

Where Provisional sums or Prime Cost sums are provided for items in the Bill of Quantities, payment for the work done under such items will be made in accordance with Clause 45 of the General Conditions of Contract 2004. The Employer reserves the right, during the execution of the works, to adjust the stated amounts upwards or downwards according to the work actually done under the item, or the item may be omitted altogether, without affecting the validity of the Contract.

The Tenderer shall not under any circumstances whatsoever delete or amend any of the sums inserted in the "Amount" column of the Bill of Quantities and in the Summary of the Bill of Quantities unless ordered or authorized in writing by the Employer before closure of tenders. Unauthorized changes made by the Tenderer to provisional items in the Bill of Quantities, or to the provisional percentages and sums in the Summary of the Bill of Quantities will lead to the disqualification of the Tenderer.

C2.1.5 PRICING OF THE BILL OF QUANTITIES

The **bills of quantities / lump sum document** forms part of and must be read and priced in conjunction with all the other documents forming part of the **contract documents**, the Standard Conditions of Tender, Conditions of Contract, Specifications, Drawings and all other relevant documentation.

The prices and rates to be inserted by the Tenderer in the Bill of Quantities shall be the full inclusive prices to be paid by the Employer for the work described under the several items, and shall include

Any reference to words "Bid" or "Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

Tender no: KIM 03/2022

full compensation for all cost and expenses that may be required in and for the completion and maintenance during the defects liability period of all the work described and as shown on the drawings as well as all overheads, profits, incidentals and the cost of all general risks, liabilities and obligations set forth or implied in the documents on which the Tender is based.

Each item shall be priced and extended to the "Total" column by the Tenderer, with the exception of the items for which only rates are required, or items which already have Prime Cost or Provisional Sums affixed thereto. If the Contractor omits to price any items in the Bill of Quantities, then these items will be considered to have a nil rate or price.

The Tenderer is required to check the Bills of Quantities and the numbers of the pages and should any be found to be missing or in duplicate, or should any of the typing be indistinct, or any doubt of obscurity arise as to the meaning of any description or particulars of any item, or if this Tender Enquiry contains any obvious errors, then the Tenderer must immediately inform the Principal Agent and have them rectified or explained in writing as the case may be. No liability whatsoever will be admitted by reason of the Contractor having failed to comply with the foregoing instruction.

No alterations, erasures, omissions or additions is to be made in the text and/or conditions of these Bills of Quantities. Should any such alterations, amendments, note/s or addition be made, the same will not be recognized, but reading of these Bills of Quantities as originally prepared by the Quantity Surveyor will be adhered to.

The contractor is cautioned that the use of any quantities appearing in these Bills of Quantities for the purpose of ordering material, it is done at own risk and no liability whatsoever will be admitted by the Employer or Quantity Surveyor for the correctness of such Quantities. Unless otherwise stated, items are measured net in accordance with the drawings, and no allowance is made for waste.

The prices and rates to be inserted by the Tenderer in the Bills of Quantities shall be the full inclusive prices to be paid by the Employer for the work described. Such prices and rates shall cover all costs and expenses that may be required in and for the execution of the work described, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the documents on which the tender is based, as well as overhead charges and profit. Market related prices shall be inserted as these will be used as a basis for assessment of payment for additional work that may have to be carried out. The Employer reserves the right to balance the Bill rates where deemed necessary within the Tendered Amount.

A price or rate is to be entered against each item in the Bills of Quantities, whether the quantities are stated or not. An item against which no rate is/are entered, or if anything other than a rate or a nil rate (for example, a zero, a dash or the word "included" or abbreviations thereof) is entered against an item, it will also be regarded as a nil rate having been entered against that item, i.e. that there is no charge for that item. The Tenderer may be requested to clarify nil rates, or items regarded as having nil rates; and the Employer may also perform a risk analysis with regard to the reasonableness of such rates.

Should the full intent and meaning of any description not be clear, the bidder shall, before submission of his tender, call for a written directive from the principal agent, failing which it shall be assumed that the contractor has allowed in his pricing for materials and workmanship in terms of National Best Practice.

All items for which terminology such as "inclusive" or "not applicable" have been added by the Tenderer will be regarded as having a nil rate which shall be valid irrespective of any change in quantities during the execution of the Contract.

The Tenderer shall fill in rates for all items where the words "rate only" appear in the "Total" column. "Rate Only" items have been included where:

- (a) variations of specified components in the make-up of a pay item may be expected; and
- (b) no work under the item is foreseen at tender stage but the possibility that such work may be required is not excluded.

Tender no: KIM 03/2022

For 'Rate Only' items no quantities are given in the "Quantity" column but the quoted rate shall apply in the event of work under this item being required. The Tenderer shall however note that in terms of the Tender Data the Tenderer may be asked to reconsider any such rates which the Employer may regard as unbalanced.

Descriptions in the Bills of Quantities are abbreviated and comply generally with those in the "PW 371" and the principles contained in the latest version of the SANS 1200 in South Africa. It is the intention that the abbreviated descriptions be fully described when read with the applicable measuring system and the relevant preambles and/or specifications. However, should the full intent and meaning of any description not be clear, the bidder shall, before submission of his tender, call for a written directive from the principal agent, failing which it shall be assumed that the contractor has allowed in his pricing for materials and workmanship in terms of National Best Practice.

The price quoted against each item of this Bills of Quantities shall cover the full inclusive cost of the complete work to which it refers, as described in the Conditions of Contract and Specifications and as shown on the Drawings and shall allow for labour, material, transporting, loading, storage, supervision, commissioning, wastage, as well as the builders profit and attendance.

The Tenderer must ensure that he fully completes all columns of the Bill of Quantities including the Final Summary. The fully priced bill of quantities must be submitted with the tender or The Final Summary and the Section Summary pages **MUST** be returned with the tender document as indicated the PA-03 Notice and Invitation to Tender / PA-04 Notice and Invitation for quotation.

The tenderers are to ensure that they have read and understood the project specifications included in C3: Scope of Work. All the information provided in the Scope of Works form part of the work and must be included in the rates.

"The Contractor shall be deemed to have inspected and examined the Site and its surroundings and information available in connection therewith and to have satisfied himself before submitting his tender (as far as is practicable) as to:

- (a) the form and nature of the Site and its surroundings, including subsurface conditions,
- (b) the hydrological and climatic conditions,
- (c) the extent and nature of work and materials necessary for the execution and completion of the Works,
- (d) the means of access to the Site and the accommodation he may require

and, in general, shall be deemed to have obtained all information (as far as is practicable) as to risks, contingencies and all other circumstances which may influence or affect his Tender"

C2.1.6 VALUE ADDED TAX

The **contract sum** must include for Value Added Tax (VAT). All rates, provisional sums, etc. in the **bills of quantities / lump sum document** shall be in Rands and cents and shall include all levies and taxes (other than VAT). VAT will be added in the summary of the Bill of Quantities. The rates must however be net (exclusive of VAT) with VAT calculated and added to the total value thereof in the Final Summary. All rates and amounts quoted in the Bill of Quantities

C2.1.7 CORRECTION OF ENTRIES

Incorrect entries shall not be erased or obliterated with correction fluid but must be crossed out neatly. The correct figures must be entered above or adjacent to the deleted entry, and the alteration must be initialled by the Tenderer.

Tender no: KIM 03/2022

C2.1.8 ARITHMETICAL ERRORS

Arithmetical errors found in the Bill of Quantities as a result of faulty multiplication or addition, will be corrected by the Engineer at the tender evaluation stage, as set out in the Tender Data.

C2.1.9 CONTRACT DOCUMENTS

The Tenderers are advised to examine the bills of quantities, drawings and specifications including all other contract documents and make themselves thoroughly acquainted with the nature and requirements of the work, as no claim for extra payment in this regard will be entertained. Should any parts of the drawings not be clearly intelligible to the Tender, he must, before submitting his tender, obtain clarification from the Principal Agent.

C2.1.10 UNITS OF MEASUREMENT

The units of measurement described in the Bill of Quantities are metric units for which the standard international abbreviations are used. Non-standard abbreviations which may appear in the Bill of Quantities are as follows:

No.	=	Number
%	=	Percent
Sum	=	Lump sum
PCsum	=	Prime cost sum
Prov sum	=	Provisional sum
m ³ .km	=	Cubic metre - kilometre
Km-pas	=	kilometre - pass
m ² .pass	=	square metre – pass

C2.1.11 TRADE NAMES

Tenderers attention is drawn to the fact that wherever trade names or references to any catalogue have been made in these Bills of Quantities, it is purely to establish a standard for the required material. If use is made of any other equally approved material in lieu of the prescribed trade name or catalogue, the necessary price adjustments will be made.

C2.1.12 CONTRACT DOCUMENTS

The Tenderers are advised to examine the bills of quantities, drawings and specifications including all other contract documents and make themselves thoroughly acquainted with the nature and requirements of the work, as no claim for extra payment in this regard will be entertained. Should any parts of the drawings not be clearly intelligible to the Tender, he must, before submitting his tender, obtain clarification from the Principal Agent.

C2.1.13 PAYMENTS

Interim valuations and payments will be prepared on a monthly basis, all in terms of the conditions of contract.

The contractor is to note that no payment will be made for materials stored off site and in the case of materials being stored on site, payment will only be made for such materials on condition that they have not been delivered to the site prematurely, a tax invoice and proof of payment (ownership) is submitted by the Contractor.

Tender no: KIM 03/2022

C2.1.14 ACCOMMODATION ON SITE

It is imperative to note that no living quarters for construction workers on site will be permitted for the full duration of the contract unless otherwise stated in the contract data or permission be granted by the Employer.

C2.1.15 LOCAL MATERIAL UTILISATION REPORT (LOCAL CONTENT)

Bidders to note that materials procured for the works should be from South African manufactures and suppliers. Imported materials shall only be considered under exceptional circumstances, based on compelling technical justifications, and subject to the approval by the NDPWI.

The contractor shall achieve in the performance of this contract the prescribed local content deliverables as listed in PA36 and annexures C thereto in the respective designated sectors as published by Department Trade Industry and Competition (DTIC). The Service Provider shall submit an accumulative monthly report to the Employer's representative indicating the percentage targets achieved which must be reconciled upon completion of the project and to form part of the final account.

The contractor shall be responsible for record keeping, documenting and submission of monthly local material utilization report with supporting documentation to the Employer's representative within 7 working days of the beginning of the successive month, in terms of DTI&C designated industry/sector/sub-sector schedule as per the PA36 and Annexures C attached to the tender document. The final percentage achievement to be reconciled upon completion of the project and form part of the final account.

C2.1.16 CONTRACT PARTICIPATION GOALS

Not applicable on this project

C2.2 Submission of Accrual Reports

The Contractor shall submit accrual reports to the client representative at the end of March and September each year for the duration of the Service Contract period from the date of appointment up to and including project closeout. This is to ensure that PMTE complies with the accounting framework GRAP, which requires that PMTE disclose all its accruals as at the end of each reporting date. Allowance must be made for submitting reports to the Employer's Representative on a monthly basis in terms of monthly and accumulative targets achieved with audited supporting documentation.

SUPPLEMENTARY TECHNICAL SPECIFICATION

FOR THE

HEAT PUMP INSTALLATIONS

AND

HOT WATER STORAGE

A. GENERAL

1. SCOPE OF WORKS

This particular Technical Specification is for the supply and installation of the hot water generating installations: Heat pumps and storage cylinders.

- a) This specification covers the particulars of the hot water generating systems and the supply and installation of new heat pumps and cylinders systems at the Tswelopele Correctional Centre.
- b) The installation to be installed and maintained under this contract includes the following systems and equipment:
 - Hot water storage system (with inline electric heating)
 - Building circulating pumps
 - Hot and cold water piping and valves in plant room (complete plant room piping installation)
 - Air to water heat pumps, dedicated water pump circulating system and control panels. Heat pumps shall be quite in operation as they are situated adjacent to cells.
- c) All electrical and piping connections for the complete hot water generating air to water heat pump with independent motor control panels for each machine.
- d) Complete piping and electrical installation including all valves, gauges fittings, controls, strainers, insulation, pipe supports, expansion legs and anchors, safety valves, vent pipes, air release valves, solenoid valves etc. associated with the installation.
- e) Make off power supplies to the pump room control panel, to the two heat pump control panels and the supplementary hot water cylinder control panels.
- f) Complete insulated hot water storage cylinders fitted with supplementary heater and flanged connections.
- g) Commissioning and testing of the heat pumps, cylinders, pumps, controls, equipment piping etc. and the handover of a complete operation installation.

2. GENERAL

This supplementary specification is to be read as forming part of one or more Department of Public Works Standard Specifications. The clauses that maybe referred to herein are clauses of the Standards Specifications. Relevant clauses not specifically mentioned shall also apply.

The Department Standard Specifications for the Electrical Installations and Electrical Equipment pertaining to Mechanical Services shall also apply.

All equipment and installations shall comply with the requirements of the Occupational Health and Safety Act.

Where conditions are at variance this supplementary specification shall have preference over both the standards specifications and the drawings.

3. MATERIAL AND WORKMANSHIP

All material and equipment shall be new, free from rust, defects, undamaged and suitable for the purpose for which it will be used. Material shall comply with the latest issue of the relevant SANS specification where applicable.

If any material or workmanship is not to the satisfaction of the department, it shall be rectified and /or replaced at the contractor's cost and all rejected material shall immediately be removed from the site. The contractor is responsible for the correct and complete erection of the installation and inspections executed by the Department do not exempt the contractor of this obligation.

4. DRAWING

Any drawing which accompany this specifications are schematic and did not show exact dimensions or positions of equipment. Tenders must satisfy themselves that the equipment offered by them shall fit in the available space and can be positioned so that access for maintenance, repair or removal is not encumbered.

Note: Final dimensions must be taken on site before any equipment or material is either purchased or manufactured.

5. COMPREHENSIVE CONTRACTS AND SUB-CONTRACTORS

Only specialists sub-contractors who have previously successfully completed mechanical installations of the extent and type specified in this document shall be considered.

Note: No change in make type, or capacity of equipment specified in the schedule of particulars shall be allowed after acceptance of the tender without the written approval of the Department.

6. MANUFACTURER'S RATINGS

All equipment shall be able to work within the rated capacity, as determined by the manufacturer. Any equipment offered for the use out of these limits shall not be considered. Contractors shall hand in the rated capacities of all equipment as well as descriptive literature with the tender documents.

7. SHOP DRAWINGS

Within 14 days of being awarded the contract the contractor will produce a complete layout in the form of a shop drawing with all the required service connections detailed and dimensioned. Any other shop drawings required to effect the installation shall be produced as required. At the end of the contract, three full sets of "as built" drawings and manuals shall be provided for this contract.

The successful tenderer shall before commencing manufacture of any of the equipment provide a dimensioned shop drawing for approval.

Approval of the contractor's drawings in no way indemnifies him from being responsible for the correctness of the drawings and satisfactory operation of the installations and for equipment.

8. BUILDING WORK

All building work to be done by the building contractor as shown on the mechanical shop ratings. All other small building work such as cutting and drilling of holes forms part of this contract.

9. SITE INSPECTION

Tenderers are advised to visit the site to acquaint themselves with the local conditions, accessibility, etc. No claims for compensations due to lack of knowledge of conditions will be accepted.

10. PAINTING

All exposed steel surfaces, excluding new galvanised and stainless steel, shall be painted. Thereafter the surfaces shall be painted with a zinc chromate primer, followed by one coat of

universal undercoat and one final coat of high gloss enamel paint, the colour of which shall be determined by the Regional Representative.

All piping and cladding inside the building shall be painted. The paint shall be to SANS standard for that product.

All black steel shall be thoroughly wire brushed and painted with three coats of self-etching red oxide primer before final colour coded enamel paint. Galvanised and copper piping shall be left unpainted.

11. DETAILS OF MAINTENANCE WORK

The contractor shall be responsible for the complete maintenance of all the equipment, components, installations and systems forming part of this installation for 12 months.

12. GUARANTEE

The tenderer shall guarantee equipment for a period of twelve months from the date on which the installation/fixing of all the units is satisfactorily completed.

The contractor shall repair, at his own cost, defects that may become defective during the guarantee period due to the inferior materials or workmanship (fair wear and tear excluded). Any part so replaced, shall be guaranteed for a further year from the date of replacement.

The tenderer shall also allow for a Defects Liability Period of 5 years for the installations.

13. SANS SPECIFICATION

All references to the South African National Standards and Codes of Practice shall be deemed to be references to the latest issues of such specifications and codes.

14. INSTRUCTIONS MANUALS

A maintenance and operation instruction manual, including spare parts list shall be provided with each mechanical and electrical unit.

15. SIMILAR OR EQUAL

Any trade name mentioned merely serves as a guideline and doesn't indicate preference for that specific make. Tenderers are at liberty to offer any other equipment and /or material, which compile with the specification requirements

16. POWER SUPPLY

The electrical equipment shall be suitable for connection to 400/230V 3 phase 50Hz 4 wire AC supply.

17. SPARE PARTS

Spare parts for each mechanical and electrical appliance shall be readily available in the Republic of South Africa, for a minimum period of 10 years.

18. DAMAGE

The tendered will be held liable entirely responsible for any damage which may occur to equipment during the transportation, setting into position and fixing and must make good any such damage at his own risk.

No patching or repairing of damaged units will be allowed unless such damage can be completely effectively repaired and to the entire satisfactions of the Representative/Agent.

19. COLD AND HOT WATER RETICULATIONS

Tenderer shall allow for the complete plant room pipework installation including cold and hot water supply, re-circulation and drain piping. The plumber shall connect to the outgoing hot, cold and return water lines.

For the distribution of hot and cold water inside the building, insulated copper piping shall be used. All copper piping shall conform to SANS 460 Class 0 for all sizes. Piping and pipe fittings shall comply with SANS 1067 Part 2 for capillary fittings. All piping chased into walls must be class 2 copper piping.

Pipework shall be laid out in consultation with and to the satisfaction of the Representative of the Department. Piping penetrations through walls shall be cored for the appropriate sleeve size and shall be grouted and made good after installation of the pipework and insulation.

20. PIPE FITTINGS

Copper piping must be joined with capillary soldered fittings. These must be silver soldered using hard solder complying with SANS 23-1992 as amended.

Conical type screw connections can only be used and must be installed at removable components up to a pipe size 80mm diameter. On larger piping flanges must be used. Solder must have a melting point of no less than 500°C and shall comply with SANS 24 and must be of lead free.

All fittings shall be of the same size as piping reducers and bushes shall not be used unless by express permission of the Department.

Bends shall be used throughout and not elbows, unless by express permission of the Department. Provide and install full way valves in hot water piping.

21. LAGGING

All insulation shall be applied after the erection of equipment and pipework and after all joints have been completed and tested.

B. PARTICULAR TECHNICAL SPECIFICATIONS FOR THE SUPPLY, DELIVERY AND INSTALLATION OF HEAT PUMPS

1. SITE

The site is situated at Kimberly, in the Northern Cape Province.

2. GENERAL HEAT PUMP SPECIFICATION

The heat pump installation is to be supplied complete with all control and starters; local isolator; fully weatherproof panel and electrics; full diagnostics; supply water control and solenoid valves; water circulating pumps and valves; water flow switch and interlock head pressure control; anticyclone timers; low voltages and single phasing protection; HP; LP; oil press and anti-freeze safety switches and de-icing cycles; whether part of the heat pump unit or installed in the plant room.

Compressors shall be hermetic or semi hermetic direct drive reciprocating machines.

Casing shall be constructed of stainless steel sheeting with corrosion proof fans and fitting suitable for outdoor applications. No black steel components allowed.

Correct oil and refrigerant charges to be supplied with the machines on site before commissioning. In the event of a gas leak, the gas will be removed, the system will be cleaned and re-charged. Each circuit shall incorporate filter dryer, sight glass, thermostatic expansion valve and suction accumulators.

Condenser shells shall be manufactured entirely out of type 304 stainless steel. Heating coils/tubes shall be copper. Condensate drip tray and drain piping shall be 304 stainless steel. Evaporators shall be copper tubing with mechanically bonded aluminium fins. Counter flow heat exchangers will be preferred.

The condenser fan motors shall be of the totally enclosed squirrel cage induction type for 3-phase connection or of the capacitor start type for single phase which must have a power factor of not less than 0,85. Small fans up to 230mm diameter may have shaded pole motors. Motor bearings shall be silent running ball or roller bearing except for small fans which bearings may be porous bronze. Sealed ball bearings with life lubrication may also be used.

The motor supporting arms shall have resilient supports where connections to the ring or diaphragm plate is made. Fans are to be supplied with vibration isolating fixings.

The blades shall be robust and preferably of steel and painted. They shall be formed to an aerodynamic shape to ensure quiet running. When bearings require oiling, lubrication points must be readily accessible. Evaporating pressure control for operation down to -5°C wb ambient with de-icing cycles. Corrosion proof condensers suitable for "hard" water complete with cleaning ports and acid cleaning pot and valving arrangement.

The compressors will be mounted in such a way to minimize vibration and sound levels. Overall a noise level of NC 65 shall be achieved, measured 2,0m away from the Heat Pump.

Automatic restart on power failure, full diagnostic and displays with fault contacts for remote monitoring.

Lighting protection and suppression of control systems shall be incorporated in any electronic control system. Effective hail guards shall be fitted to the evaporator coils without excessive restriction of air flow. Expanded metal is not sufficient or acceptable.

The machines shall incorporate at least the following features:

- Part wind start.
- Controlled lubrication pressure and crankcase heaters.
- Suction filter, liquid dryer, moisture indicators, and strainers.
- Maximum discharge temperature control and constant hot water temperature control. The maximum discharge condensing temperature should not exceed 55°C at the manufacturer's stated hot water temperature.
- Oil pressure control.
- High performance copper bundle insulated condenser fully serviceable.
- Copper tubes, aluminium fin coil ≤ 14 fins/inch evaporator.
- Weatherproof fans and fan motors.
- Fully weatherproof, anti-corrosion enclosure and frame work. The entire unit shall be corrosion protected (inside and outside). All steel components shall be pre-galvanised: no painted black steel shall be allowed.
- Complete electric control panel to EN 60204 with full power and control circuit protection. This panel may be mounted separately from the heat pump unit.
- Microprocessor control module fully surge protected and lightning protected.
- Fault display and memory with remote fault monitoring capability.
- Potential free common fault output indication for remote hardwire monitoring panel.

3. AIR TO WATER HEAT PUMPS

No off	54
Net heating capacity	66kW, 0.5l/s with $\Delta T = 47^{\circ}\text{C}$
Net heating capacity nominal	130kW, 0.70l/s with $\Delta T = 47^{\circ}\text{C}$
Water temperature off heat pump	$60 \pm 2^{\circ}\text{C}$
Minimum water on heat pump	5°C
Water flow m^3/h ($\Delta T = 47^{\circ}\text{C}$)	Min 2
Ambient conditions at duly rating	(summer) 40°C db, 24°C wb (winter) 5°C db, 1°C wb
Condenser fouling factor	$0.176\text{m}^2\text{K/kW}$
Air on evaporator (minimum/maximum)	0°C db, -2°C wb / 40°C db, 24°C wb
Refrigerant	R134a
Power supply	400V/50Hz/3 ϕ
Cond pressure drop	40kPa max
Altitude	1200m
Maximum summer ambient temperature	40°C
Minimum overall COP at above winter duly ratings conditions	2.38 at 0°C Ambient

Note: These values may vary from manufacturer to manufacturer.

4. HOT WATER PUMPS

Supply and install where shown on the drawings hot water circulating pumps, inline heater circulating pumps and heat pump circulating pumps for the hot water reticulation systems of each of the heat pump and cylinder installations. The pumps shall have the minimum capacities shown at the heads indicated:

Location	Number of Pumps (Run and stand by)	Capacity l/s (each)	Head (m)
All Cylinder Rooms	28 x 2	0,5	10
Inline Heater Pump	27 x 2	0,25	5
Heat Pump	54 x 2	0,3 – 0,8	5

NB: These pumps may form part of the heat pump or inline heater package unit and duties may vary to suit different machines.

The pumps shall be of the centrifugal in-line type. Pumps shall be suitable for hot water temperature of up to 75°C and shall incorporate mechanical seals. The pumps shall be installed in the return leg of each ring main.

Each pump shall be provided with a nameplate giving particulars of duty viz. r/min, liters per second and head. Pumps and motors shall be silent in operation. Pumps shall be installed between flanges or between unions for easy removal for repair and maintenance purposes. Valves and strainers shall be provided before and after each pumps as shown on the drawings. The standby pump shall be automatically activated on failure of the duty pump. The pumps shall configure to run approximately equal hours during their lifespan (flip flop starting).

Pumps shall be selected for steep head characteristics. Pump efficiency shall exceed 75% at the operating point. Pumps shall not be selected at maximum impeller size.

Pump motors shall be sized for the selected operating point plus at least 15% spare available power. They shall be non-overloading for the selected impeller.

Pump impellers shall be bronze, shafts shall be stainless steel grade 316. All pumps shall be fitted with heavy duty high quality mechanical seals.

All pumps shall be aligned and balanced before delivery to site. Propriety heavy duty, hot dipped GMS steel bass shall be used. Should any imbalance develop after installation the pump and base shall be removed for rebalancing off site.

Pump assemblies shall be mounted on heavy duty mounts selected for the pump and base mass. The entire pump assembly and motor shall be fully weatherproof. Motors shall be TEFC.

Supply and install circulating pumps in the positions where indicated on the drawings. The pumps shall be equipped with a 220V single phase 3 speed electrical motor with adjustment to change the speed of the motor during commissioning of the plant. The internal components of the pumps shall be manufactured from non-toxic rust-free material and shall be capable to withstand water temperatures up to 100°C and water pressures up to 500 kPa.

5. HOT WATER STORAGE CYLINDERS

Provide as shown on the drawings, fifty six insulated vertical hot water storage cylinders. They shall be supplied with cold water at 400 kPa and 5°C (winter).

Hot water cylinders shall be of welded construction, manufactured from grade 304 L stainless steel and capable of withstanding a pressure of 500 kPa. The cylinder shall be suitable to be installed outside.

Each storage cylinder shall be supplied with a sacrificial anode magnesium. (1m long) fixed to a removable flange for replacement purposes.

LOCATION	NO. OF UNITS	TEMPERATURE RANGE °C	STORAGE CAPACITY EACH LITRES
K-Units	48	5 - 65°C	5000
Kitchen	2	5 - 65°C	5000
Medical	2	5 - 65°C	5000
Laundry	2	5 - 65°C	5000
Total	56		

Each storage cylinder shall be provided with connections for heat pump flow and return, hot water flow and return and cold water feed pipes for parallel or series operation. A dial thermometer and pressure gauge shall be fitted on the top of the cylinder. A safety valve at least 25mm in diameter, shall be provided for each cylinder (water side) to protect the cylinder against excessive water pressure. A hot water expansion valve (20mm) shall also be provided. A 400kPa PRV shall be provided for each plant room.

The heat pump contractor shall provide, install and connect all hot and cold water piping to and from the cylinder. The hot water return piping to the circulating pump set and to the cylinder, the cold water feed and drain connections to the cylinder, the connections to the heat pumps and circulating pump set. The plumber shall interface with the water piping at the cold water entry point and at the cold, hot and return exit points. Two electronic thermostats will be provided with sockets for each tank.

Cylinders shall be insulated with 75mm thick (47,5kg/m³) glass fibre bats clad in 0,6mm thick GMS sheeting with petal section domed ends.

After manufacture, a certified pin-hole test shall be carried out internally on each tank which uses an epoxy based paint. Surface preparation (internal and external) shall be "Abrasive Blasting" to SANS 064 clause 4.3.

6. ELECTRICAL INLINE HEATING CYLINDERS

All plant rooms will be equipped with one 48kW inline electrical heating cylinder. The equipment can be either of the packaged unit type or of the individual tank/element and pump configuration. Electrical elements shall be of the long life, direct immersion, in alloy type.

Elements shall be 400V, wired in 3 steps. Phases shall be balanced (20% spare elements to be provided). The inline unit will supply hot water at a constant temperature of 58°C ± 2°C. An individual control panel will indicate the status of the elements and the pumps. No elements will be allowed for to recuperate the circulation losses.

7. ELECTRICAL EQUIPMENT AND WIRING

This contract includes all electrical work associated with the hot water heat pumps, circulating pumps and storage cylinders. Included are 2 control panels, one for each of the two heat pumps.

The electrical supply available is 400/231 volts, 3 phase, 4 wire, 50 Hz. The switchboards shall be in accordance with the drawings. Three phase power will be available at the switchboards.

Tenders must allow for the complete electrical installation and wiring in accordance with the Standard Specification for the Electrical Installation and Electrical Equipment pertaining to Mechanical services.

8. HOT WATER STORAGE CYLINDER PLANT ROOMS

Each plant room shall be supplied with a wall mounted main power distribution and motor control panel. The panel shall incorporate the follow:

- Main Isolator
- MCB and contactor feeds to inline heater and cylinder heating elements
- MCB feeds to circulating pumps
- MCB feeds to heat pump proprietary panel
- MCB feed to controls and transformer for heating elements
- Re circulating pump on-off switch (pump shall run 24/7)
- For each pump run and trip indication (x4)
- Hot water high temperature alarm and hooter (100W) set at 70°C
- For each pump a starter complete with contractor, O/L and single phasing protection.
- Each storage cylinder's heating elements shall be energized in one step via a control panel selector switch. They shall also be interlocked with the respective Heat Pump's compressor to prevent simultaneous use of the two systems.

Each external control panel consist of at least the following:

- 1) Weatherproof control panel.
- 2) Circuit breaker feeds to each motor and to the control circuit.
- 3) Motor contactors and starters including OL, single phasing, and low voltage protection.
- 4) Run and trip indication for each motor.
- 5) Sensors from the lead-lag switch for each pump.
- 6) Sensors from the storage cylinders and temperature controllers.

- 7) Interlocks between the heat pump and compressors and storage cylinder's auxiliary heating elements.
- 8) Selector switch for heat pump or electric heating.

The system shall be engineered and controlled to operate as follows:

- A low level temperature sensor/controller in the storage cylinder shall start the lead primary hot water pump when the water temperature drops below 40°C and 2nd thermostat (45°C) mounted higher in the tank also requests the heat pump to run.
- The heat pump shall be interlocked with the duty pump and shall start immediately. A delay timer (adjustable 0-60 s) shall bridge out the respective heat pump flow switch interlock and shall allow the generated hot water to reach 60°C before opening the heat pump water temperature control and solenoid valves (second delay timer adj. 0-60s) and enabling the flow switch . If there is still no stop and a no flow indication alarm light shall be energized. A manual push button shall reset the no flow situation and restart the sequence.
- When a heat pump is isolated / stopped or tripped its respective water solenoid valve shall be closed (to prevent mixing).
- The heat pump shall operate automatically always at full load, producing hot water at temperature of 58°C ± 2°C.
- Once the low level cylinder temperature sensor reaches more than 45°C the interlocked heat pumps shall cycle out on temperature and the primary water pump shall be stopped.
- On duty primary pump trip an automatic change over shall start the lag pump. The trip indication shall remain energized.
- All proprietary heat pump controls and safety switches shall remain operational at all times.
- The system shall operate on a 24 hour basis in the event of a heat pump failure the heat pump and its respective water solenoid valve shall shutdown. An outside air temperature sensor shall prevent the heat pump operation at ambient conditions outside its efficient operating range.
- Primary pumps shall be selected for flat head characteristics so that if one heat pump only is operating the increase in water flow through it will be negligible.

- A winter hot gas defrost cycle shall be included in the proprietary controls together with a cut out thermostat which shall isolate the heat pump at low ambient temperatures when COP drop below 1:2.5 Low efficiency indication shall be provided.
- When manually switched on a contactor (interlocked with the respective heat pump contactor) shall power the auxiliary electric heaters and isolate the heat pump. A thermostat shall cycle the heaters (1 step) to maintain 60°C.
- The heat pumps shall be configured in such a way that both units will run in winter and only one unit will run in summer. An outside temperature sensor will be used to select the mode of operation. The heat pumps will run equally in summer (flip flop start). Once the temperature drops below 0°C, the heat pumps will be locked out and the electrical heater will be the preferred heating system.
- The controller will have a 365 day/52 week programmable function so that one can programme the heating equipment to run in off peak hours during summer or other appropriate times. The outside temperature sensor will also be used to ascertain whether off peak generation is appropriate.
- The controller will lock out the circulation pumps soon as the outside temperature drops below 10°C.

9. PIPING INSTALLATION

The installation, thermal insulation, supports and fittings shall be in accordance with the Standard Specification. Isolating gaskets shall be fitted between the copper piping and any steel isolating component.

All piping installations shall be carried out with provision for thermal expansion. Anchor points shall always be fixed to concrete.

Insulation shall be applied after the erection of all hot water piping and equipment and after all joints have been completed and pressure tested. All insulation shall be clad with GMS steel (0,6 mm thick) sections strapped and screwed into place. The cladding shall be painted, and colour coded.

10. COLD, HOT AND RETURN WATER SUPPLY PIPING AND FITTINGS

Cold, hot and return water supply piping and fittings in the plant room shall be installed and connected under this contract. The heat pump contractor shall supply the interconnecting flanges. The solder used for the capillary joints shall contain no-lead and shall be approved by the manufacturer.

11. VALVES & FITTINGS

BALL VALVES ($\leq 110\text{MM } \Phi$) (FOR COPPER PIPING)

Ball valves shall be full bore, serviceable (two piece) of the brass or bronze type with 316 stainless steel ball and shaft. The valve shall be equipped with a hand lever (cast iron) which shall close the valve in a clockwise direction, Valve working pressure to be 1600 kPa.

NON-RETURN VALVES ($\leq 80\text{mm } \Phi$)

The non-return valve shall be of the flap type, brass to brass.

AUTOMATIC AIR VENTS

The air vents shall be of the small orifice type for the inside buildings with at least a 15mm BSP connection and shall seal tight to prevent water leaking out.

VACUUM BREAKER

The vacuum breaker shall be of the minimum size of 15mm with a drip tight sealing on the air inlet.

STRAINERS ($\leq 50\text{mm } \Phi$)

The strainer shall be equipped with a brass or bronze body with stainless stress screen with maximum 1mm Φ hole sizes and screwed BSP ends. The screen shall be removable for cleaning purposes. The strainer shall be capable of withstanding a working pressure of 1600kPa.

12. STERILIZING

Before any domestic water or storage cylinder or pipeline is taken into use, the entire system shall be sterilized. It shall be filled with potable water, chlorinated to a concentration of 15mg of chlorine per litre of water which shall remain in contact with the inner surface of the pipeline for a period of not less than 24 hours. The system shall be filled for sterilizing in such a manner that no shock is created or air trapped in the pipeline.

At least 14 days prior to the commencement of sterilizing the contractor shall submit full details of the provided method of sterilizing the system to the engineer for his approval.

The cost of water for filling the system for sterilizing shall be borne by the contractor.

The Contractor shall provide all necessary materials, tools, equipment and labour necessary to sterilize the system. After sterilizing the pipeline, the contractor shall, at no extra cost, empty the pipeline and dispose of the water in a manner approved by the engineer.

The contractor may use the following products as a source of chlorine:

- a) Chloride of lime to SANS 295, yielding 33% free chlorine by mass
- b) Calcium hypo chloride to SANS 295, yielding 70% free chlorine by mass.
- c) Chlorine gas applied by chlorinator

13. PRESSURE TESTING

Completed sections of the pipe installations shall be filled with water after all branches have been plugged, sealed, or closed.

The section of pipe shall be pressure tested by means of suitable manually operated or mechanically driven pressure pump.

A pressure of at least 1,5 times the working pressure of the class pipes, or fittings shall be applied for a period of time specified in the specifications or as recommended by the manufacturers. (Refer to SANS 1200 for minimum and maximum test pressures).

Tests should not be performed against closes valves. Leakage which occurs shall be measure and calculated and checked against the allowable losses.

If the completed section of pipe complies with all specification and pass the test and inspection, it could be approved.

The Supervisor shall also check that all valves operate satisfactory and open and close in the correct rotation as specified.

14. LAGGING

All insulation shall be applied after equipment and piping has been installed and all joints completed, tested, and painted. All steel surfaces and pipework shall be primed and painted before any lagging is applied.

All hot & cold water piping in general shall be lagged with factory-applied fabric-covered performed mineral wool pipe lagging (density 80kg/m³) 25 mm thick. Longitudinal and circumferential overlap of fabric shall be fixed with suitable adhesive. Non-corroding fixing bands shall be applied at the rate of 2 per performed section length, i.e. one in the centre and covering the circumferential overlap.

At pipe bends, the performed sections shall be properly metered to suit the bend radius to ensure a good fit and applied in two staggered layers to ensure good cover. The bends shall be finished with hard setting cement at least 6mm thick and reinforced with an open wave fibre membrane trowelled into the surface. The surface shall be symmetrical and smooth.

The pipework insulation on piping shall be applied so that cracking or other adverse effects as a result of thermal expansion under the conditions of use are reasonably guarded against, e.g. by the use of expansion joints where necessary.

All external and plant room lagging shall be clad with 0.8 galvanised iron sleeves fixed with non-corrosive fixing bands. The sleeve joint shall in all instances be at the bottom of the pipe.

NOTE: No asbestos or products containing asbestos shall be used.

15. OPERATIONS, MAINTENANCE AND SERVICING

The DCS maintenance team must be given training on operations and maintenance procedures by the contractor. Furthermore, operational procedures for each plant room must be framed and fixed to the internal walls.

The Contractor shall be responsible for all maintenance for a period of 12 months after practical completion. During this period, the Contractor shall make good any defect due to inferior materials or workman ship and maintain all plant and equipment in perfect operating condition.

The Contractor shall be entirely responsible for carrying out regular monthly inspections and for full servicing of all components of the installation in accordance with the manufacturer's instructions at intervals not greater than 3 months. For this purpose, the Contractor shall prepare a detailed inspection and service report in the form of a check list and log sheet

showing all functions to be carried out at each inspection and service. Copies of these service reports shall be regularly submitted to the Department after each service.

The Contractor shall also maintain a plant logbook on site in which he shall record, sign and date all work carried out at each inspection.

The Contractor shall allow for all expendable materials necessary for servicing such as lubricating oils, grease, and cleaning materials. The Contractor shall also allow for cost of labour, travelling, etc.

16. SCHEDULES OF PARTICULARS

All schedules which accompany this tender notice, form an integral part of it and shall be duly completed in every detail: FAILING which, the tender in question may be rendered ineligible for consideration. Under no circumstances will statements such as:

- See attached pamphlets
- Refer to catalogue
- Data to follow
- As given by the supplier

be acceptable to the Department.

Equipment offered and listed on the schedule shall be capable of performing the specified duties and complying with the Specification requirements in all respects: SHOULD it transpire that such equipment, even when offered by make, model and/or type, is unsuitable or incapable of meeting, or performing in accordance with, the Contractor or Sub-contractor shall nevertheless be responsible for any additional costs incurred in providing the required or suitable equipment.

Whenever a specific make, model or type of equipment has been prescribed in the specification and the tender offers alternative, or equal make or type of equipment in his tender, the Department will in acceptance of such a tender inform the prospective contractor in writing as to the make, and/or type of equipment accepted. HOWEVER, it should be noted that the use of words "OR EQUAL" by the tender is to be discouraged and could lead to the disqualification of the tender.

17. EPWP IMPLEMENTATION

Due to the nature of the works involved, this type of project is feasible as a labour Intensive project i.e. the construction activities will require skilled/unskilled labour. Noted that only few items were identified to be implemented LI on the BOQ. Below are some of the potential focus areas where employment creation can be optimized. The following activities must be marked in the bill of quantities with the letter (LI);

LI Activities
All excavations works not exceeding 1.5 m
Masonry
Brickwork
Waterproofing (requires skilled labour and semi-skilled labour)
Cleaning of roof
Carpentry and joinery (requires skilled and semi-skilled labour)
Shelving
Installation of handle doors, door closers, nameplates, bathroom fittings
Signage,
Installation of pinning boards , writing boards
Plastering (Internal and External)
Tilling
Plumbing and Drainage & stormwater drainage
Paintwork
Installation of Fencing
Landscaping
Sewer connections
Water connections
Road signs
Paving to parking area
Fencing and installation of gate

17.1 Employment Targets

The contractor needs to provide jobs that the project has the potential to create throughout the project duration as the project will be implemented using Labour Intensive Construction methods on elements where it is economical and feasible for this construction method.

Estimated no of jobs to be created =4

17.2 Employment requirements

Tenderers are advised that this contract will be subject to the Expanded Public Works Program (EPWP) aimed at alleviating and reducing unemployment.

Tenderers must allow for any costs for the following employment requirements of the EPWP

60% women

55% youth aged between 18 and 35 years

2% people with disability

100% unskilled labour utilized must reside within the boundaries of the Municipality ward where this contract is executed, with preference to the local community closest or at the walking distance to the contract site. Wherever possible local skilled tradesmen are to be employed on this contract with the view to maximize utilization of local resources.

17.3 Employment of Community Liaison Officer (CLO)

The Contractor shall allow for and pay any and all costs necessary for the engagement of the services of a Community Liaison Officer (CLO) for the full duration of a project.

A CLO will be identified by the local structures (Project Steering Committee) of the ward areas and appointed following a fair and transparent interviewing process, to be conducted in the presence of local structures and the contractor representative, in order to assist the Contractor in the procurement of any local labour, etc. required for this project.

The Contractor is to liaise with the CLO and afford him any assistance needed in ensuring sound working relations with the local community.

Key Responsibilities of the CLO are envisaged to include and not necessary be limited to:

- a) Assisting local leadership in conducting skills and resources audit which facilitates sourcing labour from within the ward or targeted areas for employment, as required by contractor,
- b) Assisting in the procurement of materials from local resources, as required by the contractor,
- c) Assisting the contractor by identifying areas of potential conflict and or threats to the project or to stakeholders in the project and recommend appropriate action to the contractor.
- d) Assisting contractor and stakeholders in the project in the resolution of any conflict which may arise.
- e) Establishing and ensuring that sufficient and open communication channels between the contractor and the work force are maintained.
- f) Establish and ensuring that efficient and open communication channels between the contractor and the community are maintained

- g) Identifying and reporting to the Contractor regarding issues where communication between stakeholders is necessary, recommend courses of action and facilitate such communications
- h) Assisting the Contractor and the work force in the establishment of grievance procedures and necessary recommendation to the Contractor regarding the grievances and solution thereto.
- i) Attending to site meetings and project implementation meetings as required by the Contractor and prepare periodic reports as may be required by the Contractor from time to time.
- j) Attending to such other duties which are consistent with the functions of a CLO, as may be required by the Contractor from time to time.

17.4 EPWP Branding

Signboard

EPWP Programme at the project level shall always be promoted through the projects signage board that embrace EPWP logo at the bottom, correct measurement for this signage board will be provided by the project leader during the site handing over meeting.

The Contractor is responsible for ensuring that the project board remains neatly and safely erected for the full duration including the maintenance period, after which the project board and posts are to be dismantled and handed to the client in good order

Personal Protective Equipment (PPE)

All local labourers including contractor & sub-contractors' shall be provided with EPWP branded Personal Protective Equipment (PPE), as per the branding specifications.

Overalls to be orange in colour as per EPWP Corporate image and requirements (Annexure E). Branding to be done in full colour. Specification with the exception of Correctional Services contracts where the participants top and bottom would be green.

PA36: Declaration Certificate for Local Production and Content for Designated Sectors.

(This form has been aligned with NT - SBD 6.2)

Project Title: Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps

Tender No.: KIM 03/2022

PA-36: DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand

y is the bid price in Rand excluding value added tax (VAT)

PA36: Declaration Certificate for Local Production and Content for Designated Sectors.

(This form has been aligned with NT - SBD 6.2)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) on the date of advertisement of the bid as indicated in paragraph 3.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on [http://www.thedti.gov.za/industrial development/ip.jsp](http://www.thedti.gov.za/industrial%20development/ip.jsp) at no cost.

1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;

2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

<u>Description of services, works or goods</u>	<u>Stipulated minimum threshold</u>
Electrical Control Switchgear Buss bars	5 %
Electrical Control Switchgear housing	25 %
Switching Devices	5 %
Stainless Steel	100 %
Copper piping	100 %
Pipe Fittings	100 %
Heat Pump condenser coils	50 %
Heat Pump casings	50 %

3. Does any portion of the goods or services offered have any imported content?

(Tick applicable box)

YES		NO	
-----	--	----	--

3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on www.resbank.co.za

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	

PA36: Declaration Certificate for Local Production and Content for Designated Sectors.

(This form has been aligned with NT - SBD 6.2)

Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

- Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

LOCAL CONTENT DECLARATION
(REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

IN RESPECT OF BID NO.

ISSUED BY: (Procurement Authority / Name of Institution):

.....
NB

- The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.
- Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on http://www.thedti.gov.za/industrial_development/ip.jsp. Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. **Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below.** Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, the undersigned, (full names),
do hereby declare, in my capacity as
of(name of bidder
entity), the following:

- The facts contained herein are within my own personal knowledge.
- I have satisfied myself that:

PA36: Declaration Certificate for Local Production and Content for Designated Sectors.

(This form has been aligned with NT - SBD 6.2)

- (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
- (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 3.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above.

The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 3.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE: _____

WITNESS No. 1 _____

DATE: _____

WITNESS No. 2 _____

DATE: _____

Annex C

Local Content Declaration - Summary Schedule

(C1) Tender No.
 (C2) Tender description:
 (C3) Designated product(s)
 (C4) Tender Authority:
 (C5) Tendering Entity name:
 (C6) Tender Exchange Rate:
 (C7) Specified local content %

Kimberley Tswelopele Correctional Centre: Replacement and Upgrading of Heat Pump Installation
 Electrical Control Switch Gear Buss bars, Electrical Control Switch Gear Housing, Switching Devices, Stainless Steel, Copper Piping, Pipe Fittings, Heat Pump Condensor Coils, Heat Pump Casings
 Department Of Public Works and Infrastructure

Pula EU GBP

Note: VAT to be excluded from all calculations

Tender item no's	List of items	Calculation of local content					Tender summary		
		Tender price - each (excl VAT)	Exempted Imported value	Tender value net of exempted Imported content	Imported value	Local value	Local content % (per item)	Tender Qty	Total tender value
(C8)	(C9)	(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)
301	Heat Pump Casings							54	
301	Heat Pump Condensor Coils							54	
307	Pipe Fittings 76mm Tee							27	
308	Pipe Fittings 76mm Bend							54	
309	Pipe Fittings 54mm Tee							243	
310	Pipe Fittings 54mm Bend							567	
311	76mm Gate Valve							54	
312	54mm Gate Valve							324	
313	22mm gate Valve							567	
306	Copper Piping 22mm dia							645	
305	Copper Piping 54mm dia							3 078	
304	Copper Piping 76mm dia							270	
302	Stainless Steel							54	
301/303/314/315/318	Switching Devices							No. remeasure	
301/303/314/315/318	Electrical Control Switch Gear Housing							No. remeasure	
301/303/314/315/318	Electrical Control Switch Gear Buss bars							No. remeasure	

Signature of tenderer from Annex B

(C20) Total tender value

(C21) Total Exempt Imported content

(C22) Total Tender value net of exempt imported content

(C23) Total Imported content

(C24) Total local content

(C25) Average local content % of tender

Date:

Tender No.	
Tender description:	
Designated Products:	
Tender Authority:	
Tendering Entity name:	
Tender Exchange Rate:	

Kimberley Tswelopele Correctional Centre: Replacement and Upgrading of Heat Pump Installation
Electrical Control Switch Gear Buss bars, Electrical Control Switch Gear Housing, Switching Devices, Stainless Steel, Copper
Department Of Public Works and Infrastructure

Note: VAT to be excluded from all calculations

ula

113

1

Calculation of imported content

3. Imported directly by the Tenderer

.. Imported by a 3rd party and supplied to the Tenderer

Other foreign currency payments

Signature of tenderer from Annex 8

(D52) Total of foreign currency payments declared by tenderer and/or 3rd party

Date:

This total must correspond with
Annex C - C23

Annex E

Local Content Declaration - Supporting Schedule to Annex C

(E1) Tender No.

(E2) Tender description:

(E3) Designated products:

(E4) Tender Authority:

(E5) Tendering Entity name:

Kimberley Tswelopele Correctional Centre: Replacement and Upgrading of Heat Pump Installation
Electrical Control Switch Gear Buss bars, Electrical Control Switch Gear Housing,
Switching Devices, Stainless Steel, Copper Piping, Pipe Fittings, Heat Pump Condensor Coils, Heat Pump Casings
Department Of Public Works and Infrastructure

Local Products
(Goods, Services and Works)

Description of items purchased

Local suppliers

Value

(E6) (E7) (E8)

Note: VAT to be excluded from all

(E9) Total local products (Goods, Services and Works)

(E10) Manpower costs (Tenderer's manpower cost)

(E11) Factory overheads (Rental, depreciation & amortisation, utility costs, consumables etc.)

(E12) Administration overheads and mark-up (Marketing, insurance, financing, interest etc.)

(E13) Total local content

This total must correspond with Annex C - C24

Signature of tenderer from Annex B

Date:

SCHEDULE OF QUANTITIES

SCHEDULE 1: PRELIMINARIES AND GENERAL

Reference	Item	Description	Unit	Qty	Rate	Amount
		SPECIAL CONDITIONS OF CONTRACT AGREEMENT				
101		Definitions and Abbreviations				
102		General				
103		Drawings and Submissions				
104		Work provided by Others				
105		Compliance with Standards and Regulations				
106		Safety				
107		Hoisting and Rigging				
108		Section Omitted				
109		Programming				
110		Contract Management				
111		Organization and Staff of Subcontractor				
112		Protection Against Damage				
113		Access to Equipment and Systems				
114		Cleaning and Start-up				
115		Testing, Balancing, Commissioning, Operation of Plant and Handover				
116		Guarantee				
117		Quality Management System, Testing and Inspection				
118		Operating and Maintenance Manuals				
119		One Year's Maintenance				
120		Special Attendance				
121		Preparation of Pre-Start up Checklist				
122		Completion of Subcontract work				
123		Building Tuning				
124		Environmental Management				
125		Waste Management				
126		Air Tightness Testing				
		Carried forward to Final Summary				

SCHEDULE OF QUANTITIES

SCHEDULE 2: ISOLATION, DISCONNECTION, REMOVAL AND DISPOSAL

REFERENCE	ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
		ISOLATION, DISCONNECTION, REMOVAL AND DISPOSAL				
	201	<p>SUPPLEMENTARY PREAMBLES</p> <p><u>Proprietary items or materials</u> Proprietary items or materials where specified are to be of the brand specified - or other approved - by the Head: Works prior to tender closing</p> <p><u>Heat pumps removal</u></p> <p>Complete isolation, disconnection, removal of the existing heat pumps including all pipework, valves, gauges, panels, motors, pumps, electrical connections, etc and all other associated fittings, fixtures and accessories associated with the installation as noted on site.</p> <p>In taking down and removing existing work the utmost care must be taken to avoid any structural or other damage to the remaining portions of the building and the Contractor shall provide all shoring, needling, strutting, etc. to ensure the stability of all structures during the alteration/demolition work.</p> <p>The Contractor will be held solely responsible for the safety and stability of the buildings for the whole period of the contract and must make good any damage at his own expense.</p> <p>The Contractor shall provide and afterwards remove all necessary temporary tarpaulins, barricades, screens, fencing, temporary waterproofing, dustproofing, etc. required to isolate any sections of new or existing buildings for purposes of excluding users of the remainder of the building or any unauthorised persons all to the satisfaction of the Representative/Agent and remove when directed.</p> <p>Existing services must be maintained at all times to the existing buildings. If it is found necessary to disconnect any service than suitable temporary or alternate services must be provided to the existing buildings.</p> <p>Contractor to liaise with the Management of the facility with regards to the programming of the works (availability of rooms, etc) so as to not disrupt the functioning of the facility.</p> <p>The contractor shall make good to chased brickwork with internal cement plaster, paintwork to previously painted surfaces and make good paintwork to chasing of walls</p> <p>The contractor shall provide to the engineer prior to works commencement a methodology on the proposed procedure for comment</p> <p>The contractor is to note that the works is required to be phased with the deconstruction of the heat pumps.</p> <p>Decommission and isolate heat pumps and all the heat pump equipment for preparation to deconstruct and remove.</p> <p>The water in the heat pumps and storage tanks must be drained and all external valves from that system leading to the main supply lines must be shut off.</p>				
	202	<p>DECOMMISSIONING AND REMOVAL OF HEAT PUMPS AND STORAGE CYLINDERS IN ALL PLANTROOMS</p> <p>The contractor is to note that the works is required to be phased with the deconstruction of the heat pumps.</p> <p>(a) Decommission and isolate heat pumps and all the heat pump equipment for preparation to deconstruct and remove.</p> <p>(b) The water in the heat pumps and storage tanks must be drained and all external valves from that system leading to the main supply lines must be shut off.</p>	no.	28		
		Carried forward to Final Summary				

DEPARTMENT OF PUBLIC WORKS & INFRASTRUCTURE
WCS 055411
DCS: TSWELOPELE CORRECTIONAL CENTRE: REPLACEMENT OF HEAT PUMPS



public works
& infrastructure
Department
Public Works and Infrastructure
REPUBLIC OF SOUTH AFRICA

SCHEDULE OF QUANTITIES

SCHEDULE 3: HEAT PUMPS INSTALLATION & HOT WATER STORAGE

REFERENCE	ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
		HEAT PUMPS INSTALLATION				
		GENERAL				
		INSTALLATION OF THE HEAT PUMPS AND HOT WATER STORAGE CYLINDERS				
		The supply, delivery and installation of a new hot water generating plant, complete with associated equipment and accessories. All work must be done according to the drawings and design specifications. Note: Allowance must be made for pricing of insulation on all pipes and fittings. All insulation, as per specification, shall be applied after the erection of equipment and pipework and after all joints have been completed.				
301		130kW Heating Capacity Heat Pump with water output of 2500L/hr, as specified in the supplementary specifications and the technical specifications, with all necessary accessories to make the system complete.	no.	54		
302		5000L Hot water storage tank with a rated pressure of 400kPa, as specified in the supplementary specifications and the technical specifications, with all necessary accessories to make the system complete.	no.	54		
303		48kW Heating Capacity Inline Heater, as specified in the supplementary specifications and the technical specifications, with all necessary accessories to make the system complete.	no.	27		
		HOT & COLD WATER PIPING				
		Hard drawn copper pipes with capillary type soldered joints made in accordance with manufacturers written instructions, coupling in running light.				
304		76mm dia.	m	270		
305		54mm dia.	m	3078		
306		22mm dia.	m	945		
		Extra over 76mm dia. Pipe capillary soldered fittings				
307		76 x 54 x 76mm dia. Tee	no.	27		
308		76mm dia. Bend	no.	54		
		Extra over 54mm dia. Pipe capillary soldered fittings				
309		54mm dia. Tee	no.	243		
310		54mm dia. Bend	no.	567		
		Fittings				
311		76mm dia. Gate valve c/w threads, flanges etc to enable complete connection	no.	54		
312		54mm dia. Gate valve c/w threads, flanges etc to enable complete connection	no.	324		
313		22mm dia. Gate valve c/w threads, flanges etc to enable complete connection	no.	135		
		PUMPS				
314		Supply and install circulation pump for hot water	no.	56		
315		Supply and install domestic electric booster pumpset c/w high and low level switches as specified	no.	54		
		HOT WATER GENERATION PLANT ROOM				
316		Allow for the Construction or repair work to the building works of Hot water Generation Plant room that will house the heat pump, water pumps and circulation pumps. Plantroom to be plastered internally.	Sum	27		
		ELECTRICAL WIRING AND ELECTRICAL CONNECTIONS				
317		All electrical wiring associated with the system must be replaced.	Item	1		
		HOT WATER GEYSERS				
318		450 litre Electric hot water geysers	no.	3		
		Carried forward to Final Summary				

DEPARTMENT OF PUBLIC WORKS & INFRASTRUCTURE
WCS 055411
DCS: TSWELOPELE CORRECTIONAL CENTRE: REPLACEMENT OF HEAT PUMPS



public works
 infrastructure
 Department
 Public Works and Infrastructure
 REPUBLIC OF SOUTH AFRICA

SCHEDULE OF QUANTITIES

SCHEDULE 4: EPWP

REFERENCE	ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	401	<u>EMPLOYMENT OF YOUTH WORKERS</u> The unit of measurement shall be the number of youth workers at the labour rate of R 2032-82 per month as the amount indicated by EPWP Ministerial Determination rate per day (R92,31) multiplied by the period employed in months and the rate tendered shall include full compensation for all costs associated with the employment of youth workers and for complying with the conditions of contract. This item is based on 8 months appointment for youth workers.	Prov. Sum	1		
	402	<u>PROVISION OF EPWP DESIGNED OVERALLS, HARD HATS TO YOUTH WORKERS AS WELL AS ONE PAIR OF SAFETY BOOTS.</u> Supply 2 x EPWP branded overalls and 1 x EPWP branded hard hat and 1 pair of safety boots to youth each youth worker .	PC, Sum	1		
	403	<u>PROVISION OF SMALL TOOL BOX FOR YOUTH WORKERS</u> Provide all youth workers with prescribed tools for their respective trades.	PC, Sum	1		
	404	<u>Provision for medical fitness test for the learners before coming to site</u>	Sum	1		
		Carried forward to Final Summary				

DEPARTMENT OF PUBLIC WORKS & INFRASTRUCTURE

WCS 055411

DCS: TSWELOPELE CORRECTIONAL CENTRE: REPLACEMENT OF HEAT PUMPS

umkhonto
we Sizwe
Department
Public Works and Infrastructure
REPUBLIC OF SOUTH AFRICA

SCHEDULE OF QUANTITIES**SCHEDULE 5: MATERIAL DISPOSAL**

REFERENCE	ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
		DISPOSAL OF HEAT PUMPS AND ASSOCIATED COMPONENTS The heat pumps that have been removed must be disposed off in accordance with the Occupational Health and Safety Act and the National Environmental Management Act. The Contractor is to provide an authorised certificate by the authorised and certified disposal provider.				
	501	(a) Heat pumps and associated components scrap metal The heat pumps, storage tanks and associated components shall be removed and sold for scrap metal	kg	89 600,00		
	502	(b) Municipal dump sites	kg	17000		
	503	(d) Transport Transportation of disposal/recycled material to appropriate site. Must be the closest dumping grounds to the construction site.	km	280		
		Carried forward to Final Summary				

CALCULATION OF TENDER SUMS

ITEM	DESCRIPTION	AMOUNT
01.	TOTAL OF SCHEDULE OF QUANTITIES - 01. PRELIMINARY AND GENERAL	
02.	TOTAL OF SCHEDULE OF QUANTITIES - 02. ISOLATION, DISCONNECTION AND REMOVAL FROM PLANTROOMS	
03.	TOTAL OF SCHEDULE OF QUANTITIES - 03. HOT WATER GENERATION INSTALLATION	
04.	TOTAL OF SCHEDULE OF QUANTITIES - 04. EPWP	
05.	TOTAL OF SCHEDULE OF QUANTITIES - 05. MATERIAL DISPOSAL	
	SUBTOTAL	
	VAUE ADDED TAX (VAT)	
	(The tenderer shall add 15% os the subtotal for VAT)	
	TENDER SUM CARRIED TO FORM OF TENDER	

DPW-15 (EC): SCHEDULE OF PROPOSED SUBCONTRACTORS

Project title:	<i>Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps</i>		
Tender no:	<i>KIM 03/2022</i>	Reference no:	<i>19/2/4/2/2/2327/491</i>

We notify you that it is our intention to employ the following Subcontractors for work in this contract.

We confirm that all subcontractors who are contracted to construct a house are registered as home builders with the National Home Builders Registration Council.

	Name and address of proposed Subcontractor	Nature and extent of work	Previous experience with Subcontractor
1			
2			
3			
4			
5			

Name of representative	Signature	Capacity	Date

Name of organisation:	
------------------------------	--

DPW-22 (EC): PARTICULARS OF ELECTRICAL CONTRACTOR

Project title:	<i>Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps</i>		
Tender no:	KIM 03/2022	Reference no:	19/2/4/2/2/2327/491

Name of Electrical Contractor:	
Address:	
Electrical Contractor registration number at the Department of Labour	

Name of Tenderer	Signature	Date

DPW-23 (EC): SCHEDULE FOR IMPORTED MATERIALS AND EQUIPMENT

Project title:	Kimberley Tswelopele Correctional Centre: Repair and Replacement of Heat Pumps		
Tender no:	KIM 03/2022	Reference no:	19/2/4/2/2/2327/491

This schedule should be completed by the tenderer. *(Attach additional pages if more space is required)*

Item	Material / Equipment	Rand (R) (Excluding VAT)
1.		R
2.		R
3.		R
4.		R
5.		R
6.		R

The Contractor shall list imported items, materials and/or equipment which shall be excluded from the Contract Price Adjustment Provisions (if applicable) and shall be adjusted in terms of currency fluctuations only. Copies of the supplier's quotations for the items, materials or equipment (provided that such costs shall not be higher than the relevant contract rate as listed above) should be lodged with the Principal Agent / Engineer of the Department of Public Works and Infrastructure within 60 (sixty) days from the date of acceptance of the tender. No adjustment of the local VAT amount, nor the contractor's profit, discount, mark-up, handling costs, etc. shall be allowed.

These net amounts will be adjusted as follows:

FORMULA:

The net amount to be added to or deducted from the contract sum:

$$A = V \left(\frac{Z}{Y} - 1 \right)$$

A = the amount (R) of adjustment

V = the net amount (supplier's quotation) (R) of the imported item

Y = exchange rate at the closing date of tender submission

Z = exchange rate on the date of payment.

Name of Tenderer	Signature	Date



public works
& infrastructure

Department:
Public Works and Infrastructure
REPUBLIC OF SOUTH AFRICA

OCCUPATIONAL HEALTH AND SAFETY SAFETY, HEALTH AND ENVIRONMENTAL SPECIFICATION

FOR

**Repair and Replacement of Heat Pumps:
KIMBERLEY: DCS:TSWELOPELE CORRECTION
CENTRE**

MANAGED BY

THE DEPARTMENT OF PUBLIC WORKS

Project Manager: JP Marais

OHS Manager: Wendy Mbolekwa

1. INTRODUCTION

This Health and Safety Specification has been prepared in terms of Client's responsibility [Construction Regulation 5(1)] to provide the principal Contractor and Contractors with a documented Specification of all Health and Safety requirements pertaining to the associated works on the proposed construction site/so as to ensure the health and Safety of all persons affected by the works. This health and Safety specification highlights, but in no way replaces legal requirements that the principal Contractor and Contractors are bound to comply with in terms of the Department of Public Works program.

- The client has made provisions in the tender for the Principal Contractor to price for the cost of health and safety measures before and during the construction process [Construction Regulation 5(1)(g)]. The Principal Contractor in turn needs to make the same provision when Contractors (Sub-Contractors) tender or quote on work [7(c)(1)].
- The principal Contractor and Contractors are required to prepare a Health and Safety plan based on the Client's health and Safety Specification, which shall be applicable from the date of commencement of and for the duration of work [Construction Regulation 7(1)(a)]. This documented plan must be based on a Hazard Identification and Risk assessment (HIRA) which will serve to identify the hazards, and their associated risks, anticipated for the scope of works [Construction regulation 9].

Principal Contractor tendering must provide the client with an appropriate Preliminary Hand Safety Plan (including a Preliminary Hazard Identification and Risk Assessment) as in Construction Regulation 5(1). This plan must be submitted with the tender.

2. APPLICATION

The Health and Safety specification contains clauses that are applicable to occupational health and safety in construction and the document is intended to impose pro-active controls associated with the activities, plant machinery and other aspects of the proposed construction work that impact on health and safety of persons, by means of a documented H&S Plan prepared by Principal Contractors.

Compliance to the requirements of the OHS act and relevant legislation is in addition to the requirements of the H&S Specification and forms parts of the Principal Contractor's responsibility. The Client and Client's agents will monitor the Principal Contractor to ensure that the Principal Contractor and Contractors comply with the requirement of OHS Act and will not prescribe to the Principal Contractor how such compliance is to be achieved.

3. PURPOSE

The purpose of the Health and Safety Specification is to provide the Principal Contractor and Contractor's tendering for the proposed construction work and /or appointed for the above mentioned construction work with the necessary detail of all health and safety requirements, and hazards pertaining to the associated scope or works, so as to enable the principal Contractor and Contractors to develop a Health and Safety Plan-to be implemented on site in order to ensure the health and safety of all persons while undertaking the said works.

4. REFERENCE DOCUMENTS AND HEALTH AND SAFETY STATUTORY REQUIREMENTS

The following Acts and Regulations are referred to in this document followed by their abbreviations in brackets. Note that this is not an exhaustive list and other documents may be referred to if necessary in order to compile **your Site Specific Health and Safety plan**:

4.1 Occupational Health and Safety Act,(Act No.85 of 1993)-[OHSA] and Regulations as follows:

- Construction Regulations[CR]
- General Administrative Regulations[GAR]
- General Safety Regulations[GSR]
- Environmental Regulations for Workplaces[ERW]
- General machinery Regulations [GMR]
- Hazardous Chemical Substances Regulations[HCSR]
- Electrical Installations Regulations[EIR]
- Electrical Machinery Regulations[EMR]
- Pressure Equipment Regulation [PER]

4.2 Compensation for occupational Injury and Diseases Act-[COIDA]

4.3 South African National Standards, SANS 10147:2014

4.4 Act, Regulations and site safety rules applicable to Department of Public works Construction Sites.

With regards to workplace health and safety, the following Acts, Regulations and safety rules shall apply to all Department of Public works Construction Site and must be fully complied with at all times by all contractors on site:

- Occupational Health and Safety Act(85 of 1993) and Regulations
- Compensation for Occupational Injuries and Diseases Act and Regulations
- This Health and Safety Specification
- Any other relevant statutory laws, including Municipal By-laws where applicable
- As well as any amendments that may arise from time to time;
- As well as any draft amendments to legislation-it is good practice to comply

4.5 Contractor's General Requirements for Health and Safety

4.5.1 The contractor shall be solely responsible for carrying out the work under the contract.

4.5.2 The contractor shall have the highest regards for health and safety of its employees, the Company and any persons at or in the vicinity of the site. This regard shall extend to include the works, temporary work materials, the property of third parties and any purpose relating to the contractor carrying out its obligations under the Contract.

- 4.5.3 The contractor shall initiate and maintain safety programmes to conform to all applicable safety and health laws or other requirements, including ground rules, and the project health and safety specification.
- 4.5.4 The contractor shall, at its own cost, erect and maintain safeguards for the protection of workers and public.
- 4.5.5 The contractor shall manage all reasonably foreseeable hazards created by performance of the work under the contract.
- 4.5.6 Provide all things and take all measures necessary for maintaining proper personal hygiene, ensuring safety of persons and property and protecting the environment at or near the site.
- 4.5.7 Avoid unnecessary interference with the passage of people and property at or near the site.
- 4.5.8 Prevent nuisance and excessive noises and unreasonable disturbances in performing the work under Contract.
- 4.5.9 Be responsible for the adequacy, stability and safety of all of its site operations, of all its methods of design, construction and work and be responsible for all of the work, irrespective of any acceptance, recommendation or consent by the Client, its Contractors, employees, agents and invitees, or any Government body.
- 4.5.10 The contractor shall comply, and shall be responsible for ensuring that all of its subcontractors comply, with the relevant statutory regulations for safety and the Client's requirements included in the contract.

4.6 Site Rules for Contractor

The site rule for contractors' document is the minimum standard with regard to specifications for construction work on this site. Contractors may have existing standards for each specific trade, but where conflict may arise between the contractor's and these Site rule for contractors, the more stringent shall apply.

4.6.1 Rules of Conduct

Contractors and all employees under their control, including any visitors brought onto site must adhere to the following Rules of Conduct on Site:

- Partake of, possess or sell drugs or alcoholic beverages on site. Any employee or visitor whose actions and demeanour show symptoms of possible narcosis or drunkenness shall be removed from site.
- Indulge in practical jokes, horseplay, fighting or gambling.
- Make use of water from fire hydrants.
- Destroy or tamper with safety devices, symbolic signs or wilfully and unnecessarily discharge fire extinguisher.
- Bring onto site or have in your possession a firearm, lethal weapon, camera, or any other recording device, unless authorised to do so
- Assault, intimidate or abuse any other person
- Operate construction equipment (vehicle or plant) without the necessary training and authorisation.
- Display insubordination toward any supervisor, foreman or manager in respect to carrying out of properly issued instructions or orders for health and safety reasons.
- Negligently, carelessly or wilfully cause damage to property of others.

- Refuse to give evidence or deliberately make false statements during investigations.
- Enter into any areas where you have no business unless authorised to do so by the person in charge.
- Bring animals onto site.

Insubordination towards any foreman, supervisor or manager could lead to removal from site and or dismissal and or prosecution. Except insofar as the principles of common law, or conditions as determined by any relevant statutes are concerned, the decision of the Client or his agent shall be final and binding in respect of any disputes that may arise from the interpretation of these rules.

5 Definitions

The following definitions apply.

For the purpose of the General Health and Safety Specification, the abbreviations or definitions given hereunder shall apply:

“CR” refers to the Construction Regulations, 2014

“GHSS” refers to this document (the General Health and Safety Specification (including any project specific annexures that the engineers and designers could attach.

“OHSA” refers to the Occupational Health and Safety.

“S” refers to a section in Occupational Health and Safety Act of 1993.

“H&S” refers to Health and Safety.

“Client” Department of Public Works

Incident; means any unplanned event that causes, or has the potential to cause, an injury or illness and/or damage to equipment, buildings, plant or the natural environment. Incident range from near miss incidents to serious incidents and emergencies.

“Near Miss” means an incident which has the potential to cause an injury or illness or damage to company.

“Regulations” means, specifically, the Construction Regulations, 2003 as issued on 18 July 2003, under the Occupational Health and Safety Act of 1993, but not excluding the other applicable regulations existing under the Act.

“Site” means the lands and other places, made available by the Municipality or the Client for the purposes of the Contract, on under over in or through which the construction work is to be executed or carried out.

“Principal Contractor” and contractor shall be as defined in the Regulations.

Construction Work [CR1]:

Means any work in connection with-

- a) The erection, maintenance, alteration, renovation, repair, demolition or dismantling of or an addition to a building or any similar structure.

- b) The installation, erection, dismantling or maintenance of a fixed plant where such work includes the risk of a person falling.
- c) The construction, maintenance, demolition or dismantling of any bridge, dam canal, road, railway, runway, sewer or water reticulation system or any similar civil engineering structure; or
- d) The moving of earth, clearing of land or making of an excavation or work on any similar type of work.

Hazard, Identification, Risk assessment and risk control (HIRA)

Means a documented plan, which identifies hazards assesses the risk and detailing the control measures and safe working procedures, which are to be used to mitigate and control the occurrence of hazards and risks during construction or operation phases.

Site

Means the area in possession of the Contractor for the construction of the works. Where there is no demarcated boundary it will include all adjacent areas, which are reasonably required for the activities for the Contractor, and approved for such use by the client.

Hazards

Means a source of or exposure to danger (source which may cause injury or damage to persons, or property)

Risk

Means the probability or likelihood that a hazard can result in injury or damage.

Construction Supervisor [CR 8(1)]

Means a full time, competent employee appointed in writing by the Contractor to supervise construction work. The appointment, as required by OHSA, shall stipulate health and safety responsibilities, area of responsibility and the proposed duration of the project.

Hazardous Chemical Substance (HCS)

Means any toxic, harmful, corrosive, and irritant or asphyxiate substance, or mixture or substance for which an occupational exposure limit is prescribed, or an occupational exposure limit is not prescribed but which creates a hazard to health.

Construction Plant

Encompasses all type of plant including but not limiting to, cranes, piling frames, boring machines, excavators, dewatering equipment and road vehicles with or without lifting equipment

Contractor [CR 1]

Means an employer who performs construction work and includes principal contractors and sub-contractor.

Health & Safety Plan (HSP) [CR 1]

Means a documented plan, which addresses hazards identified and includes safe work procedures to mitigate, reduce or control the hazards identified

The plan shall be applied from the date of commencement of and for the duration of construction work [CR 5(1)]

Health and Safety File (HSF) [CR1]

The file holding all documentation and records on health and safety for the project, which shall be available at all times for evaluation, and copy of which will be forwarded to the client upon completion of the project.

Disabling Injury Frequency Rate (DIFR)

The number of disabling injuries multiplied by a constant (man hours relative to period worked divided by total man hours worked over a rolling period (usually 12 months, but can be less).

Disabling Injury Severity Rate (DISR)

The number of days lost due to (DI's) multiplied by a constant (man hours relative to period worked) divided by total man hours worked over a rolling period (usually 12 months, but can be less).

Confined Space

An enclosed, restricted or limited space in which, because of its construction, location or contents, or any work carried on therein, a hazardous substance may accumulate or an oxygen deficient atmosphere may occur, and includes any chamber, tunnel, pipe, pit, sewer, container, valve, machinery or object in which a dangerous liquids or dangerous concentration of gas, vapour, dust or fumes may be present.

6. Responsibility of Contractors for Construction Work [CR 4, 7, 8]

6.1 Notification of Intention to Commence Construction Work [CR 4]

The principal contractor shall notify the Provincial Director of the Department of labour before any work commences, in accordance with the following requirements:

- The demolition of a structure exceeding a height of 3 meter; or
- The use of explosives to perform construction work; or
- The dismantling of fixed plant at height greater than 3 meters; or
- The work exceeds 30 days or will involve more than 300 person days of construction work; and
- Includes excavation work deeper than 1 meter; or
- Includes working at height greater than 3 meters above ground or landing.

The notification and submission to the local Department of labour must be done on a form similar to that shown in **Annexure A** of this document and a copy of the completed form kept in the HSF for inspection by inspector, the client or an employees

6.2 Principal Contractor's Responsibilities [CR 7]

6.2.1. Compile a HSP [CR 7]

- 6.2.2.** Ensure co-operation between all contractors [CR 7(c), to comply with the Act
- 6.2.3.** Ensure compliance to the Act in terms of [CR 5(v)]
 - a) Provide relevant sections of these specifications to contractors as required
 - b) Appoint each contractor in (a) above in writing. Only contractors who have the necessary competencies and resources may be appointed [CR 7(c) (iii)]
 - c) Ensure each contractor's HSP is implemented and maintained on site
 - d) Stop any contractor from work which is not in accordance with HSP's or which pose a threat to health and safety of persons
 - e) Sufficient information is provided to contractors where there are changes to design and construction
 - f) Ensure every contractor is registered and in good standing with the Compensation Commissioner
 - g) Ensure potential contractors have made provision for the cost of health and safety measures.
- 6.2.4** Negotiate and approve the HSP of each contractor [CR 7(i)]
- 6.2.5** All HSP's including the principal contractor's to be available on site [CR 7(b)]
- 6.2.6** All HSF's including the principal contractor's to be available on site [CR 7(d)]
- 6.2.7** A consolidated HSF to be handed over to the client on completion of construction including records of drawings, designs etc. [CR 7(e)]
- 6.2.8** HSF to include updated list of all contractors, the agreements and their type of work [CR 7(f)]

6.3 Contractor's Responsibilities [CR 7] (including sub-contractors)

- 6.3.1 Provide their HSP to the principal contractor[CR 7(2)]
- 6.3.2 Where a contractor appoints another contractor(sub-contractor) it is the responsibility of that contractor to apply 4.2 above as if he were the principal contractor [CR 7(3)]
- 6.3.3 No contractor to appoint another contractor(sub-contractor) unless the latter has the necessary competency and resources to perform the required work [CR 7(3)]
- 6.3.4 To provide any information which affects the health and safety of any persons at work to the principal contractor

6.4. Supervision of Construction Work [CR 8]

The appointments embodied in this regulation are as follows:

- 6.4.1 Construction supervisor [CR 8(1)]
- 6.4.2 Assistant Construction Supervisor [CR 8(2)]
- 6.4.3 Safety Officer [CR 8(5)] or Safety Representative OHS Act S17 (1)

The detailed requirements of these appointments can be found under the relevant regulation.

The contractor shall appoint a dedicated competent Safety Officer who will perform his duties at the work Site for the duration of the work under the Contract.

6.5. Legal Appointments

The principal contractor shall ensure copies of the appointment letters of all responsible persons appointed on site will be kept in the HSF. All legal appointments shall be conducted in accordance with the requirements set out in the OHSA and as per this specification. The tables below set out the appointment protocols for CR and OHSA.

NB: It should be noted that these represent complete lists and not all these appointments may be required.

6.5.1

The responsibilities of each appointment are detailed in the relevant form, which are signed by both the authorised person and the appointee and kept in the Health and Safety File. an example of an appointment form for a Construction Supervisor can be found under Annexure B.

7. Documentation and Procedures

All required HSE documentation for the construction work, shall be kept in the HSF, which shall be available on site. The Construction Supervisor shall be responsible for the file and the Project manager shall ensure that documentation is valid and up to date. The procedures to be used for the project are to be in accordance with contractor policy and as per the outcome of the HIRA exercise. It is required that the documentation is filled in an orderly fashion for easy access. The following sections are suggested:

- Policy permits etc.
- Health & safety plans, specifications
- Appointments
- Incidents management
- Inspection check lists
- Risk assessments
- Training
- Safe work Procedure
- Hazardous Chemical Substances

8. Application of COIDA and OHSA to Construction Work

8.1 Compensation of Occupational Injuries and Diseases Act, Act No.130 of 1993(COIDA)

Every contractor shall provide proof of registration and letter of good standing with the Compensation Commissioner.

8.2 Occupational Health and Safety Policy [OHSA 7]

Every contractor's OH&S Policy statement should be available for security and as evidence of their commitment to their employees' occupational health and safety

8.3 Health and Safety Training and Competency

Training of personnel is a necessity and a legal requirement when required. A record of all training shall be kept and provided on request.

8.3.1 Induction Training

The principal contractor shall be responsible for the induction of all personnel entering the site including visitors, inspectors etc. Contractors doing specific construction work shall be responsible for the induction of their employees with respect to that specific work. Records to be kept of all personnel that undergo induction training.

8.3.2 Awareness Training

In addition, the client would favour awareness training to be carried out such as weekly Toolbox Talks on relevant topics e.g. wearing PPE, manual lifting, safe use of portable electric tools etc.

8.3.3 Competency and CV's

Where applicable, valid copies of certificates of competency of appointed personnel to be provided and kept in the HSF. Other training requirements such as those identified through the HIRA process, to be completed and proof of that training also kept in the HSF. Where competency is achieved through experience, a brief CV will be required.

8.3.4 Specific OH&S Training

Valid certificates of training from registered service providers preferably accredited by the appropriate SETA are required for First Aiders, H&S Reps, Fire Marshals, Fire Equipment Inspector etc.

8.3.5 Medical Fitness

All work in elevated positions [tower crane operators (CR 20(g)), workers on elevated structures requiring fall protection (CR 8 (2b)), suspended platform workers (CR 15(12a))] and operators of construction vehicles and mobile plant (CR 21(d)) require certificates of physical and psychological fitness.

Valid certificates of training from registered service providers preferably accredited by the appropriate SETA are required for First aiders, H&S reps, Fire Marshals (CR 221 Fire Equipment Inspectors) etc.

8.4 Hazards and Potential Hazardous Situations [OHSA 13]

The principal contractor is responsible to ensure that all contractors and any visitors are warned of any hazardous or potentially hazardous situations, which may affect them on site and shall put any additional measures in place to assist in mitigating the risk of these hazards.

8.5 Health and Safety Reps [OHSA 17 and 18]

The principal contractor shall be responsible to ensure compliance to this section of the OHSA as required and to ensure similar compliance of all contractors. If a rep is not required, the appointed Safety officer will be responsible for these functions.

8.6 Health and safety Committee [OHSA 19 & 20]

The principal contractor shall be responsible to ensure compliance to this section of the OHSA as required. If a committee is not convened, health and safety matters will need to be tabled and discussed at site meetings.

8.7 General Record Keeping

The principal contractor shall ensure that all Health and safety records, required by OHSA and Regulation are kept for reference purpose and auditing.

8.7.1 Inspections

The principal Contractor shall keep all records of inspections undertaken during the contract. An assessment will need to be made of what inspections are required and their frequency. The principal contractor is also responsible to ensure compliance to this requirement by all contractors

8.7.2 Audits [CR 5(o) and 5 (p)]

The client's agent shall carry out regular audits on the principal contractor at least once per month. Similarly, principal contractor shall be responsible for carrying out regular audits on their contractors at least once per month. The results shall be tabled for action and discussed at health and Safety Committee meetings or site meetings as appropriate.

8.8 Incident Management and Emergency Plans

The principal contractor shall create and Emergency Plan for the construction site. The plan shall be clearly laid out for all types of emergencies including responsibilities, evacuation routes, siren, emergency no's etc. The plan shall fully explain to all personnel during the induction training. All contractors will become completely familiar with the requirements of the plan and will participate in any evacuation drills that may take place.

8.8.1 First Aid [GSR 3]

The principal contractor shall be responsible to ensure compliance to this regulation as required. In particular, a first aid box with the minimum stock as specified in the regulation will be located at the site office and there will be signage to indicate the location of the box. Attention is drawn to GSR 3(4) for the requirement of trained first aiders. It is also suggested that a trained first aider be made responsible for the box in terms of the following:

- Security-the box should not be left open but it must be accessible in case of emergency(spare key availability)
- Injuries – a record of first aid box injuries treated and the stock issued.
- Stock- regular inspection to maintain stock levels and check expiry dates

In addition, the first aid requirement should be noted for high risk substances or hazardous chemical substances and if these are to be used, then it should be addressed in the HIRA and the need for eye wash facilities assessed.

NOTE: It is strongly recommended and good practice to comply with the Draft Health and Safety Regulation 7

8.8.2 Incidents and Injuries-Investigation and Reporting

The principal Contractor will ensure there is a management system to report and investigate all incidents. All incident including all near miss, first aid box treatment, and all other serious incidents involving any form of disabling injury or fatality are to be reported to the Client and the Clients H&S Agents telephonically immediately. This shall be confirmed in writing as soon as

possible after the incident. Failure to comply with these provisions will be considered as serious offence. Recording and Investigation of Near Miss.

Incidents

The principal Contractor shall provide evidence by means of a procedure or chart that he is fully aware of the hierarchy of incidents that can occur e.g. unsafe situations, near miss first aid box injuries, medical cases, disabling injuries etc. He shall keep an incident register of all such incidents, investigate and apply corrective action where required. The client also reserves the right to request incident statistics from the principal contractor such as Di's DIFR and DISR and it is advised that these are maintained.

Injuries

First aid box injuries have been addressed under 8.7.1 above. More serious injuries requiring transport of the injured person to the nearest hospital or doctor or the calling of an ambulance and paramedic personnel will be the responsibility of the principal contractor's appointed personnel such as the Construction Supervisor, First Aider, and Safety Officer. It is advised that all required emergency numbers be on hand and prominently displayed. As all contractors are registered and in Good Standing with the Compensation Commissioner, it will be the responsibility of the contractor whose employee has been injured; to make the necessary report and claims to the Commissioner.

8.8.3 Accident and Incident Reporting and Investigation [OHSA 24, GAR 8, 9(1) & (2)]

Should an incident or accident investigation need to be conducted, a competent person shall be appointed to conduct the said investigation. The procedure to be followed will be in accordance with Annexure 1 of GAR 9-“Recording and Investigation of incidents”. Particular attention is also drawn to OHSA 24, reporting of certain incidents to an inspector of the department of labour. The principal contractor shall ensure that the investigations are kept for record purposes and he shall ensure that the outcome of the investigation is communicated to all affected parties as required i.e. the Client, Clients H& S Agent and contractors. The Client reserves the right to participate in all investigations into accidents or incidents and to conduct their own investigation if required.

8.9 Contractors and Suppliers

The client shall enter into an Agreement with Mandatory in terms of Section 37(2) of the OHS Act 85 of 1993, with all appointed principal contractors. Likewise all principal contractors shall enter in to a similar agreement with all contractors, sub-contracted to them for any period of the contract. Please note that if contractors hire any construction vehicle or mobile plant, the companies from which the equipment is hired must provide any maintenance and test certification as required. In addition, if operators are hired with the equipment, proof of competency and medical certification must be provided.

The principal Contractor shall ensure that all contractors are issued with this safety specification where *reasonable*. The principal contractor shall assist and ensure that contractors engaged comply with all of these requirements and adhere to the requirements set out OHSA. Contractors will be stopped from working in the event of unsafe conditions and activities being observed. All contractors shall be subject to the requirements specified in the HSP and will be issued with a copy of the plan. If the contractor is not able to comply with the requirements set out in the plan, he shall not be appointed as contractor.

8.10 Personal Protective equipment, Intoxication, Signage and Access Control [GSR 2]

8.10.1 Personal Protective Equipment (PPE)[GSR 2]

The principal contractor shall through the Risk Assessment process identify the specific PPE needs per activity. Contractors, as employers, will be responsible for the issue of the required PPE. Should PPE be lost or stolen, then the employee will be issued with new PPE. Should PPE be worn out or damaged, the user shall return the worn or damaged PPE and will be issued with a replacement. Training in the use of this shall be provided. Visitors shall be informed of PPE requirements prior to their visit so that they may enter the site.

8.10.2 Intoxication [GSR 2A]

The principal contractor shall be responsible to ensure that no persons may enter or remain at the construction site if under or apparently under the influence of intoxicating liquor or drugs.

8.10.3 Display of signs [GSR 2B]

The principal contractor should make use of signage to assist in enforcing compliance to any requirement specified in this document or as required by law. Standard symbolic signs are acceptable for conveying these requirements where applicable.

8.10.4 Access control [GSR 2C]

The principal contractor shall be responsible to ensure control of access to all persons entering the construction site. The reason for this is as follows;

- The principal contractor is the employer on the site and all intents and purposes is responsible for section 8 of OHSA of employees and contractors and section 9 for any other person on site such as visitors and inspectors
- All persons entering the site must undergo induction training to inform them of the hazards present on site. This includes contractors, visitors, inspectors etc.
- The construction supervisor will be aware of who is on site and their function
- The construction supervisor will be able to control tasks that may impact on other work being carried out on the site by a permit to work system.
- The number of people and their purpose on the site must be known in case of emergency and evacuation
- Security reasons

8.11 Ladders [GSR 13A]

The following requirements shall be complied with regarding Ladders and Ladder Works:

- A competent person shall be identified and appointed as ladder inspector
- Where aluminium ladders cannot be used, then wooden ladders shall be straight grained, unpainted to allow for proper inspection of the grain for cracking
- Ladders shall be secured at the top and choked at the base to prevent slipping.
- Where choking of the base is not possible, then the user shall ensure that the ladder is held in position by another employee when ascending the ladder.
- Ladders shall be inspected a minimum once per month by the person appointed as the ladder inspector.
- Proper storage shall be provided for all ladders when not in use.

8.12 Pressure Equipment Regulations, 2009(Gas Bottles) [PER 2009]

If gas bottle sets (Oxy-Acetylene for heating, cutting, welding) are used, these regulations, as required, shall be adhered to. Regular inspection of the sets shall be carried out. In particular;

- Only trained personnel shall operate such equipment.
- The construction Supervisor shall ensure operation of the equipment is in accordance with the HIRA requirements and Safe working Procedure (SWP) and /or method statement.
- All users shall undergo regular awareness training (toolbox) to ensure compliance.
- The Construction supervisor shall ensure the required PPE is used.

8.13 Portable Electric Tools [EMR 9]

This regulation shall be complied with as a minimum requirement. Regular inspections of all Portable Electric Tools such as drill, angle grinder's etc. shall be carried out. In particular:

- Only trained personnel shall operate such equipment.
- The Construction Supervisor shall ensure operation of the equipment is in accordance with the HIRA requirements and Safe working Procedure (SWP).
- All users shall undergo regular awareness training (toolbox talks) to ensure compliance.
- The Construction Supervisor shall ensure the required PPE is used.

8.14 Permit to work [including hot work]

The principal contractor shall be responsible to ensure that:

- All work being carried out on site has been approved through the necessary project control system.
- Permit require from third parties such as vetting for security clearance
- A permit system is operational so that work consisting of many tasks related to the construction on site, can be carried out without endangering the health and safety of personnel on site, neighbours and the public surrounding the site and or causing damage to property.
- In particular, attention is drawn to GSR 9, which details the requirements for welding, flame cutting, soldering and similar operations.

8.15 Environmental Rules

The contractor shall give effect to maintain all safeguards and standards and take such measures as may be necessary for the protection of the environment.

8.15.1 Clearing

The contractor shall comply with the following conditions and requirements for clearing:

- Follow the Occupational health and Safety Act, the Environmental Regulations for workplaces and Project EMP.
- Areas to be cleared will have boundaries clearly marked by tape, pegs or other means and will conform to limits on design drawings.
- No clearing is to occur without a written permit from the Engineer.

- Clearing will not commence until drainage control works are in place.
- Cleared vegetation should be windrowed along the contour to assist with erosion control.
- Any area which is not to be disturbed under requirements of the Cultural Heritage management Plan will be clearly identified.
- Vegetation clearance will be restricted to that necessary for the works.
- The Engineer is to be notified immediately if contaminated soil is discovered.
- Traffic shall be confined to maintained tracks and roads.
- Particular care shall be taken to minimise disturbance to the bed and banks of watercourses.

8.15.2 Noise and Vibration

The contractor shall ensure that each of its mobile and fixed plant and that of its subcontractor' are fitted with appropriate noise suppression equipment to ensure that noise levels from such plant are contained within the relevant limits prescribed by relevant industrial safety and environmental legislation, regulations and site standards. If there is a noise problem with electrical power generating equipment, compressors, or other facilities under the control of the contractor, additional noise suppression shall be erected by the Contractor at the Contractor's cost around the offending unit(s). Any deviation from the above listed practices is to be rectified at the Contractor's cost.

8.15.3 Transport, Storage and Handling of Hazardous Substances and Dangerous Goods

The contractor shall comply with the following conditions and requirements for storing and handling hazardous and dangerous goods:

- Comply with HCS Regulations 14. The storage and handling of flammable and combustible liquids.
- Provide a list of hazardous substances and corresponding MSDS prior to bringing substances on Site.
- Substances register to be held at each storage facility.
- Corrosive materials to be stored and handled in accordance with HCS Regulation 14.
- Fuels, oils and substances in containers of 200 litres or more shall be stored in a bunded area with capacity of at least 110% of largest container/tank.
- Fuel, oils and substances in less than 200 litre drums shall be stored as above or in a fenced and roofed compound.
- All fuels, oils and substances must be clearly labelled.
- Transfer of bulk fuel and handling of hazardous substances shall be conducted only by appropriately trained personnel
- Spill clean-up kits including absorbent materials shall be kept at each storage facility.

8.15.4 Erosion and Oil Traps

The Contractor shall comply with the following conditions and requirement for erosion, sedimentation, silt and oil traps:

- Land disturbance will be restricted to that necessary for the works.
- Topsoil will be salvaged for use in rehabilitation
- Storm water from upstream catchments will be diverted away from construction areas.
- Drains will be protected to prevent scouring if necessary.

- Sediment traps, silts fences or hay bales will be installed to control sediment where necessary and where directed by Engineer.
- Sediment traps will be cleaned periodically.

8.15.5 Dust Prevention

The contractor shall comply with the following conditions and requirements for air quality and dust:

- Dust generated by construction activities will be suppressed by water spraying, to levels that are safe for Site personnel.
- Speed limits on unsealed roads will be limited to a maximum speed consistent with the minimisation of dust generation.
- Earthworks Supervisors must pay particular attention to the management of topsoil stripping such that dust does not become a safety hazard or severe nuisance.
- All dust complaints will be investigated promptly and appropriate action initiated to reduce nuisance.

8.15.6 Waste Management

- The contractor shall provide suitable rubbish receptacles at the Site and shall ensure that all litter is collected in them and properly disposed of off Site in accordance with the requirements of the relevant statutory requirements
- The contractor shall ensure proper collection and off-site disposal of all industrial wastes in accordance with relevant statutory requirements.
- The contractor shall apply the principles of Waste Minimisation by reducing the amount of waste generated on Site by their operations and activities as much as possible. The contractor shall provide for cycling of glass, metals, plastics and papers.

8.15.7 Weed management

The contractor shall comply with the following conditions and requirements for weed management:

- Contractors shall ensure that all machinery, equipment and vehicles are washed down at a wash facility before the Site and again when leaving the site.
- Plants and soil shall not be removed from Site without authorisation.
- Soil or other material shall not be brought onto Site if it has originated from an area known to contain environmental weeds or declared weeds under the Rural land Protection act 1995.
- Areas disturbed or rehabilitated as part of a Contract will be inspected upon completion of the works. The Contractor shall eradicate any declared weeds found.
- Seeds used in rehabilitation shall be free of declared weeds
- Control measures (including use of herbicides) must be consistent with manufacture's recommendations, safe practice and recommendations in the Department of natural Resources Pest Fact series.
- Include information on the importance of weed control inductions.

Any deviation from the above listed practices is to be rectified at Contractor's cost

8.15.8 Found Object

All fossils, coins, articles, minerals of commercial value and objects of antiquity and structures and other remains and things of archaeological interest discovered at the Project site shall be deemed to be the absolute property of the Company. The Contractor shall take reasonable precautions to prevent the Contractor's employees, subcontractors and the employees of subcontractors and any other persons from removing and damaging any such article and thing and shall immediately upon discovery thereof acquaint the Engineer of such discovery and carry out, at the expense of the company and at the engineer's direction, the protection and or disposal of same,.

8.16 Monitoring, Audit and Review

- The Client's Agent/DPW Safety Manager shall have the right to conduct audits/inspections of the Contractor's operations, equipment and procedures at any time, and the Contractor shall fully co-operate with the client's agent during such audits/inspections.
- The client's agent rights under this clause shall not relieve the contractor of its obligations to conduct audits and reviews of its own safety and health performance.
- Where such Client's Agent/DPW Safety Manager audits reveal deficiency in the Contractor's procedure equipment, training, drills, etc. the contractor shall rectify such deficiencies as soon as practicable, and provide to the Client's agent a status report on all outstanding corrective actions. Where such deficiencies include an unsafe practice or breach of the Statutory or the Contract's requirements, the Client's Agents/DPW Safety Manager may in accordance with the general Conditions of Contract suspend the work associated with the unsafe practice or breach until the deficiency is rectified.

8.17 Penalties and Fines

Any contractor employees who is found not adhering to the ESH specification, Site Ground Rules ,ESH Plan or any other statutory requirement, or who is observed committing unsafe acts or contributing to unsafe conditions will be issued with a Non-Conformance Report and the relevant Contract will be issued a fine according to the scale of fines nominated below.

Contractor employees will also be reprimanded as per the relevant company HR procedures:

- First transgression constitutes a **verbal warning**.
- Second transgression constitutes a **written warning**.
- Third transgression constitutes a **full disciplinary hearing** according to the company' HR procedures
- Any life-threatening unsafe act or unsafe condition must be treated as a Gross Neglect of Company Environmental, safety and Health Rules and Procedures and Disciplinary hearing shall be conducted to determine the root cause of the incident and the appropriate action which must be taken to prevent the similar unsafe situation from occurring in the future.

Copies of Non-Conformance Reports (NCR) and disciplinary hearings must be kept on record on the OHS File.

8.17.1 Offences and Penalties

All offences and penalties will be dealt according to CR (33)

9 Applications of the Construction Regulations [CR]

[Please note; this is the complete list. Item 9.1 is compulsory and the rest are applicable if relevant to the work being carried out]

9.1 Hazard Identification, Risk assessment and Risk Control (HIRA) [CR 9]

The contractor shall prior to the commencement of any construction work perform a HIRA exercise which will form part of the HSP and file for the project. A copy of HIRA shall be made available for viewing to the client's OHS agent and shall be kept in the Health and Safety File.

NB: The contractor shall ensure that the outcome of all HIRA exercises will be conveyed to all relevant employees with respect to the hazards and the related control measures before any work commences.

Below is the list of activities, which may be considered for HIRA if the activity is to be carried out on site. The list is not exhaustive but gives examples of activities for a construction site:

- Site security and access.
- Traffic management-restrictions etc.
- Activities that affect adjacent sites.
- Lifting operations such as offloading and moving equipment.
- Lifting equipment such as offloading and moving equipment
- Stacking, storage of equipment and materials, and good housekeeping.
- Use of hand tools
- Use of portable electric equipment(power tools)
- Use and storage of flammable and hazardous chemicals such as paint, adhesives, solvents, thinners, cement etc.
- Painting.
- Welding.
- Electric installations.
- Mechanical installation.
- Waste management including removal of hazardous waste.
- Environmental restraints such as boundary noise and dust.
- Temporary site accommodation.
- General hazards to site personnel such as cleaning noise and dust.

The control of several of these risks may be specified in the OHSA or the CR but this does not mean that the HIRA exercise does not have to be carried out.

9.6 Construction vehicle and mobile plant [CR 23]

It will be the responsibility of each contractor on site to ensure compliance of their construction vehicles and mobile plant to these regulations.

This includes vehicles to be used for transporting personnel to and from site, which will be subject to relevant requirements such as licensing and roadworthiness checks. In addition the following will apply:

- Safe transport for personnel working on the project to and from the workplace, which shall include proper seating, side restraints and cover.
- Road safety principles shall be adhered to on and off site.

If a mobile crane or other mobile plant is hired, only approved hire companies shall be contracted to provide such equipment. The Construction Supervisor shall ensure

compliance of the provider to these regulations. In particular attention is drawn to the competence and fitness of the operator [section 1(d)] and the inspection of the equipment [section 1(j)].

9.7 Electrical Works [CR 24], including [EIR] and [EMR]

The requirement of these regulations shall be met as required by the appointed electrical contractor. Competent person will be appointed for inspection and control of all temporary electrical installations as per CR 24(d) and (e) respectively.

The person /Contractor who does electrical installation work as an electrical contractor shall be registered as an electrical contractor in terms of electrical Installations Regulations.

9.8 Use and storage of flammable liquids [CR 25], and hazardous chemical substances [HCSR]

All the requirements of CR 16 shall be met.

In terms of HCSR, contractors shall ensure that all hazardous chemicals brought to site have Material Safety Data Sheet (MSDS) and the users are made aware of the important sections of the MSDS such as:

- Hazards
- First aid measures
- Fire fighting measures
- Accidental release measure
- Handling storage
- Exposure control especially PPE
- Disposal

First aider shall be made aware of the MSDS and how to treat HCS incidents appropriately. Copies of MSDS's will be available on site and in the HSF.

9.9 Housekeeping [CR 27] including [ERW (6)]

All contractors shall ensure that housekeeping standards as per these regulations shall be maintained at all times.

9.10 Stacking and Storage of Materials [CR 28] including [GSR (8)]

All contractors shall ensure that materials are only stored in defined and allocated storage areas and that materials being stored are stacked in accordance with sound stacking principle as per these regulations.

9.11 Fire precautions [CR 29]

All contractors on site will comply fully with the requirements of this regulation. In particular, the principal contractor will be responsible for the evacuation plan (section (1) the details of which will be imparted to contractors, visitors etc. through the site induction.

9.12 Construction employee welfare facilities [CR 30]

The principal contractor shall be responsible for implementing this regulation and shall ensure that adequate facilities are provided for the personnel on site in terms of the following:

- Change room facilities
- Adequate toilets
- Hand wash facilities
- Drinkable water

No food preparation shall be conducted on site. Eating and drinking will only be permitted in the designated eating areas, which must be provided with adequate seating. Waste bins shall be strategically placed and cleared regularly.

10. Site Specific and Design Risks

[Please note; this is not a complete or exhaustive list. The principal contractor is expected to assess all risks to which his employees may be exposed during the construction process, as well as the hazards identified and listed below].

10.1 Hazard Identification and Risk Assessment Methodology

Once on site, every contractor shall perform task risk assessment, using the baseline risk assessment as a guide.

The Risk assessment should be reviewed once on site and thereafter after any incident, change in design or every one-year period, whichever occurs first. Additional hazards highlighted or change in the risk factor should have a separate risk assessment carried out and filed.

The risk assessment is based on the combination of the CONSEQUENCE and PROBABILITY associated with each hazards.

10.1.1 Definitions

Term	Meaning
HAZARDS	Anything that can cause harm
RISK	The chance, great or small, that someone will be harmed by hazard
CONSEQUENCE	The possible outcome of an incident/ accident, e.g. broken leg, explosion.
PROBABILITY	The possibility of the accident/incident occurring

10.1.2 Risk Assessment

The following evaluation must be used to determine risk:

Probability X Consequence= RISK

Risk Matrix

Calculating the risk

1. Take the consequences rating(1-5) and select the correct column
2. Take the likelihood rating(A-E) and select the correct row
3. Select the risk rating where the two ratings cross on the matrix below.

VH=Very, High=High, M= Medium, L=Low

		CONSEQUENCES					Likelihood
	1	1	2	3	4	5	
A	M	H	H	VH	VH	VH	
B	M	M	H	H	VH	VH	
C	L	M	H	H	VH	VH	
D	L	L	M	M	H	H	
E	L	L	M	M	M	M	

10.2 Site Specific risks

The following site-specific risks have been identified for this project. These must be catered for in the contractor's health and safety plan (that which is applicable to their scope of work), and included in the site-specific risk assessment.

10.2.1 Traffic-restrictions, existing system, site traffic

Traffic accommodation must be arranged with the principal agent.

10.2.3 Site security and access-this is controlled by principal contractor.

10.3 Design risks

The following design risks have been identified by the designer for this project. These must be catered for in the contractor's health and safety plan (that which is applicable to their scope of work), and included in the site-specific risk assessment.

10.3.1 Electrical

10.3.2 Mechanical.

10.3.3 Civil Work