



public works  
& infrastructure

Department:  
Public Works and Infrastructure  
REPUBLIC OF SOUTH AFRICA

Private Bag X65, PRETORIA 0001, and Int Code: +27 12 Tel: 012 406 1248 Fax: 086 272 8850  
E-mail: [tshwarelo.ramoleta@dpw.gov.za](mailto:tshwarelo.ramoleta@dpw.gov.za) website: [www.publicworks.gov.za](http://www.publicworks.gov.za)

Dear Sir/ Madam

You are hereby invited to submit a quotation for the supply and delivery of the following goods/assets/service to the Department of Public Works.

QUOTATION NO : RFQ0353  
QUOTATION DESCRIPTION : **SUPPLY AND DELIVERY OF LAB EQUIPMENT**  
VALIDITY PERIOD : 84  
CLOSING TIME : 11:00am  
CLOSING DATE : 16/11/2023

DESCRIPTION	UNIT OF PURCHASE	QUANTITY REQUIRED	UNIT COST ( INCL VAT)	TOTAL AMOUNT ( INCL VAT )
<b>Delivery: CUSTOMS HOUSE Forehore, Cape Town</b>				
<b>Methylated spirits Blue (2,5 litres)</b>	EACH	2		
<b>Acetone AR (2,5 litres) COD standard 1000ppm</b>	EACH	2		
<b>Ethanol 99.9% (2.5 litres)</b>	EACH	4		
<b>COD standards 1000ppm 500ml</b>	EACH	2		
<b>1413uS/cm Conductivity standard 500ml</b>	EACH	8		
<b>Conductivity standard 146.93 uS/cm 500ml</b>	EACH	4		
<b>Conductivity standard 12.88 mS/cm 500ml</b>	EACH	4		
<b>Buffer Solution pH 4 500ml</b>	EACH	6		
<b>Buffer Solution pH 7 500ml</b>	EACH	6		
<b>Buffer Solution pH 10 500ml</b>	EACH	3		

<i>Nitrile gloves, size medium pk/100</i>	EACH	10		
<i>Nitrile gloves, size small pk/100</i>	EACH	10		
<i>Glass measuring cylinders 50ml</i>	EACH	10		
<i>Glass volumetric flasks with stoppers 100ml</i>	EACH	6		

Please e-mail the completed quotation to

	: Public Works
	: Corner Church and Bosman Street
Enquiries	: <b>Tshwarelo Ramoleta</b>
Tel	: <b>012 406 1248</b>
E-mail	: <a href="mailto:tshwarelo.ramoleta@dpw.gov.za">tshwarelo.ramoleta@dpw.gov.za</a>

Quotations must be submitted to the following email address:  
[ndpwquotations@dpw.gov.za](mailto:ndpwquotations@dpw.gov.za) .

***NOTE:*** Suppliers are to ensure that their banking details are successfully verified on CSD, The department may at any point request verification of the details.

Please stamp the RFQ with your Company Stamp. However a quotation on the company letterhead would be accepted. Failure to return the forwarded PA-Forms will result in your quotation being considered as non-responsive.