



public works
& infrastructure

Department:
Public Works and Infrastructure
REPUBLIC OF SOUTH AFRICA

Private Bag X65, PRETORIA 0001, and Int Code: +27 12 Tel: 406 1036 Fax: 321-0517
Website: www.publicworks.gov.za

Dear Sir/ Madam

You are hereby invited to submit a quotation for the supply and delivery of the following goods/assets/service to the Department of Public Works.

QUOTATION NO : RFQ165A0359
INVITATION DESCRIPTION : ARBITRATION
VALIDITY PERIOD : 84 Days
CLOSING TIME : 11:00
CLOSING DATE : 15/10/2025

DESCRIPTION	UNIT OF PURCHASE	QUANTITY REQUIRED	UNIT COST (INCL VAT)	TOTAL AMOUNT (INCL VAT)
<p>REQUEST FOR QUOTATION TO REPRESENT THE DEPARTMENT IN THE ARBITRATION OF AN OFFICIAL IN KIMBERLY REGIONAL OFFICE</p> <p>SPECIFICATION:</p> <ul style="list-style-type: none">• Preparations of bundles, preparing witnesses, leading evidence through witnesses, cross examination, re-examination• Represent the Department during the arbitration hearing• Preparation of closing arguments <p><i>The total cost of the arbitration shall be calculated at an hourly rate for a total of 200 hours.</i></p> <p><i>Please submit a quote for 200 hours .</i></p> <p><u>SEE ATTACHED SPECIFICATIONS</u></p> <p><u>DELIVERY ADDRESS</u> CGO BUILDING 256 MADIBA STREET</p>	Ea	01 person for 200 hours		

PRETORIA				
TOTAL PRICE				

SUPPLIER LOCATION MUST BE NORTHERN CAPE PROVINCE FOR ALLOCATION OF POINTS

Quotations may be emailed or hand delivered. If it is hand delivered please send the completed quotation to:

Enquiries : Public Works
Tel : Corner Vermeulen and Bosman Street
: Pretoria
: Veronica Tshokwe
: 012 406 1036
Quotations must be submitted to the following email address:
Veronica.Tshokwe@dpw.gov.za or ndpwquotations@dpw.gov.za

NOTE: Suppliers are to ensure that their banking details are successfully verified on CSD, The department may at any point request verification of the details.

Please stamp the RFQ with your Company Stamp. **However** a quotation on the company letterhead would be accepted. **Failure to** return the forwarded PA-Forms will result in your quotation being considered as non-responsive.