

Private Bag X65, PRETORIA 0001, and Int. Code: +27 12 Tel: 012 406 2199 Fax: 086 272 8850

E-mail: keneuwe.mathatho@dpw.gov.za website: www.publicworks.gov.za

Dear Sir/ Madam

You are hereby invited to submit a quotation for the supply and delivery of the following goods/assets/service to the Department of Public Works.

QUOTATION NO : 0404

QUOTATION DESCRIPTION : SUPPLY AND DELIVERY OF STATIONERY

VALIDITY PERIOD : 84 Days CLOSING TIME : 11:00 CLOSING DATE : 17/11/2025

| DESCRIPTION | UNIT OF | QUANTITY | UNIT COST | TOTAL |
|---|------------|----------|------------|------------|
| | PURCHASE | REQUIRED | (INCL VAT) | AMOUNT |
| | | | | (INCL VAT) |
| File duraplus A4 with clear view folder Red | Each | 50 | | |
| File duraplus A4 with clear view folder Blue | Each | 50 | | |
| File duraplus A4 with clear view folder Yellow | Each | 50 | | |
| File duraplus A4 with clear view folder Black | Each | 30 | | |
| File duraplus A4 with clear view folder Green | Each | 50 | | |
| File box A4 (lift flap) | Each | 100 | | |
| Waterproof ink pen - Red | Each | 10 | | |
| Waterproof ink pen - Black | Each | 10 | | |
| 3m Pop-up notes 76mm X 76mm Pop- up Refill 100 sheets per pad self- adhesive stickers | Pack of 10 | 03 | | |

Only Suppliers with Proof of address from Gauteng Province will be allocated points for Location under specific goal.

Please e-mail the completed quotation to

: Public Works

: Corner Church and Bosman Street

Enquiries : Keneuwe Mathatho

Tel : 012 406 2199

E-mail : keneuwe.mathatho@dpw.gov.za

<u>Quotations must be submitted to the following email address: ndpwquotations@dpw.gov.za</u>

Or at the Quotation Box: CGO Building, 256 Madiba Street, Pretoria Central, 0001

<u>NOTE:</u> Suppliers are to ensure that their banking details are successfully verified on CSD, The department may at any point request verification of the details.

Please stamp the RFQ with your Company Stamp. However a quotation on the company letterhead would be accepted. Failure to return the forwarded PA-Forms will result in your quotation being considered as non-responsive.