



public works
& infrastructure

Department:
Public Works and Infrastructure
REPUBLIC OF SOUTH AFRICA

Private Bag X65, PRETORIA 0001, and Int Code: +27 12 Tel: 406 1812 Fax: 321-0517
Website: www.publicworks.gov.za

Dear Sir/ Madam

You are hereby invited to submit a quotation for the supply and delivery of the following goods/assets/service to the Department of Public Works.

QUOTATION NO : RFQ192A0072
INVITATION DESCRIPTION : STATIONERY (WINTER SCHOOL)

VALIDITY PERIOD : 84 Days
CLOSING TIME : 11:00
CLOSING DATE : 10-06-2024

DESCRIPTION	UNIT OF PURCHASE	QUANTITY REQUIRED	UNIT COST (INCL VAT)	TOTAL AMOUNT (INCL VAT)
STATIONERY PLEASE NOT THAT THE SUPPLIER WHO RESPOND TO THIS RFQ MUST BE BASED IN GAUTENG PROVINCEB				
Shap off knife	<i>Each</i>	05		
Scenic foam foliage clusters 20g	<i>Each</i>	15		
Artist sketch pencils (12 pc buld sketch pencils x 2 sets)	<i>Each</i>	24		
Office glue 250ml	<i>Each</i>	20		

Water paint brushes set of 3 (577 flat set of 3 water colour paint brushes for cafts x 15 sets)	Set	15		
Wooden canvas 500x300x45	Each	15		
Electrical kit for school kids with switch battery wires amd light bulb	Each	15		
Craft paint kit 6x50ml graft	Each	15		
Skwers 100pc	Each	4		
A4 plastic sheets (10 pcs non-perforated clear plastic sheets)	Ech	30		
Crystal clear tape (19mmx25m)	Each	15		
Cotton wool ball 50g	Ech	5		
A4 exam pads (not punched 72 sheets)	Each	300		

Quotations may be emailed or hand delivered. If it is hand delivered please send the completed quotation to:

Enquiries
Tel

: Public Works
: Corner Vermeulen and Bosman Street
: Pretoria
: Portia Moipolai
: 012 406 1812

Quotations must be submitted to the following email address:
portia.moipolai@dpw.gov.za or ndpwquotatons@dpw.gov.za

NOTE: Suppliers are to ensure that their banking details are successfully verified on CSD, The department may at any point request verification of the details.

Please stamp the RFQ with your Company Stamp. **However** a quotation on the company letterhead would be accepted. **Failure to** return the forwarded PA-Forms will result in your quotation being considered as non-responsive.