



ABLUTION FACILITIES AND RELATED SERVICES

NOTE	
-------------	--

Item	Description of Work	Quantity	Tariff	Amount
1	Standard temporary ablation facilities with signs to separate males and females. Must be serviced/drained daily. Consumables must be replenished at least 4 times a day and cleaned twice a day	80		
2	VIP toilets (Male and Female trailer) with Janitor, double ply toilet paper with consumables, Double cubicle, ceramic toilets, recirculation electrical pumps, solar power system, LED Lights, Hand Flush, wash hand basin, hand sanitizer : Size(LXBXH)= 3m x 2m x 2m Axel type: single braked. Must be screened and cleaned after every use.	8		
3	VIP Toilets (Male and Female) for people with disabilities (include a wheelchair ramp) with Janitor, double ply toilet paper with consumables, Double cubicle, ceramic toilets, recirculation electrical pumps, solar power system, LED Lights, Hand Flush, wash hand basin, hand sanitizer : Size(LXBXH)= 3m x 2m x 2m Axel type: single braked. Must be screened and cleaned after every use.	4		
4	She-Bins for female facilities	50		



public works
& infrastructure

Department:
Public Works and Infrastructure
REPUBLIC OF SOUTH AFRICA

PRICING SCHEDULE: ANNEXURE A

5	Bins for normal waste	100		
6	waste removal from site to dumping site daily	1		
7	500m of Washing line at the resting marquee. Must be attached to 2 poles 1.8m high	6		
8	removal of ablution facilities waste by means of a honey sucker truck daily	2 trucks		
9	Refil of toilet papers twice a day for all ablution facilities for the entire duration in site	1		
10	Janitors to clean the facilities at least after every use	30		
SUBTOTAL				