



TABLE OF CONTENTS

1. PA-03 (GS): Notice and Invitation For Quotation
2. PA 32: Invitation to Bid
3. Specification (where applicable)
4. Pricing Schedule
5. Revised PA11
6. PA40
7. PA16
8. PA36 (local content) where applicable
9. Other documents (if applicable):
 -
 -
 -
 -

SPECIAL CONDITIONS / MANDATORY BID CONDITIONS

1. The forms in the Table of Contents and on the PA-03(GS): Notice and Invitation for Quotation should be properly completed and signed and returned on or before the due date and time.
2. **NB:** PA11: Bidder's Disclosure should be properly/duly completed, dated and signed. *Bidders or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise must disclose any interest in any other related enterprise whether or not they are bidding for this contract.*
3. The total offer on the pricing schedule must be carried over to the PA32 (Invitation to Bid) or the quote will be deemed as non-responsive and will not be evaluated further.
4. In the event an offer in words differs from the offer in figures on the PA32, the offer in words supersedes the offer in figures on condition that the offer in words is valid amount. Invalid amount will be deemed as non-response.
5. No late, incomplete or quotations with correctional fluid will be accepted.
6. Delivery address is the Tender box on the Ground Floor, Customs House, Lower Heerengracht, and Cape Town.
7. Alternatively quotations may be emailed to CPT.Quotations@dpw.gov.za

8. Quotations are valid after the closing date for 30 days for thresholds up to R500 000 and 84 days for thresholds up to R1 million.
9. The bidder must make provision for exchanges and or changes in sizes where applicable at no additional cost to the Department.
10. Failure to comply with product specifications and inability to meet delivery times will render the purchase order to be cancel. If the bidder is a VAT vendor /registered the bidder is required to explicitly state the VAT amount.
11. Bidders must include VAT at 15% in their bid offers if VAT Vendor.
12. Resolution to sign/resolution of signatures is mandatory in the event where a delegation to sign the bid document to someone other than a director or member or shareholder (where applicable).
13. In the event that one or more bidders are equal in all respects the award will be decided by drawing of lots.
14. Bidders must ensure that PA 32 is duly completed, offer is clearly stated in figures and in words, and failure to complete in full will result to elimination.

OTHER BID CONDITIONS

1. The Department reserves the right to negotiate the offer where it is found not to be market related.
2. All goods supplied must be approved by the South African Bureau of Standards (SABS) if applicable.
3. The Department reserves the right to request any additional information and / or samples of items quoted before mass production is undertaken at no cost to the Department if applicable.
4. Bidders should have an office/branch in the Western Cape
5. Bidders must be registered on the CSD and tax matters should remain compliant throughout the procurement process.
6. Due to a high volume of quotations received it is advisable to hand deliver your quotation to ensure receipt thereof.
7. Technical enquiries must be directed to the Project Leader as indicated on the PA-03 (GS) and PA-32.
8. The Department will contract with the successful bidder with an official order.
9. No work may commence without an official Departmental order.

Notice and Invitation for Quotation: PA-03 (GS)

PA-03 (GS): NOTICE AND INVITATION FOR QUOTATION

THE DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE INVITES BIDDERS FOR THE PROVISION OF THE BELOW GOODS AND SERVICES

Quotation description:	REQUEST FOR MAKING & INSTALLATION OF WINDOW TREATMENT		
Quote no:	200D23500	Closing date:	18/05/2023
Closing time:	11:AM	Validity period:	30 days

1. RESPONSIVENESS CRITERIA

- 1.1. Indicate substantive responsiveness criteria applicable for this quotation. Failure to comply with the criteria stated hereunder shall result in the quotation offer being disqualified from further consideration:

1	<input checked="" type="checkbox"/>	Only those quotations who satisfy the eligibility criteria stated in the quotation document may submit the quotation.
2	<input checked="" type="checkbox"/>	Quotation offer must be properly received on quotation closing date and time specified on the invitation, fully completed and signed either electronically (if issued in electronic format), or by writing legibly in non-erasable ink.
3	<input checked="" type="checkbox"/>	Use of correction fluid is prohibited.
4	<input checked="" type="checkbox"/>	Submission of PA-32: Invitation to Bid
5	<input type="checkbox"/>	Submission of record of attending compulsory briefing session. <i>insert motivation why the tender clarification meeting is declared compulsory</i>
6	<input type="checkbox"/>	Registration on Central Supplier Database (CSD)
8	<input type="checkbox"/>	All parts of tender documents submitted must be fully completed in ink and signed where required
9	<input checked="" type="checkbox"/>	Submission of duly completed PA-32. Grand total on Pricing schedule to be carried over to the PA32, failure to do so will result to the bid being disqualified Pricing Schedule must be duly completed.
10	<input checked="" type="checkbox"/>	In the event the amount in words differ to the amount in figures, the amount in words takes precedence
11	<input type="checkbox"/>	

- 1.2. Indicate administrative requirements applicable for this quotation. Suppliers may be required to submit the below documents where applicable.

The Employer reserves the right to request further information regarding the undermentioned criteria. Failing to submit further clarification and/or documentation within three (3) calendar days from request or as specifically indicated, will disqualify the tender offer from further consideration.

1	<input checked="" type="checkbox"/>	Submission of (PA-11): Bidder's disclosure.
2	<input type="checkbox"/>	Submission of applicable (PA-15.1, PA-15.2, PA-15.3): Resolution by the legal entity, or consortium / joint venture, authorising a dedicated person(s) to sign documents on behalf of the firm / consortium / joint venture.
3	<input checked="" type="checkbox"/>	Submission of (PA-16): Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022
3	<input checked="" type="checkbox"/>	Submission of (PA 40): Declaration of Designated Groups for Preferential Procurement.
4	<input type="checkbox"/>	Submission of (PA-10): General Condition of Contract.
6	<input checked="" type="checkbox"/>	Submission of proof of Registration on National Treasury's Central Supplier Database (CSD).

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

Notice and Invitation for Quotation: PA-03 (GS)

7	<input type="checkbox"/>	
8	<input checked="" type="checkbox"/>	<p>Submission of (PA 16) : Preference Point Claim Form in terms of the Preferential Procurement Regulations 2022 or EME or QSE which is at least 51% owned by black people and or women and or youth to validate their claim for points: The bidder must submit ID Copy or SANAS accredited BBBEE certificate or Sworn Affidavit or CSD or CIPC</p> <p>For EME or QSE which is at least 51% owned by people with disabilities to validate their claim for points: The bidder must submit ID Copy or medical certificate or SASSA registration or National Council for persons with physical disability in South Africa registration (NCPD/SA)</p> <p>For EME or QSE located in a specific Municipality or District Municipality or Metro or Province area for work to be done or services to be rendered in that area to validate their claim for points: The bidder must submit office Municipal rates statement or permission to occupy from local chief in case of rural areas (PTO) or lease agreement.</p>

2. Points scoring system applicable for this bid:

<input checked="" type="checkbox"/> 80/20 points scoring system

Indicate the Price weighting applicable to this bid:

	Weighting percentage (must add up to 100)
Price:	80
Preference points scoring system	20
Total:	100

3. Method to be used to calculate points for specific goals

For procurement transaction with rand value greater than R2 000, 00 and up to R1 Million (Inclusive of all applicable taxes) the specific goals listed below are applicable.			
Serial No	Specific Goals	Preference Points Allocated out of 20	Documentation to be submitted by bidders to validate their claim
<input checked="" type="checkbox"/>	1. An EME or QSE which is at least 51% owned by black people (Mandatory)	10	ID Copy. or SANAS Accredited BBBEE Certificate/ Sworn Affidavit. or CSD Report. or CIPC (Company registration)
	2. Located in a specific Local Municipality or District Municipality or Metro or Province area for work to be done or services to be rendered in that area (Mandatory)	2	Office Municipal Rates Statement. or Permission to occupy from local chief in case of rural areas (PTO). or Lease Agreement
	3. An EME or QSE which is at least 51% owned by women	4	ID Copy or

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

Notice and Invitation for Quotation: PA-03 (GS)

				CSD Report or CIPC (Company Registrations)
	4.	An EME or QSE which is at least 51% owned by people with disability (Mandatory)	2	Medical Certificate or South African Social Security Agency (SASSA) Registration or National Council for Persons with Physical Disability in South Africa registration (NCPDOSA) or CIPC (Company Registration) or CSD Report
	5.	An EME or QSE which is at least 51% owned by youth (Mandatory)	2	ID Copy or CSD Report Or CIPC

4. COLLECTION OF QUOTATION DOCUMENTS:

All quotations must be completed on the official forms provided with this invitation and completed in ink, preferably black. Completed forms must be delivered to the Department of Public Works and Infrastructure at the following address or email below.

This quotation is subject to the General Conditions of Contract (GCC) and, if applicable, any other special conditions of contract. Attached Terms and Conditions should be signed and submitted with the official documents.

The taxes of the successful service provider must be in order, or satisfactory arrangements must be made with the Receiver of Revenue to meet the bidder's tax obligations.

Quotation documents may be collected during working hours on *insert date* at the following address *insert physical address insert postal code*.

A *select* pre-bid meeting with representatives of the Department of Public Works and Infrastructure will take place at on starting at .

5. ENQUIRIES RELATED TO QUATATION DOCUMENTS MAY BE ADDRESSED TO:

DPW Project Leader:	SOMIKAZI PITA	Telephone no:	
Cell no:	021 4022205	Fax no:	
E-mail:	somikazi. pita@dpw.gov.za		

6. DEPOSIT / RETURN OF BID DOCUMENTS:

The closing time for receipt of quotation is **11:am on 18/05/2023**.

Telegraphic, telephonic, telex, facsimile, electronic and / or late bids will not be accepted.

Requirements for sealing, addressing, delivery, opening and assessment of bids are stated in the bid advertisement.

All bids must be submitted on the official forms – (not to be re-typed)

Notice and Invitation for Quotation: PA-03 (GS)

<p>QUOTATION DOCUMENTS MAY BE DROPPED AT:</p> <p><i>GROUND FLOOR QUOTATION BOX, CUSTOMS HOUSE DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE</i></p> <p>OR</p> <p>QUOTATION DOCUMENTS MAY BE POSTED TO : <i>insert postal code</i></p>	<p>OR</p>	<p>QUOTATION DOCUMENT MAY BE EMAILED TO:</p> <p><i>CPT.Quotations@dpw.gov.za</i></p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------	----------------------------------------------------------------------------------------------------

PA 32: INVITATION TO BID PART A

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE (NAME OF DEPARTMENT/ PUBLIC ENTITY)			
BID NUMBER:	200H23500	CLOSING DATE:	18/05/2023
		CLOSING TIME:	11:00
DESCRIPTION	REQUEST FOR MAKING & INSTALLATION OF WINDOW TREATMENT		
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (DPW04.1 GS or DPW04.2 GS).			
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)			
OR POSTED TO:			
QUOTATION BOX GROUND FLOOR OR EMAIL TO CPT.Quotations@gov.za			
SUPPLIER INFORMATION			
NAME OF BIDDER			
POSTAL ADDRESS			
STREET ADDRESS			
TELEPHONE NUMBER	CODE	NUMBER	
CELLPHONE NUMBER			
FACSIMILE NUMBER	CODE	NUMBER	
E-MAIL ADDRESS			
VAT REGISTRATION NUMBER			
	TCS PIN:	OR	CSD No:
SIGNATURE OF BIDDER		DATE	
CAPACITY UNDER WHICH THIS BID IS SIGNED (Attach proof of authority to sign this bid; e.g. resolution of directors, etc.)			

TOTAL NUMBER OF ITEMS OFFERED		TOTAL BID PRICE (ALL APPLICABLE TAXES)	R
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:		TECHNICAL INFORMATION MAY BE DIRECTED TO:	
DEPARTMENT/ PUBLIC ENTITY		CONTACT PERSON	
CONTACT PERSON		TELEPHONE NUMBER	
TELEPHONE NUMBER		FACSIMILE NUMBER	
FACSIMILE NUMBER		E-MAIL ADDRESS	
E-MAIL ADDRESS			

PART B TERMS AND CONDITIONS FOR BIDDING

- | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1. BID SUBMISSION:</p> <p>1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.</p> <p>1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR ONLINE</p> <p>1.3. BIDDERS MUST REGISTER ON THE CENTRAL SUPPLIER DATABASE (CSD) TO UPLOAD MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS; AND BANKING INFORMATION FOR VERIFICATION PURPOSES).</p> <p>1.4. WHERE A BIDDER IS NOT REGISTERED ON THE CSD, MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS MAY NOT BE SUBMITTED WITH THE BID DOCUMENTATION.</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

1.5. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT 2000 AND THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER LEGISLATION OR SPECIAL CONDITIONS OF CONTRACT.

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE PROOF OF TCS / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

- 3.1. IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? YES NO
 - 3.2. DOES THE BIDDER HAVE A BRANCH IN THE RSA? YES NO
 - 3.3. DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA? YES NO
 - 3.4. DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA? YES NO
- IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN, IT IS NOT A REQUIREMENT TO OBTAIN A TAX COMPLIANCE STATUS / TAX COMPLIANCE SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.**

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

Note Well:

- a) In respect of non VAT vendors the bidders may not increase the bid price under Section 67(1) of the Value Added Tax Act of 1991 where the relevant transaction would become subject to VAT by reason of the turnover threshold being exceeded and the bidder becomes liable for VAT.
- b) All delivery costs must be included in the bid price, for delivery at the prescribed destination.
- c) The price that appears on this form is the one that will be considered for acceptance as a firm and final offer.
- d) The grand total in the pricing schedule(s), inclusive of VAT, attached to the bid offer must correlate and be transferred to this form (PA32).
- e) Where there are inconsistencies between the grand total price offer in the pricing schedule(s) and the PA32 price offer, the price offer on the PA32 shall prevail and deemed to be firm and final. No further correspondence shall be entered into in this regard.

¹ All applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies

**PA 32: INVITATION TO BID
PART A**

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE (NAME OF DEPARTMENT/ PUBLIC ENTITY)			
BID NUMBER:	200H23500	CLOSING DATE:	18/05/2023
		CLOSING TIME:	11:00
DESCRIPTION	REQUEST FOR MAKING & INSTALLATION OF WINDOW TREATMENT		
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (DPW04.1 GS or DPW04.2 GS).			

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)

OR POSTED TO:

QUOTATION BOX GROUND FLOOR OR EMAIL TO CPT.Quotations@dpw.gov.za

--

SUPPLIER INFORMATION

NAME OF BIDDER			
POSTAL ADDRESS			
STREET ADDRESS			
TELEPHONE NUMBER	CODE	NUMBER	
CELLPHONE NUMBER			
FACSIMILE NUMBER	CODE	NUMBER	
E-MAIL ADDRESS			
VAT REGISTRATION NUMBER			
	TCS PIN:	OR	CSD No:
SIGNATURE OF BIDDER		DATE	
CAPACITY UNDER WHICH THIS BID IS SIGNED (Attach proof of authority to sign this bid; e.g. resolution of directors, etc.)			

TOTAL NUMBER OF ITEMS OFFERED		TOTAL BID PRICE (*ALL APPLICABLE TAXES)	R
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:		TECHNICAL INFORMATION MAY BE DIRECTED TO:	
DEPARTMENT/ PUBLIC ENTITY		CONTACT PERSON	
CONTACT PERSON		TELEPHONE NUMBER	
TELEPHONE NUMBER		FACSIMILE NUMBER	
FACSIMILE NUMBER		E-MAIL ADDRESS	
E-MAIL ADDRESS			

**PART B
TERMS AND CONDITIONS FOR BIDDING**

1. BID SUBMISSION:
1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR ONLINE
1.3. BIDDERS MUST REGISTER ON THE CENTRAL SUPPLIER DATABASE (CSD) TO UPLOAD MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS; AND BANKING INFORMATION FOR VERIFICATION PURPOSES).
1.4. WHERE A BIDDER IS NOT REGISTERED ON THE CSD, MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS MAY NOT BE SUBMITTED WITH THE BID DOCUMENTATION.

1.5. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT 2000 AND THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER LEGISLATION OR SPECIAL CONDITIONS OF CONTRACT.

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE PROOF OF TCS / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

- 3.1. IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? YES NO
- 3.2. DOES THE BIDDER HAVE A BRANCH IN THE RSA? YES NO
- 3.3. DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA? YES NO
- 3.4. DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA? YES NO

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN, IT IS NOT A REQUIREMENT TO OBTAIN A TAX COMPLIANCE STATUS / TAX COMPLIANCE SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

Note Well:

- a) In respect of non VAT vendors the bidders may not increase the bid price under Section 67(1) of the Value Added Tax Act of 1991 where the relevant transaction would become subject to VAT by reason of the turnover threshold being exceeded and the bidder becomes liable for VAT.
- b) All delivery costs must be included in the bid price, for delivery at the prescribed destination.
- c) The price that appears on this form is the one that will be considered for acceptance as **a firm and final offer**.
- d) The grand total in the pricing schedule(s), inclusive of VAT, attached to the bid offer must correlate and be transferred to this form (PA32).
- e) Where there are inconsistencies between the grand total price offer in the pricing schedule(s) and the PA32 price offer, the price offer on the PA32 shall prevail and deemed to be firm and final. No further correspondence shall be entered into in this regard.

¹ All applicable taxes" includes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies



PRICING SCHEDULE

The total offer on this pricing schedule must be carried over to the PA32 (Invitation to Bid) or the quote will be deemed as non-responsive and will not be evaluated further

DESCRIPTION: MAKING AND INSTALLATION OF CURTAINS AND BLINDS	QUANTITY	UNIT PRICE (per one item / each) EXCLUDING VAT	TOTAL UNIT PRICE FOR THE FULL QUANTITY REQUIRED EXCLUDING VAT
EXAMPLE: (Quantity multiplied by the unit price to get total unit price excluding VAT)	6	R2.00 Each EXCLUDING VAT	R12.00 EXCLUDING VAT
BLACK PENS			
1. ACACIA PARK C13 LIVING ROM: Sheer curtains Window 1: 3660mm(w) x 2672mm(h)	1		
2. ACACIA PARK C13 LIVING ROOM : Aluminium venetian blinds Window 2: 1790mm(w) x 1290mm(h)	1		
3. ACACIA PARK C13 MAIN BEDROOM: Aluminium venetian blinds Window 1: 1830mm(w) x 1160mm(h)	1		
4. ACACIA PARK C13 GUEST BEDROOM 1: Aluminium venetian blinds Window 1: 1830mm(w) x 1150mm(h)	1		
5. ACACIA PARK C13 GUEST BEDROOM 2: Aluminium venetian blinds Window 1: 1840mm(w) x 1160mm(h)	1		
6. ACACIA PARK A40 LIVING ROOM: PVC venetian blinds to match existing Window 1 and 2: 1020mm(w) x 1600mm(h)	2		
7. ACACIA PARK A40 LIVING ROOM: Curtains Window 1 and 2: 1600mm(w) x 2775mm(h)	2		
8. ACACIA PARK A40 DINING ROOM: PVC venetian blinds to match existing Window 1 and 2: 1020mm(w) x 1600mm(h)	2		
9. ACACIA PARK A40 DINING ROOM: Curtains Window 1 and 2: 1600mm(w) x 2775mm(h)	2		
10. ACACIA PARK A40 PASSAGE: PVC venetian blinds to match existing Window 1: 1020mm(w) x 1600mm(h)	1		
11. ACACIA PARK A40 PASSAGE: Curtains Window 1: 1600mm(w) x 2775mm(h)	1		
12. ACACIA PARK A40 MAIN BEDROOM: Sheer curtains Window 1: 2050mm(w)x 2778mm(h)	1		
13. ACACIA PARK A40	2		



public works
& infrastructure

Department:
Public Works and Infrastructure
REPUBLIC OF SOUTH AFRICA

PRICING SCHEDULE

BEDROOM 1 : PVC venetian blinds to match existing Window 1 : 1020mm(w) x 1600mm(h)			
14. ACACIA PARK A40 BEDROOM 2 ; PVC venetian blinds to match existing Window 1 : 1020mm(w) x 1600mm(h)	1		
15. ACACIA PARK D28 LIVING ROOM : Aluminium venetian blinds to match existing Window 1: 1775mm(w) X 1290mm(h)	1		
16. ACACIA PARK D28 DINING ROOM : Aluminium venetian blinds to match existing Window 1: 1790mm(w) X 1290mm(h)	1		
17. ACACIA PARK D28 KITCHEN : Aluminium venetian blinds to match existing Window 1 & 2: 1320mm(w) X 860mm(h)	2		
18. ACACIA PARK D28 MAIN BEDROOM Aluminium venetian blinds to match existing Window 1: 1775mm(w) X 1085mm(h)	1		
19. ACACIA PARK D28 MAIN BEDROOM : Aluminium venetian blinds to match existing Window 1: 1775mm(w) X 630mm(h)	1		
20. ACACIA PARK D28 GUEST BEDROOM 1 : Aluminium venetian blinds to match existing Window 1: 1780mm(w) x 1090mm(h)	1		
21. ACACIA PARK E44 DINING ROOM : Sheer curtains Window 1: 2480mm(w) x 2480mm(h)	1		
22. ACACIA PARK E45 GUEST BEDROOM 1 : PVC venetian blinds to match existing Window 1: 1455mm(w) X 1480mm(h)	1		
23. ACACIA PARK E95 LIVINGROOM : Sheer curtains Window 1: 2440mm(w) x 2455mm(h)	1		
24. ACACIA PARK E95 MAIN BEDROOM : Sheer curtains Window 1: 2500mm(w) X 2455mm(h)	1		
25. ACACIA PARK E95 GUEST BEDROOM 1 : PVC venetian blinds to match existing Window 1: 1465mm(w) X 1485mm(h)	1		
26. ACACIA PARK B5 LIVING/ DINING ROOM : Sheer curtains Window 1 : 2820mm(w) x 2610mm(h)	1		
27. ACACIA PARK B5 LIVING/ DINING ROO : Sheer curtains Window 2 : 2270mm(w) x 2620mm(h)	1		
28. ACACIA PARK B5 MAIN BEDROOM : Aluminium venetian blinds to match Window 1: 1805mm(w) x 1150mm(h)	1		
29. ACACIA PARK B5 GUEST BEDROOM 1 : Aluminium venetian blinds to match	1		



public works
& infrastructure

Department:
Public Works and Infrastructure
REPUBLIC OF SOUTH AFRICA

PRICING SCHEDULE

Window 1: 1795mm(w) x 1160mm(h)			
30. ACACIA PARK C9 LIVING/ DINING ROOM: PVC venetian blinds to match Window 1: 1475mm(w) x 430mm(h)	1		
31. ACACIA PARK C9 LIVING/ DINING ROOM: PVC venetian blinds to match Window 2: 470mm(w) x 960mm(h) Refer to the specification for details	1		
32. ACACIA PARK C9 LIVING/ DINING ROOM: PVC venetian blinds to match Window 3: 1435mm(w) x 1520mm(h)	1		
33. ACACIA PARK C9 KITCHEN PVC venetian blinds to match existing Window 1: 960mm(w) x 1570mm(h)	1		
34. ACACIA PARK C9 KITCHEN: PVC venetian blinds to match existing Window 2(fanlight): 1000mm(w) x 400mm(h)	1		
35. ACACIA PARK C9 MAIN BEDROOM: PVC venetian blinds to match existing Window 1: 1445mm(w) x 1520mm(h)	1		
36. ACACIA PARK C9 MAIN BEDROOM : PVC venetian blinds to match existing Window 2: 1430mm(w) x 1520mm(h)	1		
37. ACACIA PARK C9 GUEST BEDROOM 1: PVC venetian blinds to match existing Window 1: 1430mm(w) x 1500mm(h)	1		
38. ACACIA PARK C9 BATHROO: PVC venetian blinds to match existing Window 1: 1460mm(w) x 1500mm(h)	1		
39. PELICAN PARK 27 LIVING / DINING ROO: Sheer curtains Window 1: 2535mm(w) x 2495mm(h)	1		
40. PELICAN PARK 27 LIVING / DINING ROOM: Curtains Window 1: 2535mm(w) x 2495mm(h)	1		
41. PELICAN PARK 27 LIVING / DINING ROOM: Sheer curtains Window 2: 1060mm(w) x 2465mm(h)	1		
42. PELICAN PARK 27 LIVING / DINING ROOM: Curtains Window 2: 1060mm(w) x 2465mm(h)	1		
43. PELICAN PARK 27 MAIN BEDROOM; PVC venetian blinds to match existing Window 1: 970mm(w) x 1475mm(h)	1		
44. PELICAN PARK 27 MAIN BEDROOM: Curtains Window 1: 1340mm(w) x 2475mm(h)	1		
45. PELICAN PARK 27 MAIN BEDROOM: PVC venetian blinds to match existing	1		



public works
& infrastructure

Department:
Public Works and Infrastructure
REPUBLIC OF SOUTH AFRICA

PRICING SCHEDULE

Window 2: 1450mm(w) x 1480mm(h)			
46. PELICAN PARK 27 MAIN BEDROO: Curtains Window 2: 2150mm(w) x 2450mm(h)	1		
47. PELICAN PARK 27 GUEST BEDROOM 1: PVC venetian blinds to match existing Window 1: 1445mm(w) x 1480mm(h)	1		
48. PELICAN PARK 27 GUEST BEDROOM 2: PVC venetian blinds to match existing Window 1: 1450mm(w) x 1448mm(h)	1		
49. PELICAN PARK 43 LIVING / DINING ROOM: Sheer curtains Window 1 : 2530mm(w) x 2455mm(h)	1		
50. PELICAN PARK 43 LIVING / DINING ROOM: Sheer curtains Window 2 : 1200mm (w) X 2440mm(h)	1		
51. PELICAN PARK 43 MAIN BEDROOM: PVC venetian blinds to match existing Window 1 : 970mm (w) X 1480mm(h)	1		
52. PELICAN PARK 43 MAIN BEDROO: Curtains Window 1: 1300mm (w) x 2460mm (h)	1		
53. PELICAN PARK 43 MAIN BEDROOM: PVC venetian blinds to match existing Window 2 : 1450mm (w) X 1480mm(h)	1		
54. PELICAN PARK 43 MAIN BEDROOM: Curtains Window 2: 2000mm (w) x 2470mm (h)	1		
55. PELICAN PARK 43 GUEST BEDROOM 1: PVC venetian blinds to match existing Window 1 : 1455mm (w) X 1485mm(h)	1		
56. PELICAN PARK 43 GUEST BEDROOM 1: Curtains Window 1: 2070mm (w) x 2470mm (h)	1		
57. PELICAN PARK 43 GUEST BEDROOM 2 PVC venetian blinds to match existing Window 1 : 1450mm (w) X 1485mm(h)	1		
Please find attached specification for ease of reference.			
VAT 15% (If VAT Vendor)			R
TOTAL OFFER (TO BE CARRIED OVER TO THE PA32)			R
TOTAL OFFER AMOUNT IN WORDS (Including VAT if applicable):			
NB: In the event the amount in words differ to the amount in figures, the amount in words takes precedence			



REF. NO. 200D 23 500

CAPE TOWN: PARLIAMENTARY VILLAGE, ACACIA PARK, C13, A40, D28, E44, E45, E95, B5, C9, PELICAN PARK 27 AND 43: REQUEST FOR SUPPLY AND INSTALLATION OF WINDOW TREATMENTS

PLEASE NOTE:

SECURITY CLEARANCE:

- THE SUCCESSFUL SERVICE PROVIDER/BIDDER AND EMPLOYEES WILL BE SUBJECTED TO A SECURITY SCREENING, IF NOT CLEARED YOUR QUOTE WILL AUTOMATICALLY BE DISQUALIFIED.
- IF ANY OF THE SERVICE PROVIDER/ BIDDER'S EMPLOYEES IS NOT CLEARED, THEY WILL NOT BE ALLOWED TO ACCESS PARLIAMENTARY VILLAGES OR ANY NDPWI PROPERTIES.
- IT IS SERVICE PROVIDER/BIDDER'S RESPONSIBILITY TO MAKE SURE ENOUGH STAFF COMPLIES WITH ALL REQUIREMENTS.


➤ **ACACIA PARK C13 - LIVING ROOM :**

Make and install Sheer curtains;

1. Window 1: 3660mm(w) x 2672mm(h)

Existing curtains dimensions .Dimensions taken as a guide, all dimensions to be confirmed on site.

- Make and install sheer curtains using the existing track.
- Bidders to use existing single yokota track or similar wall fixing rails. **(bidders should use there own discretion where necessary)**
- Make and install triple pinch pleated floor length sheer curtains required to make sheer in 3 x fullness, heading to be permanently pleated on regis tape as per DPWI example.
- Sheer should not be split- split only where there are doors
- Fabric: Design; Whisper Collection, colour; Ice (Urban Fabrics) or Design; Whisper Collection, colour; Snow (Urban Fabrics, similar or equal to.




➤ **ACACIA PARK C13 - LIVING ROOM :**

Supply and Install aluminium blinds, similar or equal to the following specification;

2. Window 2: 1790mm(w) x 1290mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install aluminium venetian blinds: 50mm(w) slats
- Color: white magnolia /soft beige to match existing, similar or equal to
- Install within the window recesses **(bidders should use their discretion where necessary)**
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable aluminium blinds to be tilted, raised, and lowered freely), rust free
- **Bidders should confirm if windows are too large and blinds are to heavy with DPWI.**






➤ **ACACIA PARK C13 - MAIN BEDROOM:**

Supply and Install aluminium blinds, similar or equal to the following specification;

3. Window 1: 1830mm(w) x 1160mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install aluminium venetian blinds: 50mm(w) slats
- Color: white magnolia /soft beige to match existing, similar or equal to
- Install within the window recesses (**bidders should use their discretion where necessary**)
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable aluminium blinds to be tilted, raised, and lowered freely), rust free




➤ **ACACIA PARK C13 - GUEST BEDROOM 1:**

Supply and Install aluminium blinds, similar or equal to the following specification;

4. Window 1: 1830mm(w) x 1150mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install aluminium venetian blinds: 50mm(w) slats
- Color: white magnolia /soft beige to match existing, similar or equal to
- Install within the window recesses (**bidders should use their discretion where necessary**)
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable aluminium blinds to be tilted, raised, and lowered freely), rust free



➤ **ACACIA PARK C13 - GUEST BEDROOM 2:**

Supply and Install aluminium blinds, similar or equal to the following specification;

5. Window 1: 1840mm(w) x 1160mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install aluminium venetian blinds: 50mm(w) slats
- Color: white magnolia /soft beige to match existing, similar or equal to
- Install within the window recesses (**bidders should use their discretion where necessary**)
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable aluminium blinds to be tilted, raised, and lowered freely), rust free
- **Bidders should confirm if windows are too large and blinds are too heavy with DPWI.**





SPECIFICATION


➤ **ACACIA PARK A40 - LIVING ROOM:**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

6. Window 1 AND 2 : 1020mm(w) x 1600mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (**bidders should use their discretion where necessary**).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free



➤ **ACACIA PARK A40 - LIVING ROOM:**

Make and Install Curtains, similar or equal to the following specification;

7. Window 1 AND 2 : 1600mm(w) x 2775mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- To make and install floor length lined eyelet curtains in 2.5 x fullness, install lined curtains on EXISTING steel rod, replace end caps where necessary.
- Professionally insert stainless steel eyelets size 40mm (no eyelet tape) to match existing
- Where 300mm stack back does not allow, suppliers should use their discretion
- Fabric for Curtains: Svenmill Q29226 Softened Twill, colour: 23 Taupe
- Fabric for Lining: Eshanima fabrics, Cavalli Hopsack, colour cream


➤ **ACACIA PARK A40 - DINING ROOM :**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

8. Window 1 AND 2 : 1020mm(w) x 1600mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free




➤ **ACACIA PARK A40 - DINING ROOM:**

Make and Install Curtains, similar or equal to the following specification;

9. Window 1 AND 2 : 1600mm(w) x 2775mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- To make and install floor length lined eyelet curtains in 2.5 x fullness, install lined curtains on EXISTING steel rod, replace end caps where necessary.
- Professionally insert stainless steel eyelets size 40mm (no eyelet tape) to match existing
- Where 300mm stack back does not allow, suppliers should use their discretion
- Fabric for Curtains: Svenmill Q29226 Softened Twill, colour: 23 Taupe
- Fabric for Lining: Eshanima fabrics, Cavalli Hopsack, colour cream





➤ **ACACIA PARK A40 - PASSAGE:**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

10. Window 1: 1020mm(w) x 1600mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free.

➤ **ACACIA PARK A40 - PASSAGE:**

Make and Install Curtains, similar or equal to the following specification;

11. Window 1: 1600mm(w) x 2775mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- To make and install floor length lined eyelet curtains in 2.5 x fullness, install lined curtains on EXISTING steel rod, replace end caps where necessary.
- Professionally insert stainless steel eyelets size 40mm (no eyelet tape) to match existing
- Where 300mm stack back does not allow, suppliers should use their discretion
- Fabric for Curtains: Svenmill Q29226 Softened Twill, colour: 23 Taupe
- Fabric for Lining: Eshanima fabrics, Cavalli Hopsack, colour cream


➤ **ACACIA PARK A40 – MAIN BEDROOM :**

Make and install Sheer curtains

12. Window 1 : 2050mm(w) x 2778mm(h)

Existing curtains dimensions .Dimensions taken as a guide, all dimensions to be confirmed on site

- Make and install sheer curtains using the existing track.
- Bidders to use existing single yokota track or similar wall fixing rails. **(bidders should use their own discretion where necessary)**
- Make and install triple pinch pleated floor length sheer curtains required to make sheer in 3 x fullness, heading to be permanently pleated on regis tape as per DPWI example.
- Sheer should not be split- split only where there are doors
- Fabric: Design; Whisper Collection, colour; Ice (Urban Fabrics) or Design; Whisper Collection, colour; Snow (Urban Fabrics, similar or equal to.






➤ **ACACIA PARK A40 – BEDROOM 1:**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

13. Window 1 AND 2 : 1020mm(w) x 1600mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free



➤ **ACACIA PARK A40 – BEDROOM 2:**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

14. Window 1 : 1020mm(w) x 1600mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free.

- **Remove the old voile and deliver to Customs house - packaged in clear plastic bag and labelled with house name description and quantity**

➤ **ACACIA PARK D28 - LIVING ROOM:**

Supply and Install aluminium blinds, similar or equal to the following specification;

15. Window 1 : 1775mm(w) X 1090mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install aluminium venetian blinds: 50mm(w) slats
- Color: white magnolia /soft beige to match existing, similar or equal to
- Install within the window recesses (**bidders should use their discretion where necessary**)
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable aluminium blinds to be tilted, raised, and lowered freely), rust free
- **Bidders should confirm if windows are too large and blinds are to heavy with DPWI.**






➤ **ACACIA PARK D28 - DINING ROOM:**

Supply and Install aluminium blinds, similar or equal to the following specification;

16. Window 1 : 1775mm(w) X 1330mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install aluminium venetian blinds: 50mm(w) slats
- Color: white magnolia /soft beige to match existing, similar or equal to
- Install within the window recesses (**bidders should use their discretion where necessary**)
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable aluminium blinds to be tilted, raised, and lowered freely), rust free
- **Bidders should confirm if windows are too large and blinds are to heavy with DPWI.**



➤ **ACACIA PARK D28 – KITCHEN:**

Supply and Install aluminium blinds, similar or equal to the following specification;

17. Window 1 : 1320mm(w) X 860mm(h)

Window 2 : 1320mm(w) X 860mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install aluminium venetian blinds: 50mm(w) slats
- Color: white magnolia /soft beige to match existing, similar or equal to
- Install within the window recesses (**bidders should use their discretion where necessary**)
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable aluminium blinds to be tilted, raised, and lowered freely), rust free



➤ **ACACIA PARK D28 – MAIN BEDROOM:**

Supply and Install aluminium blinds, similar or equal to the following specification;

18. Window 1 : 1775mm(w) X 1085mm(h)

19. Window 2 : 1775mm(w) X 630mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install aluminium venetian blinds: 50mm(w) slats
- Color: white magnolia /soft beige to match existing, similar or equal to
- Install within the window recesses (**bidders should use their discretion where necessary**)
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable aluminium blinds to be tilted, raised, and lowered freely), rust free
- **Bidders should confirm if windows are too large and blinds are to heavy with DPWI.**





SPECIFICATION

➤ ACACIA PARK D28 – GUEST BEDROOM 1:

Supply and Install aluminium blinds, similar or equal to the following specification;

20. Window 1 : 1780mm(w) x 1090mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install aluminium venetian blinds: 50mm(w) slats
- Color: white magnolia /soft beige to match existing, similar or equal to
- Install within the window recesses (**bidders should use their discretion where necessary**)
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable aluminium blinds to be tilted, raised, and lowered freely), rust free
- **Bidders should confirm if windows are too large and blinds are to heavy with DPWI.**



- **Remove the old voile and deliver to Customs house - packaged in clear plastic bag and labelled with house name description and quantity**


➤ ACACIA PARK E44 – DINING ROOM:

Make and install Sheer curtains

21. Window 1 : 2480mm (w) X 2480mm (h)

Existing curtains dimensions .Dimensions taken as a guide, all dimensions to be confirmed on site.

- Make and install sheer curtains using the existing track.
- Bidders to use existing single yokota track or similar wall fixing rails. (**bidders should use there own discretion where necessary**)
- Make and install triple pinch pleated floor length sheer curtains required to make sheer in 3 x fullness, heading to be permanently pleated on regis tape as per DPWI example.
- Sheer should not be split- split only where there are doors
- Fabric: Design; Whisper Collection, colour; Ice (Urban Fabrics) or Design; Whisper Collection, colour; Snow (Urban Fabrics, similar or equal to.



- **Remove the old voile and deliver to Customs house - packaged in clear plastic bag and labelled with house name description and quantity**




➤ **ACACIA PARK E45 – GUEST BEDROOM 1:**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

22. Window 1 : 1455mm(w) X 1480mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free



- **Remove the old voile and deliver to Customs house - packaged in clear plastic bag and labelled with house name description and quantity**


➤ **ACACIA PARK E95 – LIVING ROOM :**

Make and install Sheer curtains

23. Window 1 : 2440mm(w) x 2455mm(h)

Existing curtains dimensions .Dimensions taken as a guide, all dimensions to be confirmed on site.

- Make and install sheer curtains using the existing track.
- Bidders to use existing single yokota track or similar wall fixing rails. **(bidders should use their own discretion where necessary)**
- Make and install triple pinch pleated floor length sheer curtains required to make sheer in 3 x fullness, heading to be permanently pleated on regis tape as per DPWI example.
- Sheer should not be split- split only where there are doors
- Fabric: Design; Whisper Collection, colour; Ice (Urban Fabrics) or Design; Whisper Collection, colour; Snow (Urban Fabrics, similar or equal to.



➤ **ACACIA PARK E95 – MAIN BEDROOM :**

Make and install Sheer curtains

24. Window 1 : 2500mm(w) x 2455mm(h)

Existing curtains dimensions .Dimensions taken as a guide, all dimensions to be confirmed on site.

- Make and install sheer curtains using the existing track.
- Bidders to use existing single yokota track or similar wall fixing rails. **(bidders should use their own discretion where necessary)**
- Make and install triple pinch pleated floor length sheer curtains required to make sheer in 3 x fullness, heading to be permanently pleated on regis tape as per DPWI example.
- Sheer should not be split- split only where there are doors
- Fabric: Design; Whisper Collection, colour; Ice (Urban Fabrics) or Design; Whisper Collection, colour; Snow (Urban Fabrics, similar or equal to.





➤ **ACACIA PARK E95 – GUEST BEDROOM 1 :**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

25. Window 1 : 1465mm(w) x 1485mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

1. Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
2. Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free



- Remove the old voile and deliver to Customs house - packaged in clear plastic bag and labelled with house name description and quantity

➤ **ACACIA PARK B5 – LIVING / DINING ROOM:**

Make and install Sheer curtains

26. Window 1 : 2820mm (w) X 2610mm (h)

Existing curtains dimensions .Dimensions taken as a guide, all dimensions to be confirmed on site.

- Make and install sheer curtains using the existing track.
- Bidders to use existing single yokota track or similar wall fixing rails. **(bidders should use there own discretion where necessary)**
- Make and install triple pinch pleated floor length sheer curtains required to make sheer in 3 x fullness, heading to be permanently pleated on regis tape as per DPWI example.
- Sheer should not be split- split only where there are doors
- Fabric: Design; Whisper Collection, colour; Ice (Urban Fabrics) or Design; Whisper Collection, colour; Snow (Urban Fabrics, similar or equal to






➤ **ACACIA PARK B5 – LIVING / DINING ROOM:**

Make and install Sheer curtains

27. Window 2 : 2270mm (w) X 2620mm (h)

Existing curtains dimensions .Dimensions taken as a guide, all dimensions to be confirmed on site.

- Make and install sheer curtains using the existing track.
- Bidders to use existing single yokota track or similar wall fixing rails. **(bidders should use their own discretion where necessary)**
- Make and install triple pinch pleated floor length sheer curtains required to make sheer in 3 x fullness, heading to be permanently pleated on regis tape as per DPWI example.
- Sheer should not be split- split only where there are doors
- Fabric: Design; Whisper Collection, colour; Ice (Urban Fabrics) or Design; Whisper Collection, colour; Snow (Urban Fabrics, similar or equal to




➤ **ACACIA PARK B5 – MAIN BEDROOM:**

Supply and Install aluminium blinds, similar or equal to the following specification;

28. Window 1 : 1805mm (w) X 1150mm (h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install aluminium venetian blinds: 50mm(w) slats
- Color: white magnolia /soft beige to match existing, similar or equal to
- Install within the window recesses **(bidders should use their discretion where necessary)**
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable aluminium blinds to be tilted, raised, and lowered freely), rust free



➤ **ACACIA PARK B5 – GUEST BEDROOM 1:**

Supply and Install aluminium blinds, similar or equal to the following specification;

29. Window 1 : 1795mm (w) X 1160mm (h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install aluminium venetian blinds: 50mm(w) slats
- Color: white magnolia /soft beige to match existing, similar or equal to
- Install within the window recesses **(bidders should use their discretion where necessary)**
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable aluminium blinds to be tilted, raised, and lowered freely), rust free
- **Bidders should confirm if windows are too large and blinds are too heavy with DPWI.**



- **Remove the old voile and deliver to Customs house - packaged in clear plastic bag and labelled with house name description and quantity**



SPECIFICATION

➤ **ACACIA PARK C9 – LIVING ROOM:**


Supply and Install PVC venetian blinds, similar or equal to the following specification;

30. Window 1 (fan light): 1475mm (w) x 430mm (h)

31. Window 2 (fan light): 470 mm (w) x 960mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free




➤ **ACACIA PARK C9 – LIVING ROOM:**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

32. Window 1 : 1435mm (w) x 1520mm (h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free



➤ **ACACIA PARK C9 – KITCHEN:**



Supply and Install PVC venetian blinds, similar or equal to the following specification;

33. Window 1 : 960mm (w) x 1570mm (h)

34. Window 2 (fanlight) : 1000mm (w) x 400mm (h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free





➤ **ACACIA PARK C9 – MAIN BEDROOM:**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

- 35. Window 1 : 1445mm (w) x 1520mm (h)
- 36. Window 2 : 1430 mm (w) x 1520mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free




➤ **ACACIA PARK C9 – GUEST BEDROOM 1:**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

- 37. Window 1 : 1430 mm (w) x 1500mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free



➤ **ACACIA PARK C9 – BATHROOM :**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

- 38. Window 1 : 1460 mm (w) x 1500mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free



- **Remove the old voile and deliver to Customs house - packaged in clear plastic bag and labelled with house name description and quantity**




➤ **PELICAN PARK 27 – LIVING / DINING ROOM:**

Make and install Sheer curtains

39. Window 1 : 2535mm(w) x 2495mm(h)

Existing curtains dimensions .Dimensions taken as a guide, all dimensions to be confirmed on site.

- Make and install sheer curtains using the existing track.
- Bidders to use existing single yokota track or similar wall fixing rails. **(bidders should use their own discretion where necessary)**
- Make and install triple pinch pleated floor length sheer curtains required to make sheer in 3 x fullness, heading to be permanently pleated on regis tape as per DPWI example.
- Sheer should not be split- split only where there are doors
- Fabric: Design; Whisper Collection, colour; Ice (Urban Fabrics) or Design; Whisper Collection, colour; Snow (Urban Fabrics, similar or equal to



➤ **PELICAN PARK 27 – LIVING / DINING ROOM:**

Make and Install Curtains, similar or equal to the following specification;

40. Window 1: 2535mm(w) x 2495mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- To make and install floor length lined eyelet curtains in 2.5 x fullness, install lined curtains on EXISTING steel rod, replace end caps where necessary.
- Professionally insert stainless steel eyelets size 40mm (no eyelet tape) to match existing
- Where 300mm stack back does not allow, suppliers should use their discretion
- Fabric for Curtains: Svenmill Q29226 Softened Twill, colour: 23 Taupe
- Fabric for Lining: Eshanima fabrics, Cavalli Hopsack, colour cream

➤ **PELICAN PARK 27 – LIVING / DINING ROOM:**

Make and install Sheer curtains

41. Window 2 : 1060mm(w) x 2465mm(h)

Existing curtains dimensions .Dimensions taken as a guide, all dimensions to be confirmed on site.

- Make and install sheer curtains using the existing track.
- Bidders to use existing single yokota track or similar wall fixing rails. **(bidders should use their own discretion where necessary)**
- Make and install triple pinch pleated floor length sheer curtains required to make sheer in 3 x fullness, heading to be permanently pleated on regis tape as per DPWI example.
- Sheer should not be split- split only where there are doors
- Fabric: Design; Whisper Collection, colour; Ice (Urban Fabrics) or Design; Whisper Collection, colour; Snow (Urban Fabrics, similar or equal to





➤ **PELICAN PARK 27 – LIVING / DINING ROOM:**

Make and Install Curtains, similar or equal to the following specification;

42. Window 2 : 1060mm(w) x 2465mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- To make and install floor length lined eyelet curtains in 2.5 x fullness, install lined curtains on EXISTING steel rod, replace end caps where necessary.
- Professionally insert stainless steel eyelets size 40mm (no eyelet tape) to match existing
- Where 300mm stack back does not allow, suppliers should use their discretion
- Fabric for Curtains: Svenmill Q29226 Softened Twill, colour: 23 Taupe
- Fabric for Lining: Eshanima fabrics, Cavalli Hopsack, colour cream

➤ **PELICAN PARK 27 – MAIN BEDROOM:**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

43. Window 1 : 970mm(w) x 1475mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free

➤ **PELICAN PARK 27 – MAIN BEDROOM:**

Make and Install Curtains, similar or equal to the following specification;

44. Window 1: 1340mm(w) x 2475mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- To make and install floor length lined eyelet curtains in 2.5 x fullness, install lined curtains on EXISTING steel rod, replace end caps where necessary.
- Professionally insert stainless steel eyelets size 40mm (no eyelet tape) to match existing
- Where 300mm stack back does not allow, suppliers should use their discretion
- Fabric for Curtains: Svenmill Q29226 Softened Twill, colour: 23 Taupe
- Fabric for Lining: Eshanima fabrics, Cavalli Hopsack, colour cream

➤ **PELICAN PARK 27 – MAIN BEDROOM:**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

45. Window 2 : 1450mm(w) x 1480mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free





➤ **PELICAN PARK 27 – MAIN BEDROOM:**

Make and Install Curtains, similar or equal to the following specification;

46. Window 2 : 2150mm(w) x 2450mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- To make and install floor length lined eyelet curtains in 2.5 x fullness, install lined curtains on EXISTING steel rod, replace end caps where necessary.
- Professionally insert stainless steel eyelets size 40mm (no eyelet tape) to match existing
- Where 300mm stack back does not allow, suppliers should use their discretion
- Fabric for Curtains: Svenmill Q29226 Softened Twill, colour: 23 Taupe
- Fabric for Lining: Eshanima fabrics, Cavalli Hopsack, colour cream


➤ **PELICAN PARK 27 – GUEST BEDROOM 1 :**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

47. Window 1 : 1445mm(w) x 1480mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free



➤ **PELICAN PARK 27 – GUEST BEDROOM 2 :**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

48. Window 1 : 1450mm(w) x 1448mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free



- **Remove the old voile and deliver to Customs house - packaged in clear plastic bag and labelled with house name description and quantity**




➤ **PELICAN PARK 43 – LIVING / DINING ROOM:**

Make and install Sheer curtains

49. Window 1 : 2530mm(w) x 2455mm(h)

Existing curtains dimensions .Dimensions taken as a guide, all dimensions to be confirmed on site.

- Make and install sheer curtains using the existing track.
- Bidders to use existing single yokota track or similar wall fixing rails. **(bidders should use their own discretion where necessary)**
- Make and install triple pinch pleated floor length sheer curtains required to make sheer in 3 x fullness, heading to be permanently pleated on regis tape as per DPWI example.
- Sheer should not be split- split only where there are doors
- Fabric: Design; Whisper Collection, colour; Ice (Urban Fabrics) or Design; Whisper Collection, colour; Snow (Urban Fabrics, similar or equal to



➤ **PELICAN PARK 43 – LIVING / DINING ROOM:**

Make and install Sheer curtains

50. Window 2 : 1200mm(w) x 2440mm(h)

Existing curtains dimensions .Dimensions taken as a guide, all dimensions to be confirmed on site.

- Make and install sheer curtains using the existing track.
- Bidders to use existing single yokota track or similar wall fixing rails. **(bidders should use their own discretion where necessary)**
- Make and install triple pinch pleated floor length sheer curtains required to make sheer in 3 x fullness, heading to be permanently pleated on regis tape as per DPWI example.
- Sheer should not be split- split only where there are doors
- Fabric: Design; Whisper Collection, colour; Ice (Urban Fabrics) or Design; Whisper Collection, colour; Snow (Urban Fabrics, similar or equal to



➤ **PELICAN PARK 43 – MAIN BEDROOM:**

Supply and install PVC venetian blinds, similar or equal to the following specification;

51. Window 1 : 970mm(w) x 1480mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free





➤ **PELICAN PARK 43 – MAIN BEDROOM:**

Make and Install Curtains, similar or equal to the following specification;

52. Window 1 : 1300mm(w) x 2460mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- To make and install floor length lined eyelet curtains in 2.5 x fullness, install lined curtains on EXISTING steel rod, replace end caps where necessary.
- Professionally insert stainless steel eyelets size 40mm (no eyelet tape) to match existing
- Where 300mm stack back does not allow, suppliers should use their discretion
- Fabric for Curtains: Svenmill Q29226 Softened Twill, colour: 23 Taupe
- Fabric for Lining: Eshanima fabrics, Cavalli Hopsack, colour cream


➤ **PELICAN PARK 43 – MAIN BEDROOM:**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

53. Window 2 : 1450mm(w) x 1480mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- 2. Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free



➤ **PELICAN PARK 43 – MAIN BEDROOM:**

Make and Install Curtains, similar or equal to the following specification;

54. Window 1 : 2000mm(w) x 2470mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- To make and install floor length lined eyelet curtains in 2.5 x fullness, install lined curtains on EXISTING steel rod, replace end caps where necessary.
- Professionally insert stainless steel eyelets size 40mm (no eyelet tape) to match existing
- Where 300mm stack back does not allow, suppliers should use their discretion
- Fabric for Curtains: Svenmill Q29226 Softened Twill, colour: 23 Taupe
- Fabric for Lining: Eshanima fabrics, Cavalli Hopsack, colour cream


➤ **PELICAN PARK 43 – GUEST BEDROOM 1 :**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

55. Window 2 : 1455mm(w) x 1485mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free





➤ **PELICAN PARK 43 – GUEST BEDROOM 1 :**

Make and Install Curtains, similar or equal to the following specification;

56. Window 1 : 2070mm(w) x 2470mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- To make and install floor length lined eyelet curtains in 2.5 x fullness, install lined curtains on EXISTING steel rod, replace end caps where necessary.
- Professionally insert stainless steel eyelets size 40mm (no eyelet tape) to match existing
- Where 300mm stack back does not allow, suppliers should use their discretion
- Fabric for Curtains: Svenmill Q29226 Softened Twill, colour: 23 Taupe
- Fabric for Lining: Eshanima fabrics, Cavalli Hopsack, colour cream


➤ **PELICAN PARK 43 – GUEST BEDROOM 2 :**

Supply and Install PVC venetian blinds, similar or equal to the following specification;

57. Window 2 : 1450mm(w) x 1485mm(h)

Dimensions taken as a guide, all dimensions to be confirmed on site.

- Supply and install wooden venetian blinds: 50mm(w) slats and 3mm (thickness) PVC Grain "Dreamwood Nougat" venetian blinds within the window recesses (bidders should use their discretion where necessary).
- Heavy duty steel head rail system to allow blinds to operate smooth and secure locking (enable venetian blinds to be tilted, raised, and lowered freely), rust free



- **Remove the old voile and deliver to Customs house - packaged in clear plastic bag and labelled with house name description and quantity**

PLEASE NOTE:

- TO VIEW FABRIC , PVC VENETIAN AND ALUMINIUM BLINDS SAMPLE IN ROOM 1039 CUSTOMS HOUSE BUILDING
- Edges of the blind to finish off to match blind colour, with matching face cover strips in recess of the windows.
- Width of the finished blind should be the exact width of the window frame, the finished drop length of the blinds should be from the top of the head rail to the window sill.
- Installed within the recess or use discretion where necessary.
- Blinds finish that is suitable for area having high humidity.
- Remove the old voile and curtains where applicable, deliver to Customs house - packaged in clear plastic bag and labelled with house name description and quantity.

END OF SPECIFICATION

To view existing window treatments, bidders must arrange with the project leader at least three (3) days before the expected viewing date.

If the bidder is not SECURITY CLEARED, certified ID documents and company profile must be delivered at Customs House; Heerengracht street, Foreshore. 10th floor; room 1039 between 7:30am to 12:30 midday.

Please contact SOMIKAZI PITA at 082 829 5864/ 021 402 2205 Somikazi.Pita@dpw.gov.za for further Inquiries on the specification and viewing only.

PA-11: BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest (1) in the enterprise, employed by the state?

YES / NO

- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

(1) the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution?

YES / NO

2.2.1 If so, furnish particulars:

.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?

YES / NO

2.3.1 If so, furnish particulars:

.....

3 DECLARATION

I, the undersigned, (name).....
 in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

3.7 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature

.....
Date

.....
Position

.....
Name of bidder

This form has been aligned with SBD4

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATION 2022



Public Works
Administration
Department
Public Works and Infrastructure
REPUBLIC OF SOUTH AFRICA

PA-16: PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **Preference Points System to be applied**

(Tick whichever is applicable).

- The applicable preference point system for this tender is the **80/20** preference point system.
- The applicable preference point system for this tender is the **90/10** preference point system.
- Either the **90/10** or **80/20** preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 **Points for this tender shall be awarded for:**

1.3.1 **Price; and**

1.3.2 **Specific Goals**

1.4 **The maximum points for this tender are allocated as follows:**

CHOOSE APPLICABLE PREFERENCE POINT SCORING SYSTEM	<input checked="" type="checkbox"/> 80/20	<input type="checkbox"/> 90/10
PRICE		
SPECIFIC GOALS		
Total points for Price and Specific Goals	100	

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATION 2022

1.5 Breakdown Allocation of Specific Goals Points

1.5.1 For Procurement transactions with rand value greater than R2 000.00 and up to R1 Million (Inclusive of all applicable taxes), the specific goals as listed in table 1 below are applicable.

All Acquisitions

Table 1

Serial No	Specific Goals	Preference Points allocated out of 20	Documentation to be submitted by bidders to validate their claim for points
1.	An EME or QSE which is at least 51% owned by black people	10	ID Copy Or SANAS Accredited BBBEE Certificate or sworn affidavit where applicable Or CSD Report Or CIPC (company registration)
2.	Located in a specific Local Municipality or District Municipality or Metro or Province area for work to be done or services to be rendered in that area	2	Office Municipal Rates Statement Or Permission To Occupy from local chief in case of rural areas (PTO) Or Lease Agreement
3.	An EME or QSE which is at least 51% owned by women	4	ID Copy Or CSD Report Or CIPC (company registration)

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATION 2022

Serial No	Specific Goals	Preference Points allocated out of 20	Documentation to be submitted by bidders to validate their claim for points
4.	An EME or QSE which is at least 51% owned by people with disability	2	Medical Certificate Or South African Social Security Agency (SASSA) registration Or National Council for Persons with Physical Disability in South Africa registration (NCPDPSA) Or CSD Report Or CIPC (company registration)
5.	An EME or QSE which is at least 51% owned by youth .	2	ID Copy Or CSD Report Or CIPC (company registration)

1.5.2 **For procurement transactions with rand value greater than R1 Million and up to R50 Million (Inclusive of all applicable taxes) the specific goals as listed in table 2 below are applicable:**

All Acquisitions

Table 2

Serial No	Specific Goals	Preference Points allocated out of 20	Documentation to be submitted by bidders to validate their claim for points
1.	An EME or QSE or any entity which is at least 51% owned by Historically Disadvantaged Individuals (HDI)	10	ID Copy Or

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATION 2022

Serial No	Specific Goals	Preference Points allocated out of 20	Documentation to be submitted by bidders to validate their claim for points
			SANAS Accredited BBBEE Certificate or sworn affidavit where applicable Or CSD Report Or CIPC (company registration)
2.	Located in a specific Local Municipality or District Municipality or Metro or Province area for work to be done or services to be rendered in that area	2	Office Municipal Rates Statement Or Permission To Occupy from local chief in case of rural areas (PTO) Or Lease Agreement
3.	An EME or QSE or any entity which is at least 51% owned by women	4	ID Copy Or CSD Report Or CIPC (company registration)
4.	An EME or QSE or any entity which is at least 51% owned by people with disability	2	Medical Certificate Or South African Social Security Agency (SASSA) registration Or National Council for Persons with Physical Disability in South Africa registration (NCPDSA) Or CSD Report

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATION 2022

Serial No	Specific Goals	Preference Points allocated out of 20	Documentation to be submitted by bidders to validate their claim for points
			Or CIPC (company registration)
5.	An EME or QSE or any entity which is at least 51% owned by youth .	2	ID Copy Or CSD Report Or CIPC (company registration)

1.5.3 For procurement transactions with rand value greater than R50 Million (Inclusive of all applicable taxes) the specific goals as listed in table 3 below are applicable

All Acquisitions

Table 3

Serial No	Specific Goals	Preference Points allocated out of 10	Documentation to be submitted by bidders to validate their claim for points
1.	An EME or QSE or any entity which is at least 51% owned by Historically Disadvantaged Individuals (HDI)	4	ID Copy Or SANAS Accredited BBBEE Certificate or sworn affidavit where applicable Or CSD Report Or CIPC (company registration)
2.	Located in a specific Local Municipality or District Municipality or Metro or Province area for work to be done or services to be rendered in that area	2	Office Municipal Rates Statement Or

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1. THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right) \text{ or } Ps = 90 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

Where

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$80/20 \qquad \text{or} \qquad 90/10$$

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATION 2022

$$Ps = 80 \left(1 + \frac{Pt - Pmax}{Pmax} \right) \text{ or } Ps = 90 \left(1 + \frac{Pt - Pmax}{Pmax} \right)$$

Where

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1,2 and 3 above as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATION 2022

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
1. An EME or QSE or any entity which is at least 51% owned by Historically Disadvantaged Individuals (HDI)	10	
2. Located in a specific Local Municipality or District Municipality or Metro or Province area for work to be done or services to be rendered in that area	2	
3. An EME or QSE or any entity which is at least 51% owned by women	4	
4. An EME or QSE or any entity which is at least 51% owned by people with disability or	2	
5. An EME or QSE or any entity which is at least 51% owned by youth.* (only one specific goal is applicable between specific goal number 4 and specific goal number 5 under 90/10 Preference Point System)	2	

Note: *in respect of the 90/10 point system a selection of either disability or youth may be made with an allocation of 2 points for either of them.

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATION 2022

4.5. TYPE OF COMPANY/ FIRM


- Partnership/Joint Venture / Consortium
- One-person business/sole propriety
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person’s conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

.....	
SIGNATURE(S) OF TENDERER(S)	
SURNAME AND NAME:
DATE:
ADDRESS:



PA- 40: DECLARATION OF DESIGNATED GROUPS FOR PREFERENTIAL PROCUREMENT

Tender no:

Name of Tenderer EME¹ QSE² Non EME/QSE (tick applicable box)

1. LIST ALL PROPRIETORS, MEMBERS OR SHAREHOLDERS BY NAME, IDENTITY NUMBER, CITIZENSHIP AND DESIGNATED GROUPS.

Name and Surname #	Identity/ Passport number and Citizenship##	Percentage owned	Black	Indicate if youth	Indicate if woman	Indicate if person with disability	Indicate if living in Rural (R) / Under Developed Area (UD) / Township (T) / Urban (U).	Indicate if military veteran
1.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
2.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
3.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
4.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
5.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
6.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
7.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
8.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
9.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
10.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
11.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No
12.		%	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> R <input type="checkbox"/> UD <input type="checkbox"/> T <input type="checkbox"/> U	<input type="checkbox"/> Yes <input type="checkbox"/> No

Where Owners are themselves a Company, Close Corporation, Partnership etc, identify the ownership of the Holding Company, together with Registration number

¹ EME: Exempted Micro Enterprise

² QSE: Qualifying Small Business Enterprise



PA- 40: DECLARATION OF DESIGNATED GROUPS FOR PREFERENTIAL PROCUREMENT

State date of South African citizenship obtained (not applicable to persons born in South Africa)

##

Tender no:

2. DECLARATION:

The undersigned, who warrants that he/she is duly authorized to do so on behalf of the Tenderer, hereby confirms that:

- 1 The information and particulars contained in this Affidavit are true and correct in all respects;
- 2 The Broad-based Black Economic Empowerment Act, 2003 (Act 53 of 2003), Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000), the Preferential Procurement Regulations, 2017, National Small Business Act 102 of 1996 as amended and all documents pertaining to this Tender were studied and understood and that the above form was completed according to the definitions and information contained in said documents;
- 3 The Tenderer understands that any intentional misrepresentation or fraudulent information provided herein shall disqualify the Tenderer's offer herein, as well as any other tender offer(s) of the Tenderer simultaneously being evaluated, or will entitle the Employer to cancel any Contract resulting from the Tenderer's offer herein;
- 4 The Tenderer accepts that the Employer may exercise any other remedy it may have in law and in the Contract, including a claim for damages for having to accept a less favourable tender as a result of any such disqualification due to misrepresentation or fraudulent information provided herein;
- 5 Any further documentary proof required by the Employer regarding the information provided herein, will be submitted to the Employer within the time period as may be set by the latter;

Signed by the Tenderer

Name of representative	Signature
	Date