



public works

Department:
Public Works
REPUBLIC OF SOUTH AFRICA

Procurement Official: Lorato Chababa
Tel. (053) 838 5319

E-mail: Lorato.chababa@dpw.gov.za

Department of Public Works

Inspector: Mr Ismail
Contact: 053 838 5342

Quotation Form

Contractor Reference:

Complaint Code: ID -102367

Name of Business:

Client Details: UPINTON DCS

Contact Person:

Building Details: UPINGTON DCS

Telephone:

Address: Building: UPINGTON PRISON

Cellular:

Description: fumigation for rats at entire building

Facsimile:

Client Contact Person: W.O JJ LOCK

Business Post Address:

Contact Details : 092 6604 949

Scope of Work

Put out bait for eradication of rats and mice at Phakamile Mabija Police Station (old Transvaal Rd SAPS)

Please note that if this quotation is not returned on or before 11h00 of closing date, then it will be
Regarded as late. Thank you.

Price Schedule

Price excluding VAT:

VAT :

Tender Price :

Tender Amount in Words:

Notification Date: 01 March 2022

Closing Date: 08 March 2022

Your quotation must reach this office by 11h00 no late quotes will be accepted

Contractor Signature and Stamp

Please note that invoices must be submitted within 1 month after work has been executed.

Contractors should refrain from administering
Changes to Contract Allowances made in this
Document without official prior approval.
Failure to sign this document will render this
quotation non responsive.

**Compulsory VAT:
Registration Number**

CSD SUPPLIER NUMBERS:

Scope of work for servicing of air 13 conditioners at Upington prison:

Servicing shall be deemed inclusive of the following:

ID: 102367

INDOOR UNIT:

1. Loosen and remove covers
2. Brush and clean fan drums and blades.
3. Brush, clean and blow out cooling coil.
4. Blow out and clean the whole unit.
5. Clean out condensate pan and drains
6. Clean filters
7. Check electrical connection
8. Check for gas leaks and repair if any. (weld or tighten up)
9. Check and clean condensate pump on cassette unit
10. Access oil fan motor where applicable
11. Assemble unit and leave it in working condition

OUTDOOR UNIT:

1. Loosen and remove covers on outdoor unit.
2. Brush and clean fan drum and blades.
3. Blow and clean the whole unit.
4. Check electrical connections.
5. Check for gas leaks and repair if any (weld or tighten up)
6. Assemble unit and clean up

PARTS

1. Compressor
2. Condensor Fan
3. Condensor motor
4. Capacitor
5. Evaporator Fan
6. PC Board
7. Contactor
8. Air Filter
9. Air Drier
10. Recharge Gas
11. Thermostat
12. Remote control Sensor

GENERAL:

1. Check inter-connecting gas lines for gas leaks and repair if any
2. Check gas level and charge if necessary
3. Check amp readings and log
4. Check off coil temperature readings and log.
5. Replace batteries on remote control if applicable

6. Submit service report with the invoice.
7. Check thermostat, Indoor and Outdoor PC boards, capacitor and fuse for any defects and repair if necessary.
8. Inspect the compressor unit and fan motor for any defects and repair if necessary.

NB!!"All replaced spare parts must be left on site for verification and comparison to invoices.