

Private Bag x 229, PRETORIA, 0001 Tel 012 492 3022 Email: Edward.mbele@dpw.gov.za

Enquiries on this project: Mr E. Mbele Cell 083 326 9478

PLACE / RESIDENCE: Mahlamba Ndlopfu, Supply and installation of carpet.

NO	DESCRIPTION OF WOR	K	QTY	UNIT PRICE	PRICE EXC VAT
	SUPPLY AND INSTALL DESIGNER CARPET				
	NB: This designer carpet was designed specifically for the President house. The designer has mixed 10 different colours of Wool and Nylon to produce the end product that was approved by the President house Manager. Because of the complexity of the colour patterns, only a specialised installers will be allowed to install this carpet. This job will only be done by the installer who are specialising in installing international places like the hotels. It is a valued carpet. The staircase is so tricky the way it is designed.				
1	1ST ENTRANCE HALL STAIRCASE				
1	SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type	: Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm : Master Weave			
	Designer carpet	38.40m2	1		
	Plain carpet	8m2	1		
	Rubber underlay	5mm	1		
2	GROUND PASSAGES SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type	: Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm : Master Weave			

	Danis and and at	64m2			
	Designer carpet		_		
	Rubber underlay	5mm			
	Rug size (Left Side)	16000 x 1260mm	1	-	
	Rug size (Right Side)	10600 x 1260mm	2		
	Non slip underlay to bot	Non slip underlay to both runners			
	NB: Workmanship should be of a high quality standard. This carpet was specially design for this house.				
3	EASTERN STAIRCASE				
	ODEOJEIO ATIONI.				
	SPECIFICATION:				
	Carpet range	: Axminster.		Ī	
	Blend	: 80% Wool and 20% Nylon.			
	Quality	: 10 Raw : 10 Colours			
	Colour				
	Loom Width	: 3.66m			
	Pile Height	: 10mm			
	Туре	: Master Weave			
	the all . I				
		20.1			
	D 65				
	L C SI				
		32.00m2	1		
	Designer carpet Rubber underlay		1		
	Rubber underlay				
	Tabber andonay	5mm			
_					
4	FIRST FLOOR PASSA				
4	FIRST FLOOR PASSA				, k
4	FIRST FLOOR PASSAGE SPECIFICATION:	GES))
4	FIRST FLOOR PASSA SPECIFICATION: Carpet range	GES : Axminster.)):
4	FIRST FLOOR PASSA SPECIFICATION: Carpet range Blend	GES : Axminster. : 80% Wool and 20% Nylon.			i ki
4	FIRST FLOOR PASSA SPECIFICATION: Carpet range Blend Quality	GES : Axminster. : 80% Wool and 20% Nylon. : 10 Raw			bi bi
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours			, a;
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m			, b;
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm).).
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m))
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm))
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm))
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm) b:
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm			
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm			
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm			
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm			
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm			
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height	ESS : Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm			
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type	Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm : Master Weave			
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet	Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm : Master Weave			
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay	Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm : Master Weave			
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side)	Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm : Master Weave	1		
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side) Rug size (Right Side)	### Axminster. ### 80% Wool and 20% Nylon. ### 10 Colours ### 3.66m ### 10mm ### 1500 x 1090mm ### 7100 x 1090mm	1		
4	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side)	### Axminster. ### 80% Wool and 20% Nylon. ### 10 Colours ### 3.66m ### 10mm ### 1500 x 1090mm ### 7100 x 1090mm			
	SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side) Non slip underlay to bot	### Axminster. ### 80% Wool and 20% Nylon. ### 10 Colours ### 3.66m ### 10mm ### 1500 x 1090mm ### 7100 x 1090mm	1		
5	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side) Rug size (Right Side)	### Axminster. ### 80% Wool and 20% Nylon. ### 10 Colours ### 3.66m ### 10mm ### 1500 x 1090mm ### 7100 x 1090mm	1		
	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side) Rug size (Right Side) Non slip underlay to bot	### Axminster. ### 80% Wool and 20% Nylon. ### 10 Colours ### 3.66m ### 10mm ### 1500 x 1090mm ### 7100 x 1090mm	1		
	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side) Rug size (Right Side) Non slip underlay to bot MAIN RECEPTION SPECIFICATION:	## Axminster. ## 80% Wool and 20% Nylon. ## 10 Colours ## 3.66m ## 10mm ## Master Weave ## 46m2 ## 5mm ## 11500 x 1090mm ## 7100 x 1090mm ## runners	1		
	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side) Rug size (Right Side) Non slip underlay to bot MAIN RECEPTION SPECIFICATION: Carpet range	: Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm : Master Weave 46m2 5mm 11500 x 1090mm 7100 x 1090mm h runners : Axminster.	1		
	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side) Rug size (Right Side) Non slip underlay to bot MAIN RECEPTION SPECIFICATION: Carpet range Blend	Axminster. : 80% Wool and 20% Nylon. : 10 Raw : 10 Colours : 3.66m : 10mm : Master Weave 46m2 5mm 11500 x 1090mm 7100 x 1090mm h runners : Axminster. : 80% Wool and 20% Nylon.	1		
	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side) Rug size (Right Side) Non slip underlay to bot MAIN RECEPTION SPECIFICATION: Carpet range	## Axminster. ## 80% Wool and 20% Nylon. ## 10 Colours ## 3.66m ## 10mm ## Master Weave ## 46m2 ## 5mm ## 11500 x 1090mm ## 7100 x 1090mm ## 7100 x 1090mm ## runners ## : Axminster. ## 80% Wool and 20% Nylon. ## 11 0 Raw	1		
	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side) Rug size (Right Side) Non slip underlay to bot MAIN RECEPTION SPECIFICATION: Carpet range Blend	## Axminster. ## 80% Wool and 20% Nylon. ## 10 Colours ## 3.66m ## 10mm ## 11500 x 1090mm ## 11500 x 1090mm ## 1700 x 1090mm ## 1700 x 1090mm ## 100 x	1		
	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side) Rug size (Right Side) Non slip underlay to bot MAIN RECEPTION SPECIFICATION: Carpet range Blend Quality	## Axminster. ## 80% Wool and 20% Nylon. ## 10 Colours ## 3.66m ## 10mm ## Master Weave ## 46m2 ## 5mm ## 11500 x 1090mm ## 7100 x 1090mm ## 7100 x 1090mm ## runners ## : Axminster. ## 80% Wool and 20% Nylon. ## 11 0 Raw	1		
	FIRST FLOOR PASSAGE SPECIFICATION: Carpet range Blend Quality Colour Loom Width Pile Height Type Designer carpet Rubber underlay Rug size (Left Side) Rug size (Right Side) Non slip underlay to bot MAIN RECEPTION SPECIFICATION: Carpet range Blend Quality Colour	## Axminster. ## 80% Wool and 20% Nylon. ## 10 Colours ## 3.66m ## 10mm ## 11500 x 1090mm ## 11500 x 1090mm ## 1700 x 1090mm ## 1700 x 1090mm ## 100 x	1		

Designer carpet 46m2			
Rubber underlay 5mm			
Rug size (Left Side) 11500 x 4000mm	1		
Non slip underlay to the loose carpet	1		
NB: Please indicate to us where are you going to source this design carpets. Also indicate to us who will install your carpets. Provide the contact number and the contact person of your supplier and your installer. Please note that, your workmanship will be strictly inspected and all the mistakes happened will be rectified by you at your own cost.		Code	
	8	Sub-	
		total	
		10.1111	+
		Vat	

SUPPLIER DETAILES	SIGNATURE: